# SECURITY HEAD QUARTER, UTTAR PRADESH.

## 413, Dr Baijnath Road, New Hyderabad, Lucknow

Fax No 0522-2781005

No. Suraksha-Adhu/Up.Krya-236/2011-14

Dated: March 01, 2014

1.	M/s Electronics Corporation of India Ltd,	7.	M/s Bharat Electronics Ltd,
	(A Govt of India Enterprise),		(A Govt of India Enterprise),
	Instrument & Systems Division,		L-1, M.I.D.C. Industrial Area,
	B-2, DDA, Local Shopping Centre,		Taloja,
	"B" Block, Ring Road, Naraina		
	<u>New Delhi – 110028</u>		<u>Navi Mumbai – 410208</u>
	Fax:011-25771929		Fax: 022-27412888
	rajeevmathur_ecil@yahoo.co.in		akaushik@bel.co.in
		8.	M/s Broadcast Engineering Consultants
2.	Bharat Electronics Ltd.		India Ltd,
	Jalahalli Post,		(A Govt of India Enterprise),
	Bangalore-560013		(A Mini Ratna Company),
	Fax 080-25039305		14-B, Ring Road, Intraprasth Estate,
	011-26291131/3341		<u>New Delhi – 110001</u>
			Fax: 011-26735408
			becil@vsnl.com, <u>www.becil.com</u>
3.	M/s I.T.I. Limited,	9.	General Manager T.D.,
.ر	(A Govt of India Undertaking),	9.	Office of the GM (TD),
	ITI Bhawan, Vibhuti Khand,		A = 23, Jane Tower,
	Gomti Nagar,		
	Lucknow		Rajnagar Distt Centre
	Fax: 0522-2720302		<u>Ghaziabad – 201001</u>
	Itiro lko@reddiffmail.com		
4.	M/s Central Electronics Ltd,	10.	M/s State Trading Corporation,
	(A Govt of India Enterprise),		Jawahar Vyapar Bhawan,
	4, Industrial Area, Shahibabad,		Tolstoy Marg,
	<u>Ghaziabad – 201010</u>		<u>New Delhi – 110001</u>
	Fax : 0120-2895140/5141		Fax: 011-23701123
5.	M/s M.M.T.C.,	11.	Telecommunications Consultants India Ltd,
	Core-1, Scope Complex,		(Ministry of Communications),
	7, Institutional Area, Lodhi Road,		TCIL Bhawan, Room No. 411,
	<u>New Delhi – 110003</u>		Opposite Savitri Cinema,
	<u>Fax : 011-24364502/41083113</u>		Greater Kailash-I,
			<u>New Delhi – 110048</u>
			Fax: 011-26242313
			sanjeeva.tcil@gmail.com
			tarun.singhal@steria.co.uk
6.	M/S Instrumentation Ltd,	12	M/s P.E.C. Ltd.
	C-19, H-Park, Mahanager Extn.		"Hansalaya" 15, Bara Khamba Road,
	Lucknow.		New Delhi-110003
	<u>FAX 0522-2379134</u>		pec@peclimited.com

Proposals for procurement of Bomb Disposal and A.S.Check equipments are hereby invited from PSUs. The last date of submission of proposals is fixed as 15/03/2014. You are requested to send your proposal to quoting price inclusive taxes following items, as per the specifications enclosed at the earliest latest by 15/03/2014 at 12:00 Hrs through courier or by hand. The price of the equipments should be enclosed in two separate sealed covers along with the offer.

### Schedule of procurement is as follows :-

- a) Date/Time of Submission of proposal : 15/03/2014 till 12:00 Hrs
- b) Date/Time of Opening of Proposal : 19/03/2014 at 16:00 Hrs
- c) Date/Time of Demonstration : 24/03/2011 at 12:00 Hrs By technically qualified supplied

### Following documents must accompany with the proposals:-

- EMD in the shape of D.D/F.D.R in favour of Inspr Genl of Police (Security) payable at Lucknow.
- Proposals Fee in the shape of D.D. in favour of Inspr Genl of Police (Security) payable at Lucknow.
- > Original literature of the model of equipment being proposed.
- > Affidavit on a Non-Judicial paper worth Rs 10.00 indicating non-blacklisting of firm.
- > Authorization of Original Manufacturer of the equipment.
- > Undertaking for three years of warranty/ guarantee on the equipment.
- SPD 3 Form.
- > Terms & Conditions duly signed.

> Undertaking of spare and maintenance support for next 5 years after expiry of warranty.

			-	
SI.	Name of the Equipment	Quantity	EMD Required in	Proposal
No			Rupees	Form Fee (in
		Rupees)		
File	No. Suraksha-Adhu/Up.Kraya-236/201	1-14		
1	Contraband Detector	14	2,80,000.00	350
2	Portable X-Ray View System	8	2,56,000.00	350
3	Fibroscope Search Kit	8	1,60,000.00	350
4	Total Containment Vessel (TCV)	1	4,00,000.00	350
5	Mini ROV	1	1,00,000.00	350
6	Telescopic Manipulator	8	1,60,000.00	350
7	D.S.M.D.	3	9,000.00	170
8	Firing Simulator	1	1,60,000.00	350
9	Over All Fire Proof	10	40,000.00	350

Proposal, SPD 3 Form, Terms & Conditions etc can be downloaded through the website of U.P.Police <u>http://www.uppolice.up.nic.in</u> but the cost of Proposal Form must accompany with the Proposals in the form of Demand Draft in favour of Inspr Genl of Police (Security) payable at Lucknow.

(O.P.Srivastav) Supdt. Of Police (Training & Security) FAX 0522-2781005

#### No. Suraksha-Adhu/Up.Krya-236/2011-14

S.N.	Name of the Equipment	Quantity	EMD Required	Proposal
			in Rupees	Form Fee (in
				Rupees)
File N	o. Suraksha-Adhu/Up.Kraya-236/2011-	14		
1	Contraband Detector	14	2,80,000.00	350
2	Portable X-Ray View System	8	2,56,000.00	350
3	Fibroscope Search Kit	8	1,60,000.00	350
4	Total Containment Vessel (TCV)	1	4,00,000.00	350
5	Mini ROV	1	1,00,000.00	350
6	Telescopic Manipulator	8	1,60,000.00	350
7	D.S.M.D.	3	9,000.00	170
8	Firing Simulator	1	1,60,000.00	350
9	Over All Fire Proof	10	40,000.00	350

### Date of Opening of Proposal : 17<sup>TH</sup> March, 2014 <u>TERMS & CONDITIONS OF PROPOSAL</u>

1. The sealed Proposals shall be accepted by the undersigned up-to 12-00 hrs. on 15/03/2014. Thereafter, the Proposals shall be opened in the presence of the PSUs / their authorized personnel at 16.00 Hrs. On 19/03/2014 at Security Head Quarter, **"OM NIWAS "** 413 Dr.Baijnath Road, New Hyderabad, Lucknow.

The Proposals shall give the Technical Offer and the Financial Offer each in duplicate and in 2separate sealed covers respectively clearly marked as "Original Technical Offer"/"Duplicate Technical Offer"/ "Original Financial Offer"/ "Duplicate Financial Offer" in red ink. All these four envelops should be kept in one large envelop and sealed marked as "Proposal for......" The Technical Offer (Original) will accompany Original Proposal form (SPD-3) issued by the office, Technical offer such as Technical detail of the equipment along with Original brochure/ leaflets of the equipment (Not photo copy) and Earnest Money Deposit, Authorization of Original Equipment Manufacturer and other documents asked for except Financial offer. The Financial Offer will accompany photo copy of SPD-3 issued by the office. Financial offer in which Price of the equipment and taxes will be entered separately along with supply schedule and rate of AMC after expiry of the warranty period. The Technical and, Financial Offer shall be clearly marked stating name of equipment, Proposal notice number and date on the top of the envelop. The Financial Offer shall be opened only after evaluation of the Technical Offer. The date of opening of Financial Offer will be intimated in due course to the representatives of the qualified PSUs after evaluation of the Technical parameters Proposal documents and earnest money should be enclosed with Original Technical Offer. The Duplicate Technical Offer and Financial Offer should carry photocopy of the details provided in the respective original Technical and Financial Offer. Proposals which are incomplete, without earnest money, Conditional Offers, first hand non-compliance of specified Technical parameters shall not be considered. Name of manufacturer, service centers in India should be mentioned in Technical Offer.

3- Incomplete offers, offer not conforming fully to Technical Evaluation requirements or with vague replies or without EARNEST MONEY (If applicable) or Conditional Offer will be rejected. **The Proposal shall quote only one model in the Technical Offer/ Financial Offer.** If any **Proposer** willing to quote more than one model he should have to submit separate **Proposal** form for each and every model. The

Technical offer must specify the name and address of the manufacturing company and their service centers in India.

4- The demonstration of the equipments will be held as per **Proposal** schedule in Security Head Quarter premises at 413, Dr. Baijnath Road, New Hyderabad, Lucknow. No request for extension for demonstration date will be considered.

5- Every **Proposal** should be accompanied with earnest money (If applicable) in the form of Bank Draft/Govt. Promissory Notes, Post office cash certificate, Defence bond certificate, National Saving Certificate, National Plan Certificate, Debentures issued by State Finance Corporation, Deposit –at- call (Issued by Nationalized Bank) valid for three years and pledged to the **Inspr.Genl. of Police(Security) U.P., Lucknow** payable at Lucknow. The earnest money will not be accepted in any other manner , and in those cases the Proposal submitted will not be accepted.

6- The Proposal form / SPD3 can be procured and submitted from the office of the undersigned at Security Head Quarter, "Om Niwas", 413, Dr. Baijnath Road, New Hyderabad, Lucknow either in cash or by money order addressed to the undersigned with the cost of Proposal form mentioned in Proposal notice. The PSUs willing to get the Proposal form through courier or speed post have to send Rs. 100.00 extra (Courier/ postal charges) otherwise Proposals will be dispatched through ordinary post. Money order should be addressed to the under signed. The Security Branch shall not be responsible for any postal or courier delay. If amount is not received, the Proposal documents will be sent through ordinary post and the undersigned shall not be responsible for any postal delay. Cost of Proposal form will not be refundable/ adjustable in any circumstances.

7- Proposals can be downloaded through website of U.P.Police http://www.uppolice.up.nic.in but the cost of Proposal form must accompany with the Proposal in the shape of Demand Daft in favour of I.G. of Police (Security)U.P. payable at Lucknow otherwise Proposals shall be rejected outright.

8- All such PSUs, which are not registered with DGS & D, New Delhi, NSIC New Delhi, D.I. Kanpur or U.P.S.I.C. Kanpur, are, as a rule, required to deposit earnest money along with their **Proposals** without which their **Proposals** shall be ignored and no correspondence thereafter shall be entertained. Such PSUs registered with any of the four organizations mentioned above are exempted from depositing earnest money. For being considered for exemption from earnest money, copy of registration certificate duly attested by a gazetted officer or public notary should be enclosed with the **Proposal**.

9- The **Proposals** can be dropped at the sealed box stationed at Security Branch, Lucknow or through post but the **Proposal** must be received in the office of the undersigned by the due date and time. The undersigned shall not be responsible for any postal delays and no **Proposal** shall be accepted after the designated time.

10- The Chairman of the purchase committee (mentioned as "Chairman" hereinafter) reserves the right to alter the number of equipments to be purchased and cancel any **Proposal** in partial or full without assigning any reason. The reason of cancellation will be noted down on the file and will be disclosed if required under rules.

11- **Proposals** can be submitted for the desired equipment with the specifications better than the prescribed one but the selection of such equipment will be done by the committee constituted for this purpose and its decision will be final and binding to all.

12- The PSUs should submit their Proposals keeping in view all the terms and conditions. If the Proposal is not submitted as per the terms and conditions, SPD-3 form and check list given by the department, the authority for cancellation shall be vest with the Chairman.

13- Proposals will be valid up-to One Year.

14- After receiving the supply order, the equipments should be made available to the undersigned by the due date along with the bill in triplicate. The Pre-Delivery Inspection of all the equipments will be made at Security Branch by the Technical committee constituted by the Chairman for the purpose and the equipment supplied will be accepted after their O.K. report for the Technical committee constituted for the purpose after P.D.I. If the equipment is not supplied within the stipulated time the PSU has to inform the reason of delay in supply failing which fine @ 10% of the quoted price will be imposed for each fortnight. The decision of the Chairman in this regard will be final and binding to all.

15- The payment will be made after the supply of equipments and their accessories. Deduction of Income-tax and VAT. as applicable as per rules will be made from the final payment.

16- No accessories will be accepted as Optional. The Proposer will have to supply all the accessories with the equipment mentioned in literature of the submitted with the Proposal and no extra cost will be paid for the accessories. Proposal will also not quote price of accessories as optional in Financial Offer otherwise their Financial Offer will not be considered.

17- Any dispute arises in the matter will be considered in the court of Lucknow (U.P.) jurisdiction only.

18- Undersigned is not bound for minimum contract and reserves the right to terminate the contract or any part of the contract. In any case of dispute on this subject the final decision is vested with the Chairman.

19- **Proposals** which are submitted on any form other than the prescribed form issued from the office of the undersigned, will be rejected. **Proposals** can be submitted after downloading from the website but the **Proposal** must accompany the cost of **Proposals** in form of Demond Draft in favour of **Inspr,Genl. of Police(Security) U.P., Lucknow payable at Lucknow.** 

20- Equipments will be accepted in the office of undersigned at Security Head Quarter, Lucknow for which no extra payment as transportation, packaging charged, insurance etc. will be payable.

21- The prices of equipments along with all payable taxes/exchange rate etc. will be mentioned along with the **Proposals** submitted. At the time of submission of bills any amount other than the agreed amount mentioned in price Offer along with taxes, will not be payable by the department.

22- For imported equipments, the proposer will submit Proposals for only such equipment, for which they are the authorized dealer/ distributor. They will be required to submit an authority letter from the foreign manufacturer (Not from the authorized dealer of the company in India), clearly indicating (i) that the proposer is the authorized agent for the supply of such equipment on behalf of the foreign company (ii) that the specific item is manufactured by the foreign manufacturer and (iii) that the said agent is authorized to submit Proposals on behalf of the foreign manufacturer in India. Any authority letter submitted by the agent on behalf of the foreign manufacturer that he represents such firm, will not be accepted. No document, other than those submitted along-with the Proposal, will be accepted separately. Proposals submitted without satisfying above conditions will be rejected and the earnest money will be forfeited. If the manufacturer of the equipment. OEM has also to submit an authority letter that if proposer / Authorized agent fails to provide warranty/services after the completion of warranty period of the equipment, then OEM shall provide warranty/ spare parts of the equipment.

23- If the equipment quoted is a proprietary item, the PSU submitting the **Proposal** will also give a proprietary certificate.

24- Interest for any delay in payment due to any reason will not be payable.

25- While submitting the **Proposal**, it should be clearly specified that supply of consumables for such items, spare parts that may be required, will be guaranteed, The PSU submitting the **Proposals** should also specify the after-sales service, which will be provided. Such PSU shall also be bound to provide training for the use and repair of such equipment free of cost as and when and where required. After expiry of

guarantee period from the date of installation, the company should also indicate the A.M.C. charges for next year with per year rate and after the acceptance of **Proposal**, agreement bond has to be filled for responsibility of maintenance under the AMC on the quoted rates. During the maintenance and repair of equipments, the PSU will not have any claim (or any amount) to the items/parts replaced with new items for free of cost, Ownership of parts of the equipments taken out in replacement during AMC/ maintenance, will be the property of the department. In case firm fails to execute AMC or delays in repair of the equipment the Chairman can impose fine and the PSU will be liable to pay the fine. It is made clear that if firm does not obey the conditions of AMC and subsequently the security measures adversely effected, the firm shall be black listed.

26- If the PSU fails to supply the equipment after accepting the supply order, the earnest money and security money will be forfeited and the PSU will be declared blacklisted and undersigned can initiate legal action as per rules.

27- The PSU registered in U.P. should enclose VAT registration. PSUs who are registered with other states should enclose the C.S.T. certificate and also indicate its registration number in **Proposal** form.

28- The PSU participating in the **Proposal** should have to submit an affidavit on Non Judicial Stamp worth Rs. 10-00 only that they have not been blacklisted by any of the department/unit/organizations in India.

29- After supply of the equipment and during their warranty period their installation at any place/District/ Unit in U.P., if required, will be the responsibility of the supplier and no extra charges shall be paid for the purpose. Warranty period is mentioned in the specification of the equipment .

30- Such PSUs who are not registered with either of four organizations viz. (i) D.G.S.& D (ii) N.S.I.C. New Delhi (iii) D.I., U.P. and (iv) U.P.S.I.C. shall be required to deposit advance security @ 10% of the total cost of the equipment in the form of Demand Draft pledged to the **I.G. of Police (Security) U.P., Lucknow for a period of Warranty** payable at Lucknow and will execute an agreement on a Non Judicial Stamp worth Rs. 100-00. Such PSUs who are registered with any of above four organizations may be considered for exemption from depositing security money (If application is made) for which Chairman reserves the right to do so but they have also to execute an agreement on Non Judicial Stamp worth Rs. 100-00. The Chairman also reserves the right to reduce/ increase the amount of security money as may be deemed fit. The security deposit shall be retained with the undersigned up-to the period of warranty period. The security deposit, if the chairman deemed fit, can be returned after the successful running of the equipments for a period of six months

31. The PSUs will submit Operating and maintenance Manual preferably in Hindi of each and every equipment being supplied at the time of delivery. Supplier will also impart training free of cost regarding Operation and maintenance of equipment at Security Branch as well as at other places in U.P. as directed by the Security Branch for which no extra cost will be paid.

32 PSUs has also to certify that they have qualified Technical team and service centers which are capable to attend complaint within 24 to 72 Hrs. If the PSUs fails to attend complaint within stipulated time, a fine will be imposed on him for which decision of A.D.G. (Security) will be final and binding to all.

33. PSUs have to submit their experiences for the supply of the equipment being quoted and list of their customers Specially Govt. offices/Units along with the Proposal.

34. If the total cost of the equipment exceeds Rs. 10 Lac excluding taxes. The PSUs have to pay 2% Entry Tax in cash before the supply of the equipments. The amount of Entry Tax will be charged by the PSUs in the bill submitted for payment.

35. Period of warranty shall be 03 year as mentioned in the specification of the equipment concerned and will be calculated from the date of installation of the equipment. Proposals not offering this warranty period shall be rejected.

36. The PSUs will ensure visit of their engineers every quarter for maintenance of the equipment supplied by the PSUs during warranty period and a report regarding visit and maintenance will be submitted to the Security Branch.

37. PSUs have to quote rates including accessories in their Financial Offer as no accessories mentioned in the literature will be accepted as "OPTIONAL" After receiving supply order PSU has to supply all the accessories mentioned in the specification/ Literature as "ACCESSORIES".

38. The PSUs has to provide an undertaking at the time of supply of equipment that the equipment being supplied is the same which has been demonstrated and mentioned in the Technical Offer. PSUs has also to provide model/serial no., manufacturer name, address along with warranty card. in future, if equipment is found to be duplicate, firm has to face legal action as per rules.

39. P.D.I. of equipment shall be performed at PSU's workshop (if required) but P.D.I. at Security Branch premises at Lucknow is must which will be the duty of the PSU.

40. Rates of AMC will be counted if required to establish lowest Offer in Financial Offer.

41. If more than one rate is quoted in Financial Offer, the Offer shall be rejected.

42. If required, extra terms and conditions could be added to the existing Terms and Conditions which has to be complied by the PSU.

43. Foreign manufacturer / Indian manufacturer can authorize only one PSU to participate in **Proposals** of the equipment called for. If this term is not followed then **Proposals** of all the PSUs participating on behalf of the particular manufacturer shall be rejected.

(O.P.Srivastav) Supdt. Of Police (Training & Security) FAX 0522-2781005

## FORM / SPD-3 FORM GOVERNMENT OF UTTAR PRADESH

SECURITY Head Quarter, U.P., LUCKNOW

No. Suraksha-Adhu/Up.Krya-236/2011-14

## CONDITIONS OF AGREEMENT

S.N.	Name of the Equipment	Quantity	EMD Required in	Proposal Form
			Rupees	Fee (in Rupees)
File N	o. Suraksha-Adhu/Up.Kraya-236/2			
1	Contraband Detector	14	2,80,000.00	350
2	Portable X-Ray View System	8	2,56,000.00	350
3	Fibroscope Search Kit	8	1,60,000.00	350
4	Total Containment Vessel (TCV)	1	4,00,000.00	350
5	Mini ROV	1	1,00,000.00	350
6	Telescopic Manipulator	8	1,60,000.00	350
7	D.S.M.D.	3	9,000.00	170
8	Firing Simulator	1	1,60,000.00	350
9	Over All Fire Proof	10	40,000.00	350

### **Date of Opening of Proposal: 17<sup>TH</sup>**, March, 2014

1. The agreement is to last till ..... but in the event of any breach of the terms of agreement at any time on the part of the supplier the agreement shall be determined summarily by the I.G.(SECURITY), Security Head Quarter, U.P., Lucknow without compensation to the supplier.

2. The supplier will supply goods and materials from time to time in such quantities as may be entered in the indents sent at the rates set forth in the Schedule of rates at page (3).

3. <u>The goods or materials to be supplied under the agreement are to be of the quality or sort in</u> <u>every respect equal and answerable to the patterns or sample sent with the quotations and approved by the</u> <u>I.G.(SECURITY), Security Head Quarter, U.P., Lucknow. In the event of supplies not being up to the sealed sample</u> <u>accepted, but good enough for retention, the goods supplied may either be retained at a reduction in cost not</u> <u>exceeding 10 per cent of the total value or be returned to the supplier in accordance with paragraph 10 below at</u> <u>the option of the Indenting Officer. The goods may only be retained at a reduction if the supplier agrees.</u>

4. The I.G. (SECURITY), Security Head Quarter, U.P., Lucknow may, by notice in writing, call upon the supplier to supply additional goods or materials to serve as samples, and upon such notice in writing the supplier shall be bound to supply additional samples of goods or materials, such additional samples being in all respects of same quality or sort as the sample first supplied.

5. (a) All rates are to be based on delivery, securely packed and f.o.r. stations nearest to suppliers or Indenting Officers as asked for in the **Proposal** notice.

(b) Railway freights, if pre-paid, shall be added to the original quotations.

(c) When goods are ordered f.o.r. the station nearest to supplier, the Indenting Officer may at his option direct that this shall be booked either by goods train or by passenger train and either at owner's risk or at railway risk. The supplier shall carry out his direction and shall, in any case, be responsible for the safe delivery of the goods soundly and securely packed to the Railway Administration and shall obtain from such Railway Administration a clear receipt for the goods in evidence thereof. In the absence of a clear receipt, the suppliers will be held responsible for all damages or loss caused by breakage or leakage which may occur to the goods while in transit and until they have been delivered to the consignee at railway station of destination.

(d) When goods are ordered f.o.r. station of destination, the suppliers shall be required to bear all risks of loss, leakage or damage, and shall deliver the goods in good order to the consignee at railway station of destination, mentioned in the indent, in such quantities or number and with in such time and in such manner as the Indenting Officer shall, from time to time, direct.

6. Unless when specially ordered in the order accompanying the indent, all goods must be dispatched within 14 days of the receipt of indent by the supplier.

7. With every dispatch of goods or materials under the arrangement invoices or bills of Parcells in duplicate are to be sent by the supplier to the Indenting Officer, the duplicate to be returned by the Indenting Officer with the quantities or number received duly noted thereon.

8. Conditions as to time for performance whether laid down herein or in the indent, shall be always regarded as the essence of the arrangement.

9. The I.G. (SECURITY), Security Branch, U.P., Lucknow or any of the experts attached to the Security Department or the Indenting Officer or any other officer or person duly authorized in writing by the I.G.(SECURITY), Security Branch, U.P., Lucknow, shall have power to inspect the stores before, during and after manufacture, collection, dispatch, transit or arrival and to reject the same or any part or portion, if he or they be not satisfied that the same is equal or according to the sample or specification in weights, quantity and number.

10. Goods or materials rejected or refused on the ground of inferior quality or any other ground shall be removed by the supplier at his own risk and expense within ten days after notice has been received by him of such rejection. In the event of non-removal by the supplier as aforesaid within the said period of ten days, it shall be lawful for the I.G. (SECURITY), Security Branch, U.P., Lucknow to authorize the Indenting Officer to sell by public auction any rejected materials or goods and in such cases the supplier shall be credited with the sale proceeds thereof but will not be entitled to any loss of damage that may be occasioned by such sale. If the contractor is not satisfied with the decision of the authority rejecting or refusing goods, he may appeal to the I.G.(SECURITY), Security Head Quarter, U.P., Lucknow with in five days of the receipts of such notice, and the decision of the I.G.(SECURITY), Security Head Quarter, U.P., Lucknow will be final in all cases.

11. The system of payment shall be as follows :

 $\div$ 

\*

Bill in triplicate shall be sent by the supplier to the Indenting Officer and on receipt of these, the Indenting Officer or his superior officer shall make payment direct. The suppliers may, however, for their own convenience send advance intimations for the amount of the bill to the Indenting Officer but no advance payment shall be made.

Payment shall ordinarily be made within one month of delivery. All payment shall be subject to the deduction of any amount to which the supplier may be or render himself liable under the terms of this arrangement.

12. Packing cases, containers, gunny packages, etc. which may be used for purposes of packing and which are delivered with stores will not be returned or paid for, unless specially stipulated.

13. The contractor shall not sub-let or assign this contact without the written permission of the I.G..(SECURITY) Security Head Quarter, U.P., Lucknow. In the event of the contractor sub-letting or assigning this contract without such permission he shall be considered as having there-by committed a breach of this contract.

14. In the event of the suppliers not being in strict accordance with these conditions or not being delivered within the time allowed, the I.G. (SECURITY), Security Head Quarter, U.P., Lucknow may recover from the contractor as liquidated damages and not by way of penalty the sum of one percent of the value of the said goods or materials for each and every day up to 25 days during which the articles to be supplied are not delivered or bad articles are not replaced. Further, it shall be lawful for the I.G. (SECURITY), Security Head Quarter, U.P., Lucknow or the Indenting Officer to purchase the required articles or any suitable quality obtainable in the open market at the risk and cost of the contractor, who in addition to the liquidated damages aforesaid shall be liable for any loss or damages caused by the said purchase. The I.G. (SECURITY), Security Head Quarter, U.P., Lucknow shall alone be entitled to adjudge upon the penalty or compensation or damages due for delay in performance, as also to adjudge upon the advisability of taking other suitable action. If the delay shall have arisen from any cause which the I.G. (SECURITY), Security Head Quarter, U.P., Lucknow may declare in writing to be a reasonable, such additional time may be allowed as may be considered necessary in the circumstances of the case. In such a case he may also forego the whole on any part of the aforesaid liquidated damages but not the other loss or losses.

15. In case of non-performance in any form or shape of the conditions of this arrangement the I.G.(SECURITY), Security Head Quarter, U.P., Lucknow shall have power to annul, rescind or cancel the arrangement and upon his notifying in writing to the supplier that he has so done, this arrangement shall absolutely determine. He may also debar the firm for the Uttar Pradesh police Department contracts for such periods as he thinks fit.

16. In the event of any dispute arising out of or concerning this Agreement (except as to any matters the decision of which is specifically provided for this Agreement), the same shall be referred to the arbitration of an arbitrator nominated by the I.G.(SECURITY), Security Head Quarter, U.P., Lucknow and an arbitrator nominated by the contractor. or in the case of the contractor or the said I.G. (SECURITY), Security Head Quarter, U.P., Lucknow

failing to nominate an arbitrator with in the time fixed in the notice to be served on him by the said I.G.(SECURITY), Security Head Quarter, U.P., Lucknow or the contractor, as the case may be, by the arbitrator, nominated by the said I.G.(SECURITY), Security Head Quarter, U.P., Lucknow and the contractor or in case of disagreement between the said arbitrators to an umpire appointed by them and the decision of such arbitrators or arbitrator or umpire, as the case may be, shall be final and binding on the parties. The arbitrators/arbitrator/umpire may from time to time with the consent of the parties enlarge the time for making and publishing the award.

17. Without prejudice to any other remedy provided by law any amount due form the supplier to the Governor will be recoverable as arrears of land revenue and may also be recovered by deduction from any amount due from the Governor to the supplier on any account under any other transaction.

18. The suppliers will send to the Deputy Director of Industries (Stores), Uttar Pradesh Kanpur, quarterly statement of goods they supply under this arrangement in the following form ;

Supplies during the quarter ending ......:

Name officer	of	Indent no. and date	Name of article	Quantity number	or	Value applies	of	Remarks Indian mak	(whether e or foreign)
				supplied					

#### QUOTATION

1. I/We hereby quote to supply the goods and materials in the under writing Schedule in the manner in which and within the time specified, as set forth in the conditions of arrangement stated above at the rates given in the Schedule below. I/We hereby agree that in the event of **Proposal** being accepted the conditions of Para as 1 to 18, on pages 1 to 4 and those contained in the acceptance letter will be binding upon me/us and will, along with the quotation, be converted into and shall be deemed to be a completed agreement between me/us and the Governor of Uttar Pradesh from the date of issue of acceptance letter. I/We hereby further agree that if so required by the I.G.(SECURITY), Security Branch, U.P., Lucknow. I/We shall execute a formal Agreement Deed.

2. I/We here with deposit a sum of Rs. as earnest money and should I/We fail to execute a fresh deed of agreement if so required, by the I.G. (SECURITY), Security Head Quarter, U.P., Lucknow on behalf of the Governor of Uttar Pradesh and deposit the security as laid down in the **Proposal** notice within ten days of the acceptance of my/our **Proposal**. I/We hereby agree that, a part from my/our liability under the agreement, the above sum of earnest money will be forfeited to the Governor:

#### SCHEDULE OF RATES

S.	Item with	Unit	Rates	Taxes		Total	Make and Brand
No.	specification		per unit	Sales tax Excise duty			
1	2	3	4	5 6		7	8

All rates are f.o.r					
Dated the	Day of	2014			
Signature					
Address		Name of supplying firm			

N.B.—Please do not forget to fill in all the above columns.

Accepted
Signed
Designation

For and on behalf of the Governor of Uttar Pradesh

# SPECIFICATIONS OF Portable X-Ray Inspection System FILE NO. SURAKSHA/ADHU.UP-KRAYA-236/2011-2014

-		O. SURAKSHA/ADHU.UP-KRAYA-236/2011-2014
<u>PURI</u>	POSE	To get a clear view of internal circuit of bomb mechanism and other objectionable
		/suspected items in a suitcase, bags, etc. within a minute on a radiographic film
		and laptop
<u>GEN</u>	IERAL SPECIFIC	CATIONS
1	Equipment	Complete system with X-ray camera, cable, laptop, PCI interface, X-ray control
		software and a remote control with zooming facility should be available
2	Detection	Bomb mechanism and other objectionable /suspected items with
		prevailing detection norms and needs.
		Detection must be capable of pinpointing the location.
3	Weather Proof/	Weather Proof means the capability of the equipment to work in all weather
	Shock proof	condition from a temperature range of –10 degree to +55 degree C and under
		different humid condition
		Shock Proof means that the equipment should be capable of withstanding
		the normal shock and bumps of daily operations without any problem.
4	Safety	The equipment should be safe to handle and be free from radiation hazards to the
	•	operator.
5	Standards	As per prevailing International Standards
Tec	hnical Specific	ation
1		The system should be as light in weight as possible. The system should be compact
1		and easy to setup.
2		All major components should be portable and light weight.
3		The system should be able to function with both pulses and continuous X-Ray
5		source.
4		Real Time measurement of any object on screen should be possible.
		The system should have laptop based control and display unit, along with a video
5		camera unit. The camera should be high resolution with imaging area of 300 x400
		mm approximately.
6		X-Ray generator should be light weight (preferably less than 7-10 Kg.) and capable
ļ		of being operated with cable from a distance up to 50 m.
7		The RTVS should be mountable / suspend able from ROV and mini ROV and should
		be able to integrate with Robot operations.
8		To facilitate the off side study, the system should be supported by a hardware /
		software capable of image recording on a storage media i.e. C.D. USB storage
		device etc.
9		A menu drive software, facilitating the operator to choose a wide range of function
		provided by the software, should support the system.
10		The software should have the facility of zooming the image along with the ability
		to scroll the full image.
11		The system should be able to store minimum 30,000 images in its data base
		library.

12		The system should at least way ide impact on how consult for illing on up dow
12		The system should at least provide image enhancement facilities as under:-
		Pseudo coloring facilities or better
		Brightness and contrast control
		Split screen capability
		Sharpening of image
		3-D effect of an image
		Tilting / Rotation of an image
		On screen measurement facility
4.2		Should have preferable material discrimination function
13		The system should have wire & wireless operation (Both system)
14		For easy field use the system should be operated with a rechargeable battery and
		should have additional facility of operating with AC power supply.
15		A battery low level indication should be available.
16		The system should be protected by anti-virus software to protect its stored data.
17		The system should be capable of operating in the temp. range of – 10 degree C to
		+ 55 degree C.
18		Exposure time / pulses of X-Ray should be adjustable depending on type of object
		to be viewed and X-Ray.
19		Audible and visual warning during the X-Ray activation should be available.
20		The laptop should be configured with the latest version of software and the
		hardware upgradeable and expandable. It should be industrial grade.
21		More than 30 images should be taken while operating from the fully charged
		battery.
22		Image data base should include user name, date, time, place, category, annotation
		etc.
23		The laptop should have enhanced indoor / outdoor display. It should have backlit
		keyboard.
24		The laptop should have wireless communication port.
25		X-Ray software should have a facility to use external camera to capture a real
		picture along with X-ray picture.
26		Operating manual giving illustrative instructions should be provided. Training
		should be given to operators.
27	Accessories	The carrying case should be light weight, water proof and scratch proof for storage
		and transportation.
		Proper load balancing
		Main and side handles. Rollway wheel design.
28	Essential	i. All connecting cables/ operating accessories
		ii. Operational manual and technical maintenance manual.
		iii. Price list of essential parts.
		iv. Demonstration at our premises before final acceptance without financial
		obligations.
		v. Training to member of staff by manufacturing / representative as part of tender
		vi .Availability of spare parts and suitable repair service centers.
29	Operation &	1. Operating Manual and Service Manual should be provided with each unit.
	Maintenance	2. Operator's training should be carried out in Lucknow/any district in Uttar
	Manual	Pradesh at our premises.

30	Demon	stration	Demonstration for the verification of various Technical parameters claimed for
			the product by the firm will be required during technical evaluation and also at
			the time of delivery for technical acceptance. PDI (pre-delivery inspections) will be
			conducted both at factory premises and also at security branch premises or test
			field of operation . During demonstration, the technical committee in the
			presence of the bidders will test the equipment.`
31	Terms 8	&	1. The manufacturer/supplier should be a reputed firm, having service centers
	Conditi	ons for	preferably in Uttar Pradesh.
	After Sa	ales	2. Should undertake to provide maintenance/spares support for a period of 8 years
	Service	/	including guarantee period.
	mainte	nance &	3. Should have team of qualified engineers at service station to undertake prompt
	spares,		and efficient service/maintenance work within 72 hrs. of complaint.
	support		4. Should have ready stock of important modules and spare parts
	infrastr	ucture	5. Bidders should submit sufficient documents to prove their experience in dealing
	for		of <b>Portable X-Ray view System</b> and its maintenance for a period of minimum 5
	mainte	nance	years.
			6.Guarantee : Three years from the date of technical acceptance of delivery
			7. A certificate that the equipments are of the same efficiency what have been
			shown/ quoted be provided regarding such features which cannot be tested
			without equipments. A certificates regarding 'Safety 'and 'Standards' should also
			be provided. A Testing Report should be provided if the equipment is tested by
			some recognized Lab. Preference shall be given to the firm who provided
			necessary certificates and testing reports.
			8. Manufacturer products shall have quality system compliance with the I.S./ISO
		DOLL	9001/ EN 9001 with certification. Proof to be given with the technical bid
After Sale PSU Services in		PSU	Valuation by Technical Branch
		<u> </u>	
the past 5 Supply			Valuation by Technical Branch
Years		Firm	
NOTE			The above mentioned specifications are only indicative in nature. Better or
			technologically updated and superior products are also eligible for consideration.

# <u>SPECIFICATIONS OF Deep Search Mine Metal Detector</u> \_FILE NO. SURAKSHA/ADHU.UP-KRAYA-236/2011-

		2014				
PUR	POSE	Able to detect buried items of explosive with minimum metal content and with				
<u></u> .		its ease of use.				
GE	GENERAL SPECIFICATIONS					
1	Equipment	Self adjusting to its immediate environment. Should be totally sealed, water				
		proof and submersible.				
2	Detection	All Ferrous and non-ferrous metal even in low battery condition with prevailing				
		detection norms and needs. Preferably different color LED indication for				
		different detection of metal.				
		Detection must be capable of pinpointing detected metal to 0 to 5cm range.				
		The distance will be taken from the center of the search head to the center of				
		the object.				
3	Safety	The equipment should be safe to handle and be free from radiation hazards to				
		the operator.				
4	Standards	Prevailing International Standards to suit the ground requirements.				
	<u>chnical Speci</u>	fication				
1.		Based on pulse technology				
2.		Capable of detecting ferrous & Non-ferrous metals				
3		High detection sensitivity				
4		Automatic adoption to soil and water conditions				
5		Unaffected by magnetized soil, seawater				
6.		Safe for electrically activated mines				
7.		Should be able to discriminate between two metals placed adjacent to each				
		other				
8.		Should be able to detect metal inside hallow metal pipe				
9.		Should be able to detect metal in mineralized soils				
10.		Max. useable detection to be 0.05 g stainless steel at 75 mm.				
11.		Pin pointing the target within <u>+</u> 5 cm				
12.		Adjustable volume control				
13.		Selector switch for static or dynamic operation				
14.		Battery operated				
15.		Low battery indicator				
16.		Weight of detector : < 2 Kg. preferable				
17.		Complete operating weight : 3.5 Kg. max.(with batteries)				
18.		Rigid design				
19.		Can operate under all climatic conditions				
20.		Ease of operation, no adjustment or compensation necessary				
21.	<u>Accessories</u>	The carrying case should be ruggedize/easily portable. , spare battery and				
		battery charger, if required				

22	22 Operation & Maintenance Manual		<ol> <li>Operating Manual and Service Manual should be provided with each unit.</li> <li>Operator's training should be carried out in Lucknow/any district in Uttar Pradesh at our premises</li> <li>Informative user hand-book</li> </ol>
the product by th the time of delive within one mont equipment will b bidders. PDI (pre		onstration	Demonstration for the verification of various Technical parameters claimed for the product by the firm will be required during technical evaluation and also at the time of delivery for technical acceptance. The demonstration must be done within one month after the tender submission. During demonstration the equipment will be tested by the technical committee in the presence of the bidders. PDI (pre-delivery inspections) will be conducted at security branch premises or test field of operation.
24			1. The manufacturer/supplier should be a reputed firm, having service centers
Terms &		s &	preferably in Uttar Pradesh.
<b>Conditions for</b>		itions for	2. Should undertake to provide maintenance/spares support for a period of 8
	After	Sales	years including Guarantee period.
	Servio	ce/ tenance &	3. Should have team of qualified engineers at service station to undertake prompt and efficient service/maintenance work within 24-72 Hrs. of complaint.
spares, support			
	&	,	5. Should have proven infrastructure including testing tools for repair and
		tructure	maintenance.
	for		6. Bidders should submit sufficient documents to prove their experience in
	-	tenance	dealing of <b>Deep search mine metal detector</b> and its maintenance for a period of
			minimum 5 years.
			7. Guarantee : Three years from the date of technical acceptance of delivery.
After	Sale	PSU	Valuation by Technical Branch
Services			
in the		Supply	Valuation by Technical Branch
past 5		Firm	
Years			
NOTE	Ξ		The above mentioned specifications are only indicative in nature. Better or
			technologically updated and superior products are also eligible for consideration.

# Specifications of **CONTRABAND DETECTOR** FILE NO. SURAKSHA/AADHU.UPKARAYA-236/2011-14

<u>PURPOSE</u>		To detect explosives, weapons and much more with fast and effective way of detecting	
		contraband in objects such as containers, tyres, car doors, fuel tanks and other objects	
		which can contain illegal substances such as vehicles, trucks, boats and aero planes	
GEN	ERAL SPECIFICATI	ONS	
1	Equipment	Should be user-friendly, easy to understand. Should be weather proof/ shock proof	
		and can detect explosives, weapons and much more in fast and effective way.	
2	Safety	Should be safe for security personnel	
3	Standards	As per prevailing International Standards	
Tech	nical Specificatio	<u>1</u>	
1	Technology	Microprocessor based detector to digitalize and display variation in intensity of	
		reflected high-energy radiation.	
2	Detection range	Should accurately indicate changes in density up to a depth of 200 mm.	
3	Dimensions	Ideal for hand held operation.	
4	Weight	Approx. 1Kg-1.5Kg. Equipment body should be made of metal	
5	Display	LCD Capable of updating every half second.	
		Low battery & minus sign indications.	
		Provision for push button operated electroluminescent back light panel.	
6	Alarm/Auto	Audio /visual pulse form at .5 second interval for deviations.	
	alarm		
7	Power Battery	9 volt DC rechargeable battery with battery charger.	
8	Operation	Should have	
	modes	(i) Raw data (ii) Data scan (iii) Zero scan (iv) Calibration	
		(v) Self diagnosis and (vi) Lock modes for operation(vii) Self test (viii) Search for the	
		changes in substances density (ix) Measurement mode. (x)Communication with PC	
		scan rate.	
9	Scan rate	Suitable for fast manual scanning.	
10	High energy	Preferably Barium-133 , Should not exceed,	
	source	Radiation level should conform to specified international standards.	
11	Shield	Led block/Tungsten carbide, provision should be available for safety indicators.	
12	Detector	Cesium iodide scintillation crystal type with appropriate microprocessor based	
40	• • • • • • •	circuitry.	
13	Accessories	1. Extension arm with remote control for use of equipment in spaces	
		inaccessible for direct viewing.	
		2. Probes	
		3. Earphones.	
		4. Technical manuals and consumables.	
		5. Vibrator	
14	Carrying case	Suitable for safe transportation.	
15	Quality of	International standard and quality.	
	component		

16			1. The rate meter should be able to be used as a separate "pocket Type" radiation detection instrument which should be able to detect the smallest amount of radioactive materials.
	Features		<ol> <li>IR communication port for PC connection for setting advanced instrument parameters, enable or disable operation modes &amp; download event data stored in the instrument memory to the data base.</li> </ol>
16	Operation & Maintenance Manual		<ul><li>1- Operating Manual and Service Manual should be provided with each unit.</li><li>2-Operator's training should be carried out in Lucknow /any district in Uttar</li><li>Pradesh at our premises</li></ul>
17	7 Demonstration		Demonstration for the verification of various Technical parameters claimed for the product by the firm will be required during technical evaluation and also at the time of delivery for technical acceptance. PDI (pre-delivery inspections) will be conducted both at factory premises and also at security branch premises or test field of operation. During demonstration, the technical committee in the presence of the bidders will test the equipment.
18	Terms & Conditic After Sa	ons for	1-The manufacturer/supplier should be a reputed firm, having service centers preferably in Uttar Pradesh.
	Service/ mainten	nance &	2-Should undertake to provide maintenance/spares support for a period of 8 years including guarantee period, on site.
	spares, support & infrastructure for maintenance		3-Should have team of qualified engineers at service station to undertake prompt and efficient service/maintenance work within 24-72 hrs. of complaint.
			4-Should have ready stock of important modules and spare parts
			5-Bidders should submit sufficient documents to prove their experience in dealing of <b>CONTRABAND DETECTOR</b> and its maintenance for a period of minimum 5 years.
			6-Guarantee: Three years from the date of technical acceptance of delivery.
			7- A certificate that the equipments are of the same efficiency what have been shown/ quoted, be provided regarding such features which cannot be tested without equipments. A certificates regarding 'Safety 'and 'Standards' should also be provided. A Testing Report should be provided if the equipment is tested by some recognized Lab. Preference shall be given to the firm who provided necessary certificates and testing reports.
			8- Manufacturer products shall have quality system compliance with the I.S./ISO 9001/ EN 9001 with certification. Proof to be given with the technical bid.
	ces in	PSU	Valuation by Technical Branch
the p Years		Supply Firm	Valuation by Technical Branch
NOTE			The above mentioned specifications are only indicative in nature. Better or technologically updated and superior products are also eligible for consideration.

# Specification of Telescopic Manipulator FILE NO. SURAKSHA/AADHU.UPKARAYA-236/2011-14

		The Telesconic Manipulator is used to make suspect chiests away It is simple
<u>PURPOSE</u>		The Telescopic Manipulator is used to move suspect objects away. It is simple,
		easy to operate, and can control the switch of the manipulator. It is suitable
	_	for public security, fire protection and explosion protection.
1	<u>General</u>	1-Electrically operated claw.
	<b>Specification</b>	2-Claw can be manually rotate.
		3- The rechargeable battery pack power source lasts for a minimum of 2-3
		hours of continuous operation time.
		4-Adopted high strength and light weight material
		5-Height of stand can be adjusted and locked
		6-Easy and quick installation.
2	<b>Technical</b>	1-The Claw should adjustable and can be open up to 175mm
	<b>Specification</b>	2-Lifting capacity up to 15-20 kg.
		3-It has a minimum length of 4.5 meters in extended position.
		4-It should not have Weight more than 15Kgs when assembled for
		use(excluding Tripod)
		5-It should provide a standoff distance of minimum 3 meters from the claw.
		6-It should able to pickup soft objects like Toy –bomb, plastic bottles, soft
		packet bombs etc. by way of torque control feature
		7- The telescopic manipulator is having a breakaway tip arrangement, so that
		in case of a possible exploration only the tip is damaged and reduces the recoil
		effect almost to nil.
		8-Should not get interfered with electromagnetic interferences, Should
		confirm to EMC (Electro magnetic interferences certificate) specifications
		en55011B and en 50082-1
		9-The electronic components are water proof.
		10-The telescopic arm should be of non conductive, non magnetic carbon
		fiber.
		11. The equipment is provided with various optional claws, which can be fitted
		and used as required.
		12. The equipment is to be provided with only one set rechargeable batteries
		and charger.
3	Operating	-102 C to + 502 C
	Temperature	
4	Accessories	Tripod Stand for easy move ability
		Nylon shoulder strap for balancing the system
		Transporting Carrying Box.
5	Quality of	International standard and quality.
	component	
6	Operation &	1- Operating Manual and Service Manual should be provided with each unit.
	Maintenance	2-Operator's training should be carried out in Lucknow /any district in Uttar Pradesh
	Manual	at our premises

7		nstration	Demonstration for the verification of various Technical parameters claimed for the product by the firm will be required during technical evaluation and also at the time of delivery for technical acceptance. PDI (pre-delivery inspections) will be conducted both at factory premises and also at security branch premises or test field of operation. During demonstration, the technical committee in the presence of the bidders will test the equipment.
8	B Terms & Conditions for After Sales		1-The manufacturer/supplier should be a reputed firm, having service centers preferably in Uttar Pradesh.
	Service mainte	e/ enance &	2-Should undertake to provide maintenance/spares support for a period of 8 years including guarantee period, on site.
	& infra	, support structure intenance	3-Should have team of qualified engineers at service station to undertake prompt and efficient service/maintenance work within 24-72 hrs. of complaint.
			4-Should have ready stock of important modules and spare parts
			5-Bidders should submit sufficient documents to prove their experience in dealing of <b><u>Telescopic Manipulator</u></b> and its maintenance for a period of minimum 5 years.
			6-Guarantee: Three years from the date of technical acceptance of delivery.
			7- A certificate that the equipments are of the same efficiency what have been shown/ quoted, be provided regarding such features which cannot be tested without equipments. A certificates regarding 'Safety 'and 'Standards' should also be provided. A Testing Report should be provided if the equipment is tested by some recognized Lab. Preference shall be given to the firm who provided necessary certificates and testing reports.
			8- Manufacturer products shall have quality system compliance with the I.S./ISO 9001/ EN 9001 with certification. Proof to be given with the technical bid.
	er Sale	PSU	Valuation by Technical Branch
in th past Yea	t 5	Supply Firm	Valuation by Technical Branch
NOTE			The above mentioned specifications are only indicative in nature. Better or technologically updated and superior products are also eligible for consideration.

# Specification of Optical Fiberscope FILE NO. SURAKSHA/AADHU.UPKARAYA-236/2011-14

Tech	nical specifications	8
1	Flexible	a- Effective Length : 1500-2000mm
	Fibroscope	b- Outside Diameter : 6-8mm
		c- probe Type & Flexibility : Semi flexible
2	Optices	a- Field of view : 90 D or more
		b- Direction of view : Forward
		c- Depth of field : 4 mm to infinity
		d- Recognition : Capable of recognizing a human target at a
		minimum distance of 6 meter or more
		e- day/night viewing capability : Should be able to recognize object in pitch
		darkness and day light
		f- Light source : Eye safe Infrared(invisible to naked eye)
		g- Lamp Life : Minimum 1000 Hrs of Operation
3	Articulation	a. 4 way, Up/Down/ Right/ Left – 90 Degree or more.( to View 360
	Section	Degree)
		b. Control with power assist mechanism including locking function.
		c. Operating temperature range : -25 C to +55 C(in air)
4	Camera	a. Camera Resolution : 10 Mega Pixel or More
		b. Lens : Wide angle 1.8 mm or better
		c. Zoom : 2X or better
5	Audio	a- Microphone Type : Supersensitive audio microphone
		b- Sensitivity : Should be able to pickup sound in room of 15 feet x
		20 feet
6	Rechargeable	Battery : 6V-12 V, sealed lead acid/ Nickel cadmium.
	Battery	
		Battery charger : 6-12 V DC regulated output, 220 V AC input.
7	LCD Monitor	a. Type : Hand Held type LCD Monitor with shoulder harness/ neck strap
		to be provided
		b. Size : Not less than 3"
		c. Control : Should have control for brightness, contrast and audio
		volume.
		d. Audio / Video interfaces : provision for audio and vedio interface be
		provided.
8	Recording	a. Encoding wideband : MPEG only
		b. MPEG frame rate : Full frame rate
		c. Memory : Minimum 2 hour of recording on detachable SD or Micro
	Derver C. s. s.	SD card.
9	Power Supply	a. Battery : rechargeable ob replaceable lithium battery evadible in India.
		b. Battery working life : minimum 4-5 hours in day/ night working condition
		on full charge.
		c. Battery Charging time less than 4 Hrs.
		d. Weight of complete system excluding carrying case 5 Kg or Less.

10	Accessories	a. Micro SD Card or SD card : 10 Nos. spare detachable memory cards.
	with each	b. Carrying case: soft carrying case with back strap and hard carrying case
	Fiberscope	for transportation (water resistance)
		c. Spare battery : 2 No spare batteries
		d. Battery charger qty 01 per fiberscope : Should work with 220V/230 V
		AC 50 Hz and 6 or 12 volt Secondary battery.
		e. Belt Sets : Belt set should enable comfortable operation.
10	Operation &	1- Operating Manual and Service Manual should be provided with each unit.
	Maintenance	2-Operator's training should be carried out in Lucknow /any district in Uttar
	Manual	
11		Pradesh at our premises
11	Demonstration	Demonstration for the verification of various Technical parameters claimed for
		the product by the firm will be required during technical evaluation and also at
		the time of delivery for technical acceptance. PDI (pre-delivery inspections)
		will be conducted both at factory premises and also at security Head Quarter
		premises or test field of operation. During demonstration, the technical
		committee in the presence of the bidders will test the equipment.
12	Terms &	1-The manufacturer/supplier should be a reputed firm, having service centers
	Conditions for	preferably in Uttar Pradesh.
	After Sales	2-Should undertake to provide maintenance/spares support for a period of 8
	Service/	years including guarantee period, on site.
	maintenance &	3-Should have team of qualified engineers at service station to undertake
		prompt and efficient service/maintenance work within 24-72 hrs. of complaint.
spares, support		4-Should have ready stock of important modules and spare parts
& infrastructure		
		5-Bidders should submit sufficient documents to prove their experience in
	for	dealing of <b>Optical Fiberscope</b> and its maintenance for a period of minimum
	maintenance	5 years.
		6-Guarantee: Three years from the date of technical acceptance of delivery.
		7- A certificate that the equipments are of the same efficiency what have been
		shown/ quoted, be provided regarding such features which cannot be tested
		without equipments. A certificates regarding 'Safety'and
		'standards' should also be provided. A Testing Report should be provided if the
		equipment is tested by some recognized Lab. Preference shall be given to the
		firm who provided necessary certificates and testing reports.
		8- Manufacturer products shall have quality system compliance with the I.S.
		/ISO 9001/ EN 9001 with certification. Proof to be given with the technical bid.
After	Sale PSU	Valuation by Technical Branch
Servic		
the	Supply	Valuation by Technical Branch
Years		
NOTE		The above mentioned specifications are only indicative in nature. Better or
NUTE		
		technologically updated and superior products are also eligible for
		consideration.

# Specification of TOTAL CONTAINMENT VESSEL/BOMB TRUCK FILE NO. SURAKSHA/AADHU.UPKARAYA-236/2011-14

Ter	hnical specifications
1	Should be capable of containing blast of minimum 8 Kg. Of high explosive (TNT)or equivalent
1	quantity of explosive.
2	Body should be made of high grade steel.
3	The weight of complete system including vessel/ container (excluding trailer) should not exceed
5	5000 Kg.
4	The door access/ dia, if circular should be $40'' \pm 20\%$ (40 inches $\pm 20\%$ )
5	The container should be reusable in the sense that is with stand repented detonation with full
	capacity explosive.
6	Certified test report from the internationally recognized lab showing proof that with full capacity
Ū	explosive should be submitted by the firm.
7	There should be an arrangement for stress measurement after the blast, if applicable
8	Should be provided with aluminum finish polish/anti corrosive coating.
9	Capable of remotely operating the opening and closing remotely (either by wireless remote
	control or equivalent interface with standard EOD remote.
10	Should have remote mobility platform that can move the containment vessel off the trailer and
	closer to the (i.e. track style or mobile car platform)
11	Configure unit to allow future upgrade of vessel to sealed capacity that can accommodate is
	device with channel or biological hazard while the unit remains in country.
12	The sampling system must incorporate operation under vacuum seals that liquid or vapour
	sample can be taken of the vessel atmosphere without external contamination.
13	A radio frequency shield should be provided to stop or prevent the operation of all radio
	controlled IED.
Tra	iler
14	Length should be 15ft +/- 10%
15	Over all width should not exceed 10 ft.
16	Ground clearance should be more than 1 ft.
17	The weight of the trailer alone should not exceed 2000 Kgs.
18	It should be 4 wheeled with reliable suspension system to negotiate rough terrain.
19	Should have heavy duty tyres.
20	Brakes – Should have an effective braking system.
<u>Mis</u>	<u>cellaneous</u>
21	System should have an on board power backup for operating in emergency.
22	System should have manual backup system for operating in an emergency.
23	The trailer mounted container/ vessel should be towable by range of medium vehicles available
	in India.
24	The equipment should be provided with
Α	Cleaning Kit.
B	Special Maintenance tools/ special testing equipment, as applicable.
C	MRLS( Manufacturer recommended list of spares), if any.
D	Tech documentation as applicable.

F III G Te	ustrated sp	ning in India. Dare part list(ISPL), if any.	
G Te		Illustrated spare part list(ISPL), if any.	
	ech specification of equipment including inspection criteria.		
	Proof schedule to include detail of testing and acceptance criteria.		
	Tech Manual giving full description of the equipment.		
J Us	User hand book.		
K Lit	terature or	n maintenance.	
L Sp	pecificatior	n for packing , including transportation/storage.	
	<del>_</del>	rding periodical inspection of the User.	
N Th	he Firm sho	ould confirm in the inspection of the system after the full capacity blast.	
Opera & Mainte e Man	enanc	<ol> <li>Operating Manual and Service Manual should be provided with each unit.</li> <li>Operator's training should be carried out in Lucknow /any district in Uttar Pradesh at our premises</li> </ol>	
Demonstrat ion		Demonstration for the verification of various Technical parameters claimed for the product by the firm will be required during technical evaluation and also at the time of delivery for technical acceptance. PDI (pre-delivery inspections) will be conducted both at factory premises and also at security branch premises or test field of operation. During demonstration, the technical committee in the presence of the bidders will test the equipment.	
Terms & Conditions for After Sales Service/ maintenanc e & spares, support & infrastructu re for maintenanc e		<ul> <li>1-The manufacturer/supplier should be a reputed firm, having service centers preferably in Uttar Pradesh.</li> <li>2-Should undertake to provide maintenance/spares support for a period of 8 years including guarantee period, on site.</li> <li>3-Should have team of qualified engineers at service station to undertake prompt and efficient service/maintenance work within 24-72 hrs. of complaint.</li> <li>4-Should have ready stock of important modules and spare parts</li> <li>5-Bidders should submit sufficient documents to prove their experience in dealing of TOTAL CONTAINMENT VESSEL/BOMB TRUCK and its maintenance for a period of minimum 5 years.</li> <li>6-Guarantee: Three years from the date of technical acceptance of delivery.</li> <li>7- A certificate that the equipments are of the same efficiency what have been shown/ quoted, be provided regarding such features which cannot be tested without equipments. A certificates regarding 'Safety'and 'standards' should also be provided. A Testing Report should be provided if the equipment is tested by some recognized Lab. Preference shall be given to the firm who provided necessary certificates and testing reports.</li> </ul>	
		8- Manufacturer products shall have quality system compliance with the I.S. /ISO 9001/ EN 9001 with certification. Proof to be given with the technical bid.	

After Sale Services in		Valuation by Technical Branch
the past 5 Years		Valuation by Technical Branch
NOTE		The above mentioned specifications are only indicative in nature. Better or technologically updated and superior products are also eligible for consideration.

# Specification of MINI REMOTELY OPERATED VEHICLE (MROV) FILE NO. SURAKSHA/AADHU.UPKARAYA-236/2011-14

1	Structures/	The Mini ROV should be able to carry out EOD and surveillance
	Installation	of the following structures / Installation
	mstanation	a. Inside air craft and train
		b. Building & installation
		c. Urban transportation location
		d. Passenger Terminals
		e. Under the vehicle
2	Key Tech Feature	The Mini ROV should have the following key technical
-	ney reen reature	features:-
		a. Weight not more that 90 Kg, including the mini ROV
		base station and all accessories.
		b. Climbing ability – 45° stair and slopes.
		c. Operation in all type of weather.
		d. Telescope boom – Extended minimum 1 meter and
		maximum 2.5 meter or more from the ground/ floor.
		e. Video colour camera , driving reverse camera and
		aiming camera with pan and tilt capability.
		f. Night vision capability.
		g. Modular weapon mounting system.
		h. EOD manipulator arm with camera and white flood
		light.
		i. Aiming with help of both camera and laser aiming
		pointer.
		j. Lifting capability – 8 Kg and above with telescopic
		boom fully extended.
		k. Spot lights/ LED qty Two- one for driving camera and
		other for aiming camera and should be compatible
		with video camera.
		<ol> <li>Should have built in test equipment (BITE) facility.</li> </ol>
3	Control	a. Radio control Urban / built up area 200 meter
		b. Radio control open area - 500m

		c. Fiber optic control minimum 200m
4		real time viewing system.
4	EMI/EMC	Equipment should be EMI/EMC compatible.
5	EOD Options	a. Water jet Disruptor.
		b. Charge Dropper Assembly.
		c. RTVS Mount.
		d. Lifting bracket with articulated movement for key
		opening .
6	Power Supply	a. AC to DC via on board power converter with cable
		minimum 100 meter .
		b. Rapid rechargeable Lithium ion Battery.
		c. Battery capacity.
		i. Driving Endurance – 2 Hrs.
		ii. Operational Endurance – 4 Hrs.
		d. Battery charger to be provided with option of fast
		charge and normal charge. The maximum charging
		time for fast charge should not be more than 6 Hrs.
		And for normal charge should not be more than 12 Hrs.
7	Base Station	a. Compact and light weight.
		b. Portable control system.
		c. Display unit with high resolution screen.
		d. Capable of powered on main and battery both.
		e. Should have picture in picture display with camera
		section switch.
		f. Should have joystick / toggle buttons controls.
		g. Should have inbuilt safety feature.
		h. Should have essential operational controls.
8	Operation &	1- Operating Manual and Service Manual should be provided with
	Maintenance Manual	each unit.
		2-Operator's training should be carried out in Lucknow /any district
		in Uttar Pradesh at our premises
9	Demonstration	Demonstration for the verification of various Technical parameters
		claimed for the product by the firm will be required during
		technical evaluation and also at the time of delivery for technical
		acceptance. PDI (pre-delivery inspections) will be conducted both
		at factory premises and also at security branch premises or test
		field of operation. During demonstration, the technical committee in the presence of the bidders will test the equipment.
10	Terms & Conditions for	
10	After Sales Service/	1-The manufacturer/supplier should be a reputed firm, having
	maintenance & spares,	service centers preferably in Uttar Pradesh.
	support &	2-Should undertake to provide maintenance/spares support for a
	infrastructure for	period of 8 years including guarantee period, on site.
	maintenance	
		3-Should have team of qualified engineers at service station to
		undertake prompt and efficient service/maintenance work

		within24- 72 hrs. of complaint.
		4-Should have ready stock of important modules and spare parts
		5-Bidders should submit sufficient documents to prove their experience in dealing of <u>MINI REMOTELY OPERATED VEHICLE</u> ( <u>MROV</u> ) and its maintenance for a period of minimum 5 years.
		6-Guarantee: Three years from the date of technical acceptance of delivery.
		7- A certificate that the equipments are of the same efficiency what have been shown/ quoted, be provided regarding such features which cannot be tested without equipments. A certificates regarding 'Safety'and 'standards' should also be provided. A Testing Report should be provided if the equipment is tested by some recognized Lab. Preference shall be given to the firm who provided necessary certificates and testing reports.
		8- Manufacturer products shall have quality system compliance with the I.S. /ISO 9001/ EN 9001 with certification. Proof to be given with the technical bid.
After Sale	PSU	Valuation by Technical Branch
Services in the past 5 Years	Supply Firm	Valuation by Technical Branch
NOTE		The above mentioned specifications are only indicative in nature. Better or technologically updated and superior products are also eligible for consideration.

# Specification of ADVANCE WEAPON SIMULATOR FILE NO. SURAKSHA/AADHU.UPKARAYA-236/2011-14

**1.** The QR for systems are giving in succeeding paras.

## 2. <u>Training Requirements</u>

**a.** <u>Simultaneous Firing</u>: The system should be capable of enabling eight or more firers to fire simultaneously.

**b.** <u>Multi Weapon Facilities:</u> Lanes should be capable of using different weapons. Each lane should have the facility to assign the number of bullets issued individually, with a facility to issue the same number of bullets to all the lanes simultaneously.

**c.** <u>Squad Post Training</u>: Squad post training should be provided in two modes with visual feedback normal (regular target) and Advanced (moving pendulum). In normal mode the trainee has to view the Bull's eye of the target. While, the trainee is on bull's eye a visual indication should be given to the trainee. In advanced mode the trainee should continuously track a pendulum. The speed of the pendulum should be capable of being varied to change the complexity of the training. Feedback as to the percentage of time the trainee was on target should be displayed.

## d. <u>Application Fire:</u>

(i) <u>Static Target Practice :</u> Static Targets of application fire need to be provided in standard mode. Additional features in static targets should include.

- (aa) Exercise should be timed.
- **(ab)** Facility should be provided to change the special effects (tactical scenarios like clouds, fog, wind velocity, dust, smoke, night conditions etc).
- (ac) Scores as per firing practices, misses, scores and percentage obtained. The scoring pattern should be customized as per the user requirement and accept additional scoring patterns if required.
- (ad) Should be capable of replaying all lanes simultaneously or individual lanes only. In the case of individual lanes, the replaying should be viewed in normal or zoom mode. Facility should be provided to view full trace, from the beginning of the session to the end of the session, where the movement of the weapons needs to be visually traced, giving an opportunity of time and motion study.
- (ae) Replay should be provided as a short trace also. In short trace more, the point of aim and the point of impact (follow through) need to be displayed. In the case of individual lanes the replay should be viewed in normal and zoom mode. This should enable the instructor to interpret the mistakes and suggest corrective measures.
- (af) should be capable of controlling replay speed.
- (ag) Should be performing bullet by bullet analysis.
- (ah) Print out of the results of the exercise should include some or all of the parameters, as per the discretion of the user, with facility to preview the printout.
- (aj) Graphical depiction of the hold of the weapons giving both, the horizontal and vertical movements should be provided.
- (ak) Static targets, which rotate on being hit, should be provided.
- (II) <u>Moving target Practice</u>: Moving target exercises should be provided, with the following feature:-
- (aa) Any of the default of user defined target should be capable of being used for moving targets.

- (ab) Instructor should be capable of controlling direction and speed of moving targets.
- (ac) Replaying facility providing information on track and bullet numbers at the point of impact on the target should be provided.
- (ad) instructor should be able to choose from the default paths provided or define their own path. An orthographic view should be provided for defining paths.
- (ae) Facilities similar to static targets like changing special effects etc should also be provided.
- (af) Target must appear in various profile i.e. head-on, oblique, lateral, random path etc.

### (III) <u>Snapshot Practice:</u> Snapshot targets should be provided with the following features:

- (aa) For each snapshot target, uptime, downtime, number of exposures, and special effects should be capable of being controlled.
- (ab) Targets with rotate option should be provided wherein, if the target is hit, during the visibility phase (uptime), it should rotate.
- (ac) Facilities similar to static targets like changing special effects, replaying etc should be provided.
- (ad) An exercise where the targets appear at random points should be provided. In this exercise, even the instructor should not be aware in advance where the target will appear.
- (ae) An exercise similar to 2 (d) (iii) (ad) above should be provided where in the instructor should be able to control points of appearance of the targets.
- (af) An exercise where each track is assigned a target with different shape and colour combination should be provided. The target in this exercise should appear at random points on the screen.
- (ag) An advanced snapshot exercise where each track is assigned a different coloured target should be provided. In this exercise the target should appear at random points on the screen.

(e) <u>**Grouping Exercise**</u> : A grouping exercise which judges the grouping of bullets fired by a trainee, and provides Hold, Aim and Trigger (HAT) feedback with percentage accuracy in each of the above aspects should be provided.

(f) <u>Video based Scenarios</u>: To include scenario hostage rescue, ambush, patrolling, VIP security, CI OPS etc should be provided Ranging from simple to Complex, these video scenarios should be relevant to Indian security forces customizable by the end user.

**(g) Documentation** : Complete trainees details should be stored including their rank, score, etc. Their performance over a period of time should be stored and displayed as and when required. To accommodate specific needs of the organization the format should allow customization. The following documents should be provided:-

- (i) Software test procedure
- (ii) Software user manual
- (iii) Software installation procedure document
- (iv) Software and hardware bilingual user handbook.
- (v) Software verification and validation and reliability document.
- (vi) Software should be upgradeable.

(h) **Operational Environment**: Different types of operational environment should be provided including built up area, high rise buildings like akshardham & red fort etc, historical monuments, desert area, jungle and mountainous terrain etc. These Operational Environments should be available for integration into the system as and when required during warranty period.

(i) <u>**Targets:**</u> Different types of targets should be provided including Fig 11, Fig 12, Rubia target, Fig 1x1, Fig 2x2, 4x4 Target, Friend & Foe, and bunker target etc. Vehicle targets such as Light, Medium & Heavy motor vehicles should be included. Furthermore there should be facility to include defined target, if required.

## 3. <u>Technical Specifications</u>

- (a) <u>Facility of Aimer</u> An Aimer depicting point of aim with an option to disable the aimer should be provided.
- (b) <u>Range</u>: Range should be upto 2000 meters.
- (c) <u>Special Effects</u>: Special effect should be provided on the range to simulate:

(i) Different modes of sky, such as clear, sparsely clouded densely clouded and rainy conditions.

(ii) Configurable times of the day, allowing instructor specify any point in day(for e.g night, dust/dawn and day)

(iii)Configurable fog conditions which once enabled should allow the visibility range, in meters to be set.

- (d) <u>Preview</u>: Facility to preview the range should be provided in the setup, A range should be displayed without starting the exercise.
- (e) <u>Weapon Calibration</u>: Facility for weapons calibration should be provided and the details of the calibration should be stored for current as well as future sessions.
- (f) <u>Annual Range Course</u>: Software should be provided to facilitate the end user to develop and incorporate annual range courses. Annual range course once designed should appear as integrated as a menu item- in the software.
- (g) <u>3D Scenario</u>: 3D scenario software to generate scenarios comprising of 3D human targets, 3D vehicles, 3D structures etc should be provided. The 3D human targets should be interactive i.e on being shot they should fail.
- (h) <u>Voltage Levels</u>: The system should work at the normal voltage of 220 volts AC, single phase/Generator/ 30 Minutes of UPS backup.
- (i) <u>Storage Capacity</u>: There should be adequate data storage capacity for minimum 5 years available in the Simulator for use during its life span.
- (j) <u>Endurance</u>: It should be able to operate for 6 hours without a break and a minimum of 12 hours of operation in a day should be possible.
- (k) <u>Service Life</u>: The service life should be minimum 10 years.
- (I) <u>Temperature Range</u>:- The Simulator should be capable to operate effectively in the temperature ranging from (-) 2 degree Celsius to (+) 55 degree Celsius.
- (m) <u>Tropical Condition:</u> The system should be capable of operating up to (+) 35 degree Celsius with 90% relative humidity.
- (n) <u>Guarantee</u>: Three years from the date of technical acceptance of delivery.
- (o) <u>Service:-</u> Should have team of qualified engineers at service station to undertake prompt and efficient service/maintenance work within 24-72 hrs. of complaint and Should undertake to provide maintenance/spares support for a period of 8 years including guarantee period, on site.

## Specification of OVERALL FIRE PROOF FILE NO. SURAKSHA/AADHU.UPKARAYA-236/2011-14

1	JACKET	Fire Fighting jacket tested as per International Standard
		<ul> <li>Fire Fighter jacket is provided with FR Zipper and FR Velcro ( Hook &amp; Loop )</li> </ul>
		<ul> <li>The Zipper is concealed by a flap of the outer shell with Velcro provision for extra protection.</li> </ul>
		<ul> <li>Heavy Duty shield lining provided on the front side of the shoulder and on elbow area for extensive abrasion resistance against extreme operations</li> </ul>
		<ul> <li>Special design features provided under the armpits for easy movement of arms</li> </ul>
		FR Knitted round cuff material is provided at the wrist for firm fit and to ensure that heat is not transmitted through the wrists.
		<ul> <li>2" FR Reflective trim is used at middle round of the jacket, two rows in bottom round of the jacket and, two rows on arms round of the jacket ensure high visibility</li> </ul>
		Two pockets with flaps at the bottom of Jacket and one radio pocket having flap on the left side chest area of jacket is provided
		Anti wicking fabric provided sleeve bottoms and waist bottoms to enable water and liquid/ water runoff during Fire fighting operations
		<ul> <li>Loop is provided for fixing the torch</li> </ul>
		<ul> <li>Name tag attachment Velcro provided on the right side chest area of the Jacket</li> </ul>
		➢ The entire Jacket is stitched with inherent flame retardant Threads
		> The size of Jacket confirming to as per International Standard.

2	TROUSER	<ul> <li>Fire fighter Pant is Provided with one central fly zippers for easy wear and removal with comfort while wearing or removing</li> <li>The Zipper is concealed by a flap of the outer shell.</li> <li>The concealed FR Elastic is provided at the waist for firm fit</li> <li>Two side thigh pockets are provided for storing any important accessories</li> <li>The entire pant is held in place by adjustable FR Suspenders</li> <li>Heavy Duty Stead shield lining is provided at the knee portion as an additional reinforcement to enhance the life of the garment during kneeling or any such operation.</li> <li>Two strips of 2"FR Reflective trim provided at the ankle portion for high visibility</li> <li>Anti wicking fabric provided at leg bottoms to enable water / liquid run off during Fire Fighting operations</li> <li>The size of Pant confirming to as per International Standard</li> </ul>
3	Hood	<ol> <li>Anti flash hood made from inherent flame retardant knitted fabric.</li> <li>The entire hood is double layered to ensure to protect the fire man from any flash of heat.</li> <li>The hood is certified to as per International Standard.</li> </ol>
4	HELMET	<ul> <li>The helmet is made out of FRP flame retardant material.</li> <li>The helmet is having flame retardant collapsible visor. The visor should go inside the helmet.</li> <li>The helmet is having soft cushion head band and ratchet type adjustment system to adjust the size of the helmet depending upon the wearer head size.</li> <li>The helmet is having reflective strips on the shell for high visibility.</li> <li>The helmet is having extra detachable neck protection.</li> <li>The helmet is as per International Standard</li> <li>The helmet shell should cover up to the neck</li> </ul>
5	воот	Colour : Yellow/ Black
		<ul> <li>Size range : 38 to 48</li> <li>Material : Rubber compounds containing fire extinguishing additives, mixed FR cotton Construction Lining giving increased abrasion resistance, sock lining increasing antistatic properties</li> <li>Outsole : With Steel anti-perforation insert, resistant to oil, fuels, acids and temperature to 250 degrees. C and antistatic</li> </ul>
		<ul> <li>and temperature to 250 degrees C and antistatic construction.</li> <li>Insole :With anatomic replaceable innersole washable in water at 40 Degrees C, absorbing treads energy in heel</li> </ul>

		Weight : Approximately up to 3 kg per pair
6	Gloves	<ol> <li>Fire fighter gloves is made up of Multi layer assembly having outer layer as FR Leather and middle layer as moisture barrier and inner layer as thermal barrier and cut resistant lining</li> <li>The design of the gloves is five finger type</li> <li>The Fire Fighter Gloves is having FR Knit wrist for firm fit.</li> <li>2" Reflective trim provided at back portion of palm for visibility.</li> <li>The Gloves is as per International Standard.</li> </ol>
	Operation & Maintenance Manual	<ol> <li>Operating Manual and Service Manual should be provided with each unit.</li> <li>Operator's training should be carried out in Lucknow /any district in Uttar Pradesh at our premises</li> </ol>
	Demonstration	Demonstration for the verification of various Technical parameters claimed for the product by the firm will be required during technical evaluation and also at the time of delivery for technical acceptance. PDI (pre-delivery inspections) will be conducted both at factory premises and also at security branch premises or test field of operation. During demonstration, the technical committee in the presence of the bidders will test the equipment.
	Terms & Conditions for After Sales	1-The manufacturer/supplier should be a reputed firm, having service centers preferably in Uttar Pradesh.
	Service/ maintenance &	2-Should undertake to provide maintenance/spares support for a period of 8 years including guarantee period, on site.
	spares, support & infrastructure for maintenance	3-Should have team of qualified engineers at service station to undertake prompt and efficient service/maintenance work within24-72 hrs. of complaint.
		4-Should have ready stock of important modules and spare parts
		5-Bidders should submit sufficient documents to prove their experience in dealing of <b>OVERALL FIRE PROOF</b> and its maintenance for a period of minimum 5 years.
		6-Guarantee: Three years from the date of technical acceptance of delivery.
		7- A certificate that the equipments are of the same efficiency what have been shown/ quoted, be provided regarding such features which cannot be tested without equipments. A certificates regarding 'Safety'and 'standards' should also be provided. A Testing Report should be provided if the equipment is tested by some recognized Lab. Preference shall be given to the firm who provided necessary certificates and testing reports.
		8- Manufacturer products shall have quality system compliance with the I.S. /ISO 9001/ EN 9001 with certification. Proof to be given with the technical bid.

	PSU	Valuation by Technical Branch
Services in the past 5 Years	Supply Firm	Valuation by Technical Branch
NOTE		The above mentioned specifications are only indicative in nature. Better or technologically updated and superior products are also eligible for consideration.