

उत्तर प्रदेश पुलिस मुख्यालय, इलाहाबाद-1

संख्या:दो-46-2013(क्रय)

दिनांक:मई 26, 2014

सेवा में,

समस्त विभागाध्यक्ष / कार्यालयाध्यक्ष,
पुलिस विभाग, उ०प्र०।

विषय:- उ०प्र० के समस्त जनपदों/इकाईयों में खाकी किटबैग, खाकी जर्सी, फाइबर ग्लास हेलमेट, खाकी जीनकोट, खाकी पगडी एवं लाल पगडी/लाल साफा के क्रय किए जाने के सम्बन्ध में।

कृपया जनपदों/वाहिनियों/इकाईयों में खाकी किटबैग, खाकी जर्सी, फाइबर ग्लास हेलमेट, खाकी जीनकोट, खाकी पगडी एवं लाल पगडी/लाल साफा आदि की आवश्यकता के दृष्टिगत नीचे लिखी अधिकृत फर्मों से नियमानुसार मानक के अनुरूप (पुलिस वेबसाइट पर उपलब्ध) क्रय करते हुए अपने अधीनस्थ पुलिस कर्मियों/चौकीदारों को वितरण करके कृत कार्यवाही से पुलिस मुख्यालय को अवगत कराने का कष्ट करें।

2- उक्त सम्बन्ध में अवगत कराना है कि उपर्युक्त वर्दी वस्तुओं की दर अनुबन्ध निम्नलिखित फर्मों से पुलिस मुख्यालय स्तर से की जा चुकी है:-

क्र.सं.	फर्म का नाम व फोन नम्बर	वर्दी वस्तु का नाम	दर अनुबन्ध मूल्य सभी करों सहित।
1-	टेक्सटाइल कार्पो 88/473 कोकलस मिल कम्पाउण्ड दलेलपुरवा,कानपुर 2548922, 2540173	खाकी किट बैग	रु० 162.54 /- प्रति नग तदैव <i>सभी करों सहित</i>
2-	पिलखुआ वाटर प्रूफिंग का०(प्रा०) लि० के०डी०-96 कविनगर गाजियाबाद 08860062842, 09350782424	तदैव	तदैव
3-	मे० हिना निटवियर्स न्यू वीरनगर बहादुर के रोड लुधियाना कोल्ड स्टोर, लुधियाना(पंजाब) 919417049828, 919417048829	खाकी जर्सी वी०सी०	साइज I-254.52 साइज II-259.82 साइज III-265.12 सभी करों सहित।
4-	दरपा इण्डस्ट्रीयल पालीमर्स (प्रा०) लि० 56रीयर इण्डस्ट्रीयल इस्टेट गाजियाबाद 09311112135	तदैव	तदैव
5-	रजनीश डाइंग हाऊस 16-बी इण्डस्ट्रीयल एरिया ए-एक्सटेशन लुधियाना - 9453027067	तदैव	तदैव
6-	पालीफिब एम-16 इण्डस्ट्रीयल एरिया सोनीपत हरियाण 0130-2212881	फाइबर ग्लास हेलमेट	रु० 382.30 /- सभी करों सहित।
7-	जी०पी० इन्जीनियरिंग इण्डस्ट्रीज ए-54 जी०टी० कमल रोड इण्डस्ट्रीयल एरिया दिल्ली। 011-27142952	तदैव	तदैव

8-	वी0पी0 ब्रदर्स 117/क्यू-728 सूर्यकुटुम्ब शारदानगर, कानपुर 0512-2582621, 9415052317	खाकी जीन कोट	रू0 249.90/- सभी करों सहित।
9-	पिलखुआ वाटर प्रूफिंग का0(प्रा0) लि0 के0डी0-96 कविनगर गाजियाबाद 08860062842, 09350782424	तदैव	तदैव
10-	यूनीवर्सल यार्न एण्ड टेक्स प्रा0 लि0 26/50 बिरहना रोड़ कानपुर 0512 -3015210, 2365632	तदैव	तदैव
11-	पिलखुआ वाटर प्रूफिंग का0(प्रा0) लि0 के0डी0-96 कविनगर गाजियाबाद 08860062842, 09350782424	खाकी पगडी क्लाथ	रू0 43.81 प्र0मी0 सभी करों सहित।
12-	टाइगर सिन्टेक्स प्रा0 लि0 विकासनगर कानुपर 0512-282547, 2580265	तदैव	तदैव
13-	यूनीवर्सल यार्न एण्ड टेक्स प्रा0 लि0 26/50 बिरहना रोड़ कानपुर 0512 -3015210, 2365632	तदैव	तदैव
14-	टाइगर सिन्टेक्स प्रा0 लि0 विकासनगर कानुपर 0512-282547, 2580265	लाल पगडी/ लाल साफा	रू0 46.47 प्र0मी0 सभी करों सहित।
15-	पिलखुआ वाटर प्रूफिंग का0(प्रा0) लि0 के0डी0-96 कविनगर गाजियाबाद 08860062842, 09350782424	तदैव	तदैव
16-	यूनीवर्सल यार्न एण्ड टेक्स प्रा0 लि0 26/50 बिरहना रोड़ कानपुर 0512 -3015210, 2365632	तदैव	तदैव

3- उक्त वर्दी वस्तुएं रेट कान्ट्रेक्ट के आधार पर क्रय की जायेगी जिनका भुगतान वर्दी मानक मद से प्राप्त अनुदान से किये जाने की कार्यवाही सुनिश्चित करेंगे। वर्दी वस्तुओं के क्रय से पूर्व ई0एम0डी0 की कार्यवाही किया जाना आवश्यक है।

4- अतएवं निर्देशानुसार अनुरोध है कि कृपया उक्त सम्बन्ध में की गयी कार्यवाही से पुलिस मुख्यालय को तत्काल अवगत कराने का कष्ट करें, ताकि अग्रेत्तर कार्यवाही की जा सके।

संलग्नक-पुलिस वेबसाइट पर उपलब्ध।



(आशुतोष मिश्र)

अपर पुलिस अधीक्षक, मुख्यालय,
नि0 अपर पुलिस महानिदेशक, मुख्यालय,
इलाहाबाद।

प्रतिलिपि अपर पुलिस अधीक्षक, उ0प्र0 पुलिस केन्द्रीय भण्डार, कानपुर को कृपया सूचनार्थ प्रेषित।

TERMS & CONDITIONS

1. The sealed offers/tenders shall be accepted by the undersigned up-to 14-00 hrs. on March. 07, 2014. Thereafter, the offers/tenders (Technical Bid) shall be opened in the presence of the Bidders/their authorized agent at 11.00 Hrs. On March. 10, 2014 at U.P. Police Head Quarter Allahabad.
2. The offers/tenderer shall give the Technical Bid and the Financial Bid for each item in duplicate and in separate sealed covers respectively clearly marked as " **Original Technical Bid** " " **Duplicate Technical Bid**" " **Original Financial Bid**" " **Duplicate Financial Bid**" in red ink. All these four envelopes should be kept in one large envelope and sealed marked as " **offers/Tender for**-----"
3. The offers/tenders can be dropped at the sealed box stationed at U.P. Police Head Quarter, Allahabad or through post but the offer/tender must be received in the office of the undersigned by the due date and time. The undersigned shall not be responsible for any postal delays and no tender shall be accepted after the designated time.
4. The firm participating in the offers/tender should have to submit an affidavit on Non Judicial Stamp worth Rs. 10.00 only that they have not blacklisted by any of the department/ unit/ organizations in India.
5. If more than one rate is quoted in financial bid, the bid shall be rejected.
6. If required, extra terms and conditions could be added to the existing Terms and Conditions which has to be complied by the firm.
7. **Past performance:-** offering Tendering firms are required to give their past performance with pending supplies, if any.
8. **Proof of production:-** offering/Tendering firms must be required to submit the registration certificate of D.G.S. & D., N.S.I.C./ D.I. (SPS), U.P. MSMED acknowledgement part-II of U.P.
9. The offering/tendering firms are also required to submit three sealed sample each as per specification with any mark of indication along with quotation or can submit the samples separately up to 1.00 PM on or before the last of receipt of offer/tender failing which three offer shall be ignored.
10. **Capacity Certificate:-** Offering/Tendering firms are required to give the documentary proof which should reveal about the manufacturing activity of the unit, for which additional information shall invariably be furnished by the tendering firms with their offer.
 - (a) Actual Production capacity.
 - (B) Capacity already be committed to other.
 - (C) Capacity available for the tender in question.
 - (d) Monthly commitment of supply against capacity available for the tender in question under (C)
11. Offers/Tenders are advised to go through tender conditions and instruction of this offers/tender supplied with offer/tender form carefully and ensure compliance before submitting their offers/tenders conditions other than given in the offer/tender notice shall ordinary not be acceptable and as such offer may be ignored.

12. All documents/ information which are required to be submitted by the offering/ tendering firms against the tender enquiry in the question be submitted at the time of submitting the offer/tender.
13. It is for information of offering/tendering firms that no representation will be considered after opening of the financial offer.
14. The quantity of uniform item can be increased or decreased.
15. The purchasing committee of the Police Department has the right for the cancelation of any offer/tender fully or partially without giving show cause notice.
16. Any kind of dispute will be decided in the Competent Court of Allahabad jurisdiction.
17. If the required goods are not supplied in time, the purchasing of the goods will be made from other firm without taking any loss.
18. Interest for any delay in payment due to any reason will not be payable.
19. If the firm is not in a position to supply the items after purchase order has been placed the security money will be held and action will be taken against the firm for blacklisting
20. **Delivery Period:-** The supply is required within three months. After issue of purchase order.
21. **Inspection:-** Stores will be inspected by Police Inspection Committee at manufacture's place for finish feel and workmanship. Samples for lab test will be drawn and entire quantity or lots will be sealed in well secured bond room provided by the firm in their own premises. After receiving satisfactory lab test report,. In case sample is not found according to specification given in the offer/tender enquiry/acceptance letter, testing charges will be paid by the supplier and the supplier will take back the rejected lot at the cost .
22. **Payments:-** 100% Payment after receipt, check and verification of stores but within 30 days.
23. Bond room facilities shall have to provided by the firm own place.
24. **Rebate:-** 1/2 % Rebate will be taken if payment is made within 30 days.
25. The items supplied will be accepted after their O.K. report for the technical committee constituted for the purpose after P.D.I. If the equipment is not supplied within the stipulated time the firm has to inform the reason of delay in supply failing which fine @ 10% of the quoted price will be imposed for each fortnight. The decision of the Chairman in this regard will be final and binding to all.

SPECIAL CONDITIONS

1. Offers of the firms against whom 50% old supplies are pending will not be considered
2. Firms are required to give their monthly delivery schedule in their Tech. Offer.
3. Firms are required to Submit item wise samples separately upto 1.00 PM on or before the last of receipt of offer/ tender failing which there offer shall be ignored.


(Ashtosh Mishra) 17.2.14

Dy. Supdt of Police. Hq.
U.P. Police Head Quarter,
Allahabad.

SPECIFICATION OF KIT BAG MINERAL KHAKI WITH COTTON ROPE (1956)

Material and Finish:- The bags shall be made of duck Cotton Mineral Khaki IS: 1422- 1983 (Third Revision) reaffirmed 2000 amendments no. 3- variety no. 2 with latest amendment if any. The Bags shall be designed according to the sealed and approved sample available at U.P. Police Central Store, Kanpur.

Manufacture:- The bag is to be made of two pieces of duck cotton. One piece forming the side and other forming the bottom. Bottom must be made of two circular pieces of 40.6 cm diameter sewn together concentrically not more than 5.1 cm a part.

Stitching:- The two ends of the cloth forming the body should overlap each other 1.9cm the raw edge being turned 0.6 cm inside and securely stitched by double row of stitches. The side piece and the bottom are to be stitched together by two rows of seams the overlapping being 1.3 cm. The top edge of sides or mouth shall be hemmed with a inside turning of 5.1 cm. The seams must be 0.5 cm. from the raw edge.

Flap:- A Flap of 22.9 cm diam. at 15.2 cm distance from its neck should be securely stitched to the top hem. 1.9 cm neck should be inside the top hem stitch. Total length of the flap being 26.7 cm measured from the hem edge. The raw edge of the flap shall be turned 1.3 cm inside. width at neck, being 8.9 cm. The neck of the flap should be stitched to the top hem centrally with the side seam which in turn should be centrally between two eyelets.

Rope:- It shall be a cotton rope one of its end should be fastened in the spliced loop form to one of the eyelets Closer to side seam of the bag. The loop shall be 3.1 cm long with firmly. Splicing. The rope shall be 254 cm long and 0.6 cm diam. made of 4 stands. The free end shall be firmly tied with the sewing thread.

Eyelets:- Eight brass eyelets of good quality should be fixed in the center line of the top hem at equal distance.

Measurement:

Length at the side	-85.1 cm.
All round measurement of top	- 114.3 cm
Diameter	- 38.1 cm.

Kitbag

SPECIFICATION OF KHAKE ROUND NECK WORESTED JERSEYS (VC)

The jerseys shall be finished of evenly spun worsted yarn containing 70% wool of 48's to 15% Nylon 3 to 4 denier of 80-120mm. fiber length and 15% viscous of 3 to 4 denier of 80-120mm. fiber length worsted having on average breaking strength of 1.400kg. between 50cm. Grip on a Yarn strength testing machine with a rate of traverse of 300mm. of 12" Per minutes the knitted fabric shall have 19 Wales per 5 cm. and 22 course per 5 cm. with a Tolerance of ± 1 . The color of jerseys shall be fast to light rubbing perspiration the washing. The Chaudhary jerseys shall conform to the dimension given below. All measurement shall be taken on flat surface without stretching.

The Round Neck shall have two opening on shoulders side with two layers of cloth of 5cm. on each side two buttons shall be provided one on each side. when the buttons are open the width of neck shall be 25cm.

Size	Round Chest	Length of Body	Width of Shoulder	Length of Sleeves excluding cuff	Length of Cuff	Width of arms Hole.
90 cm.	90 cm.	66 cm.	12.5 cm.	45 cm.	11 cm.	22 cm.
95 cm.	95 cm.	68 cm.	13.5 cm.	47 cm.	11 cm.	23 cm.
100 cm.	100 cm.	71 cm.	14.5 cm.	49 cm.	12 cm.	24 cm.
Tolerance	+4 -1.5	+4 -2	+1.0 -0.5	+2 -1	+1 -0.5	+1 -0.5

Width Sleeves at cuff Seam	Width with Closed buttons.	Opening without buttons	Depth of Neck Opening.	Width of heam at buttons.	Weight of 10 Jerseys.
10 cm.	15 cm.	25 cm.	7 cm.	2.5 cm.	4,940 kg
10 cm.	15 cm.	26 cm.	7 cm.	2.5 cm.	5210 kg
10 cm.	17 cm.	27 cm.	7 cm.	2.5 cm.	5480 kg
+1 -0.5	+1 -0.5	+1 -0.5	+1 -0.5	- -	+3% -

STITCHING:- The over lock stitching at seam, joints and at heam shall be carried out with one strength of worsted Yarn at used for knitting the jerseys working in conjunction with two cotton threads of 3/24s. The number of stitches per Inch shall not be less than 10 at places.

Specification of Fiber Glass Helmet

Helmet Combat Fiber Glass to IND/GS/1684(b) latest:

Measurement:

Length	- 280mm(+/-2mm)
Width	- 220mm(+/-2 mm)
Height	- 160 mm
Thickness	- 04 mm
Weight	- 1000- 1100 grams

खाकी जीन कोट वी०सी० का मानक तथा माप

कसं.	विवरण	मानक / माप (से.मी. में)	
		साइज प्रथम	साइज द्वितीय
1	सामने की लम्बाई	80 ± 1	76 ± 1
2	सीने की चौड़ाई (राउण्ड में)	117 ± 1	108 ± 1
3	कमर का घेरा (बन्द दशा में / राउण्ड में)	135 ± 1	130 ± 1
4	आस्तीन की लम्बाई (आर्म होल के ऊपरी सिरे से)	66 ± 1	63 ± 1
5	आर्म होल	22 ± 1	21 ± 1
6	कफ की चौड़ाई (राउण्ड में)	30 ± 1	30 ± 1
7	कालर की लम्बाई	39 ± 0.5	38 ± 0.5
8	कालर की चौड़ाई	4.0	4.0
9	कन्धे की माप	17 ± 1	16 ± 1
10	चेस्ट पाकेट की लम्बाई x चौड़ाई	15 x 13	15 x 13
11	चेस्ट पाकेट के फ्लेप की चौड़ाई (बटन के पास)	6.0	6.0
12	कमर पाकेट की लम्बाई x चौड़ाई	16 x 15	16 x 15
13	कमर पाकेट फ्लेप की चौड़ाई (बटन के पास)	7.0	7.0
14	सामने की पट्टी (फैशन पट्टी) की लम्बाई x चौड़ाई	71 x 5	67 x 5
15	कमर के पास खुली हुई स्लिट की लम्बाई	10.0	10.0
16	काज वाली पट्टी की लम्बाई x चौड़ाई	45.0 x 2.5	43.0 x 2.5
17	कोट का कुल बजन	500 ग्राम ± 5%	475 ± 5%

नोट:-

- 1- कफ की सिलाई ऊपरी सिरे पर 11.0 से०मी० तथा निचले सिरे पर 8.0 सेमी होगी।
- 2- कालर गोल तथा बन्द गले का होना चाहिए।
- 3- बटन वाली पट्टी के सभी बटन समान अन्तराल में होंगे। कुल पांच बटन होंगे।
- 4- काज वाली पट्टी के सभी काज समान अन्तराल में होंगे।
- 5- चेस्ट एवं कमर पाकेट के मध्य में दोनों किनारों पर बेल्ट बांधने हेतु दो पट्टियाँ 8x 1.5 से०मी० की लगी होंगी जो बीच में खुली होंगी।
- 6- कोट के सामने कालर से 5 से०मी० की दूरी पर दोनों तरफ 0.75 से०मी० की डबल सिलाई की पट्टी लम्बाई में होगी एवं पीछे साइज में लम्बाई में किनारे से समान दूरी पर दो प्लेटे होंगी।
- 7- नीचे का दबाव / सिलाई (हेम) 2.0 से०मी० का होगा।
- 8- जीन कोट में प्रयुक्त किये जाने वाले कपड़े (खाकी जीन क्लाथ) का मानक आई०एस० 177-1989 (चौथा पुनरीक्षण) वैराइटी नं०-3 के अनुसार होगा।
- 9- चेस्ट पाकेट एक होगी तथा कोट के बांयी तरफ लगायी जायेगी।
- 10- कमर पाकेट दो होगी।
- 11- सभी पाकेटों में खाकी रंग का एक-एक बटन लगा होगा, जिसका व्यास 12 मि०मी० होगा।
- 12- सिलाई का धागा श्री-प्लाई का होगा तथा सिलाई के टांकों का घनत्व एक इंच में बारह टांके अपेक्षित है।
- 13- जीन कोट वी०सी० की डिजाइन तथा शेड एवं सिलाई उ०प्र० पुलिस केन्द्रीय भण्डार, कानपुर में उपलब्ध नमूने के अनुरूप होनी चाहिए।

SPECIFICATION OF KHAKE PUGREE CLOTH (DYED M.K.)

Confirming to As 7119-1973 Reaffirmed 1999 amendment No. 3 with latest if any width of cloth shall be 83 cms \pm 1 piece length in multiples of 6 meters Note The tendering unit should have the following minimum facilities owned by them Automatic M.K. Dyeing and processing facilities with minimum manufacturing processing capacity of 2.0 lacks meters per month and have contractual arrangement with other firms for weaving.

The offer of firms who have hand processing and dyeing facility will not be considered.

Documentary evidence for the manufacturing capacity of the tendered item and above referred facilities must be enclosed with the Tech. offer along with list of the Machinery and equipment is support of the dyeing and processing facility.

If required the tendering unit may be inspected by an inspected Committee appointed by the Director of Industries. U.P. Stores Purchase Section, Kanpur. Sample for shades to be collected from the Police Headquarters before taking up production variation of shades other than the sample approved by the Police Head quarters shall not be accepted in any case.

SPECIFICATION OF COTTON PUGREE CLOTH/LAL SAFA (DYED NEPTHAL RED)

Confirming to As 7119-1973 Reaffirmed 1999 amendment No. 3 with latest if any width of cloth shall be 83 cms \pm 1 piece length in multiples of 6 meters Note The tendering unit should have the following minimum facilities owned by them "Automatic M.K. Dyeing and processing facilities with minimum manufacturing processing capacity of 2.0 lacks meters per month and have contractual arrangement with other firms for weaving."

The offer of firms who have hand processing and dyeing facility will not be considered.

Documentary evidence for the manufacturing capacity of the tendered item and above referred facilities must be enclosed with the Tech. offer along with list of the Machinery and equipment is support of the dyeing and processing facility.

If required the tendering unit may be inspected by an inspected Committee appointed by **the Director of Industries. U.P. Stores Purchase Section, Kanpur.** Sample for shades to be collected from the Police Headquarters before taking up production variation of shades other than the sample approved by the Police Head quarters shall not be accepted in any case.