

अति आवश्यक/महत्वपूर्ण/आज ही निर्गत
उत्तर प्रदेश पुलिस तकनीकी सेवायें मुख्यालय,
चतुर्थ तल, जवाहर भवन, अशोक मार्ग, लखनऊ-226001

पत्रांक-टीएस/एमओडी-66/2014(एफएसएल)
सेवा में,

दिनांक-लखनऊ, नवम्बर 7, 2014

निदेशक,
सूचना एवं जन सम्पर्क विभाग, (विज्ञान प्रभाग)
उत्तर प्रदेश, लखनऊ।

महोदय,

कृपया पुलिस विभाग हेतु शासन द्वारा स्वीकृत संलग्न उपकरणों के कय हेतु कार्यवाही तकनीकी सेवायें मुख्यालय, लखनऊ द्वारा की जा रही है, जिस हेतु निविदा आमंत्रित किया जाना है।

2/ संलग्न निविदा प्रारूप में उल्लिखित 03 उपकरणों के कय हेतु विज्ञापन का प्रारूप हिन्दी में संलग्न कर इस आशय से प्रेषित है कि कृपया राष्ट्रीय / महानगर स्तर पर प्रकाशित होने वाले प्रमुख दैनिक समाचार पत्रों हिन्दी एवं अंग्रेजी (जैसे लखनऊ से प्रकाशित हिन्दी दैनिक जागरण, दैनिक हिन्दुस्तान, दि प्वाइनियर, न्यू इन्डियन एक्सप्रेस व अन्य) में व्यापक प्रचार प्रसार कराने का कष्ट करें।

3/ इस सम्बन्ध में निविदा के विज्ञापन की स्वच्छ टंकित प्रति एवं एमएस वर्ड (फारमेट में सी0डी) साफ्ट कापी भी वेब साइट पर प्रसारित कराने हेतु संलग्न की जा रही है। अनुरोध है कि कृपया संलग्न निविदा को प्राथमिकता के आधार पर प्रकाशित कराने का कष्ट करें।
संलग्नक-निविदा 5 प्रतियों में

भवदीय,

(डी0के0चौधरी)

पुलिस उपमहानिरीक्षक, तकनीकी सेवायें,
लखनऊ।

प्रतिलिपि-पुलिस महानिरीक्षक, प्रो0/बजट उ0प्र0पुलिस मुख्यालय, इलाहाबाद को सूचनार्थ एवं आवश्यक कार्यवाही हेतु।

2- प्रतिलिपि- पुलिस अधीक्षक/सहायक निदेशक, उ0प्र0पुलिस कम्प्यूटर केन्द्र, लखनऊ विज्ञापित निविदा की एक प्रति एवं सी0डी0 संलग्नकर इस आशय से प्रेषित है कि उक्त निविदा को उत्तर प्रदेश पुलिस की वेबसाइट पर भी प्रसारित कराने का कष्ट करें।
(संलग्न-यथोपरि)

3- प्रतिलिपि-निदेशक, एफएसएल, लखनऊ/संयुक्त निदेशक, एफएसएल रामनगर, वाराणसी को सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
आगरा को 03 उपकरणों की निविदा जो आमंत्रित की गई है, के व्यापक प्रचार प्रसार हेतु प्रेषित है।

4- प्रतिलिपि- नोटिस बोर्ड, तकनीकी सेवायें, लखनऊ को चस्पा करने हेतु।

U.P. POLICE TECHNICAL SERVICES HEADQUARTERS

IVth. FLOOR JAWAHAR BHAWAN, ASHOK MARG, LUCKNOW-226001

TENDER NO. TS-MOD-64/2014

DATED. Nov. 07 2014

NOTICE INVITING TENDER

- 1- The tender documents for tender mentioned below alongwith technical specification for each equipment may be purchased on payment at the cost given against tender in Demand Draft from the office of the undersigned on any working day between 10-00AM to 6-00PM. Those desirous of obtaining the tender document by Speed Post or Courier may send Demand Draft for tender document cost+Rs. 75/- drawn in favour of Superintendent of Police, Uttar Pradesh Police Computer Centre, payable at Lucknow.
- 2- Tender documents can be down loaded from U.P. Police website <http://uppolice.gov.in>. In this case the tenderer will have to enclose the cost of tender documents in the form of Bank Draft drawn in favour of above with the technical offer. Separate Bank draft in the respect of the cost of tender document and earnest money should be enclosed. Cost of tender document is not refundable, while earnest money is refundable.
- 3- Each Tenderer will have to deposit an Earnest Money (EMD) as mentioned against tender in the form of DD/Banker cheque/FDR in favour of Superintendent of Police, Uttar Pradesh Police Computer Centre, payable at Lucknow.
- 4- Cost of tender document is not refundable, while earnest money is refundable. Tender documents will not be given on cash through Technical Services Head Quarter
- 5- Successful tenderers will have to deposit a Security Money @ 10% of the order value, which is returnable after expiry of warranty period.
- 6- The undersigned may cancel the tender at anytime without assigning any reason for the same in the public interest.

Tender No.	Item	Qty	EMD (in Rs.)	Cost of Tender Document (in Rs.)
(1)-TS-MOD-66/2014(FSL)	HERCULEAN TOOL/BOLT CUTTER	02	17000/-	200/-
(2) TS-MOD-99/2014(FSL)	FUME HOOD	02	16,000/-	200/-
(3)TS-MOD-103/2014(FSL)	HIGH PRECISION ELECTRONIC BALANCE	02	10,000/-	200/-

Start of Sale of Tender documents from

Last date of receipt of tenders

last date of deposit of tenders

Date of opening of Technical Bid

Date of Purchase committee meeting for technical evaluation

Date of opening of financial offer

Date of purchase committee meeting for financial evaluation

14-11-2014 at 11-00 am

15-12-2014 upto 11-00am

15-12-2014 upto 02-00pm

15-12-2014 at 04-00pm

17-12-2014 at 11-30am

22-12-2014 at 11-30am

23-12-2014 at 11-00 am

(D.K. Chaudhary)

Dy. Inspr. Genl. Of Police, Technical Services,
Lucknow.

आवश्यक/द्वारा फैक्स

उत्तर प्रदेश पुलिस तकनीकी सेवायें मुख्यालय,

चतुर्थ तल, जवाहर भवन, अशोक मार्ग, लखनऊ
संख्या-टीएस-एमओडी-64/14 (एफएसएल)

दिनांक - नवम्बर 07, 2014

निविदा सूचना

उत्तर प्रदेश पुलिस विभाग हेतु निम्नांकित उपकरणों के कय हेतु सील बन्द निविदा आमंत्रित की जाती है:-

- 1- निम्नांकित उपकरणों के सम्मुख अंकित टेण्डर धनराशि में डिमाण्ड ड्राफ्ट देकर कार्यालय दिवस में 1000 बजे से 1600 बजे के मध्य कय किये जा सकते हैं। टेण्डर फार्म को स्पीड पोस्ट/कोरियर से टेण्डर फार्म फीस + 75/- रु0 डिमाण्ड ड्राफ्ट जो पुलिस अधीक्षक/सहायक निदेशक, उ0प्र0 पुलिस कम्प्यूटर केन्द्र, लखनऊ के नाम देय होगा, द्वारा भी प्राप्त किया जा सकता है।
- 2- टेण्डर फार्म उत्तर प्रदेश पुलिस वेबसाइट <http://uppolice.gov.in> डाउनलोड किया जा सकता है। टेण्डर फार्म डाउनलोड करके मय टेण्डर फीस के (बैंक ड्राफ्ट के रूप में) तकनीकी आफर में संलग्न कर प्रेषित किया जायेगा। टेण्डर डाकूमेंट्स की फीस तथा टेण्डर की ई0एम0डी0 अलग अलग प्रेषित की जायेगी। टेण्डर डाकूमेंट की फीस वापस नहीं की जायेगी, जबकि ई0एम0डी0 तत्समय वापस कर दी जायेगी। टेण्डर डाकूमेंट तकनीकी सेवायें मुख्यालय द्वारा नगद भुगतान पर देय नहीं होगा।
- 3- प्रत्येक निविदादाता अलग अलग टेण्डर की ई0एम0डी0 डी0डी0/एफ0डी0आर0 के रूप में, जो पुलिस अधीक्षक/सहायक निदेशक, उत्तर प्रदेश पुलिस कम्प्यूटर केन्द्र, लखनऊ के नाम देय होगा, जमा की जायेगी।
- 4- सफल निविदादाता द्वारा कयादेश का 10 प्रतिशत सिक्योरिटी मनी के रूप एफ0डी0आर0/बैंक गारन्टी जमा किया जायेगा, जिसे वारन्टी अवधि पूर्ण होने के उपरान्त वापस किया जायेगा।
- 5- प्राधिकृत अधिकारी द्वारा जनहित में किसी भी समय बिना किसी पूर्व सूचना/कारण के टेण्डर को निरस्त किया जा सकता है।

टेण्डर संख्या	आइटम	संख्या	ई0एम0डी0 (रु0 में)	टेण्डर डाकूमेंट का मूल्य (रु0 में)
(1) टीएस-मोड-66/2014(एफएसएल)	हेलोगन टूल्स	02	17000/-	200/-
(2) टीएस-मोड-99/2014(एफएसएल)	फ्यूम हुड	02	16,000/-	200/-
(3) टीएस-मोड-103/2014(एफएसएल)	हाई प्रेजीसन	02	10,000/-	200/-

निविदा विकी की तिथि

निविदा फार्म प्राप्त करने की अन्तिम तिथि

निविदा जमा करने की अन्तिम तिथि

तकनीकी भाव पत्र खोले जाने की तिथि

तकनीकी भाव पत्र पर कय समिति की बैठक

वित्तीय भाव पत्र खोले जाने की तिथि

वित्तीय भाव पत्र पर कय समिति की बैठक

14-11-2014 समय 11-00 बजे पूर्वान्ह

15-12-2014 समय 11-00 बजे पूर्वान्ह


15-12-2014 समय 02-00 बजे अपरान्ह

15-12-2014 समय 04-00 बजे अपरान्ह

17-12-2014 समय 11-30 बजे पूर्वान्ह

22-12-2014 समय 11-30 बजे पूर्वान्ह

23-12-2014 समय 11-00 बजे पूर्वान्ह


(डी0के0चौधरी)

पुलिस उप महानिरीक्षक,
तकनीकी सेवायें, लखनऊ।

TS-MOD-66/2014

SPECIFICATIONS OF HERCULEAN TOOL/BOLT CUTTER

- 1- BODY-STEEL
- 2- DESIGNED FOR-HARD DRAWN STEEL RODE ,CUTTING WIRES,ROUND STEEL,ROUND STEEL WIRES.
- 3- AN ADJUSTMENT SCREW SHOULD BE PROVIDED ON THE SIDE OF THE HERCULEAN TOOL/BOLT CUTTER WICH ENABLES FIRM AND COMFORT GRIP.
- 4- JOWS ARE FORGED AND ACCURATELY MACHIINED.

Shyam D Upadhyay
14-6-14


nyfssa
14/10/2014
(निदेशक/मंड)
SSA
पीएस प्रोबर्ट पब्लिस कार्डिन
गान्धियाबाद



TAPARIA TOOLS LIMITED.

PRICE LIST

Effective from 10th September 2013



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. ☎ : 6147 8800 Fax : (022)2495 3230.
E-mail : htaparia@usni.com, sales@tapariatools.com • Web Site : http://www.tapariatools.com
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007, ☎ : 2350 317 / 18 / 418. Fax 0253-2350740
E-mail : nathanim_nsk@sancharnet.in, nashik@tapariatools.com **An ISO 9001 Company**

ADJUSTABLE SPANNERS

Generally Conforming to IS 6149-1984 Grade II
Ign No. 167097



Product No.	Length mm	Least Max. Opening mm	Std. Pkg.	Blister Pkg. Price each ₹		Printed Bag Pkg. Price each ₹	
				Phosphate Finish	Chrome Plated	Phosphate Finish	Chrome Plated
4	110	13	10	182	-	170	-
6/1170N-6	155	19	10	169	196	162	190
8/1171N-8	205	26	10	220	247	210	236
10/1172N-10	255	30	5	298	336	280	320
12/1173N-12	305	35	5	402	441	385	421
15	380	43	2	830	892	785	835
18	445	55	1	-	-	2015	-
24	606	62	1	-	-	3280	-
30	780	90	1	-	-	8850	-

ADJUSTABLE SPANNERS WITH SOFT GRIP

Generally Conforming to IS 6149-1984 Grade II
Ign No. 190305



Product No.	Length mm	Least Max. Opening mm	Std. Pkg.	Phosphate Finish Price each ₹	Chrome Plated Price each ₹
69-S-4	110	13	10	189	-
70-S-6	155	19	10	186	212
71-S-8	205	26	5	243	270
72-S-10	255	30	5	322	365
73-S-12	305	35	5	437	481
74-S-15	380	43	2	880	918

COMBINATION PLIERS

Insulated with thick C.A. sleeve
Generally Conforming to IS 3650-1981
Ign No. 178415



Product No.	Length mm.	Standard Packing	Blister Packing Price ₹ each with Joint Cutter	Printed Bag Pkg. Price each ₹	
				without Joint Cutter	with Joint Cutter
21-6	165	10	211	194	196
21-7	185	10	223	204	207
21-8/1621-8N	210	10	247	225	227
21P-10	255	2	-	-	581
21P-12	300	1	-	-	787

LONG NOSE PLIERS

Insulated with thick C.A. sleeve
Generally Conforming to IS 3552-1989



Product No.	Description	Length mm.	Std. Pkg.	Blister Pkg. Price Each ₹	Printed Bag Pkg. Price Each ₹
1421-6N	Flat Nose	165	10	208	194
10-6/1430-6N	Long Nose	170	10	208	194
1431-6	Round Nose	165	10	-	192
1420-6	Long Nose (Econ)	165	10	-	178
1420-8	Long Nose (Econ)	215	10	-	228
LN-11	Long Nose (Econ)	280	2	-	372

2.[C] BENT NOSE PLIERS (Econ)

Insulated with thick C.A. sleeve
Generally Conforming to IS 3552-1989



Product No.	Description	Length mm.	Std. Pkg.	Printed Bag Price Each
BN-06	Bent Nose Econ	165	5	181
BN-08	Bent Nose Econ	210	5	231
BN11-45	Bent Nose Econ	270	2	378

2.[D] SIDE CUTTING PLIERS

Insulated with thick C.A. sleeve
Generally Conforming to IS 4378-1990



Product No.	Length mm.	Std. Pkg.	Blister Packing Price Each ₹	Printed Bag Price Each
1121-6N	165	10	206	193
1122-6N with cable stripper	165	10	210	196
1101-6 (Econ)	165	10	-	181
1101-8 (Econ)	205	10	-	228
HSC-7	190	2	-	463

2.[E] CIRCLIP PLIERS

Insulated with thick C.A. sleeve
Design No. 183102
Generally Conforming to IS 7989-1976 (Int),
IS 7990-1976 (Ext.)




Product No.	Description	Capacity mm	Length mm	Std. Pkg.	Price Ea
1441-7 / 1441-7C	INTERNAL	19-60	195	10	230
	St. Nose				
1442-7 / 1442-7C	Bent Nose	19-60	180	10	230
	EXTERNAL				
1443-7 / 1443-7C	St. Nose	19-60	195	10	230
	Bent Nose				

CIRCLIP PLIERS

PVC Dip Coated sleeve
Generally Conforming to IS 7989-1976 (Int)



Product No.	Description	Capacity mm	Length mm	Std. Pkg.	Price Ea
1441-5S	INTERNAL	8 to 25	130mm	5	206
	St. Nose				
1442-5S	Bent Nose	8 to 25	120mm	5	206
	EXTERNAL				
1443-5S	St. Nose	8 to 10	125mm	5	206
	Bent Nose				
1444-5S	Bent Nose	8 to 10	120mm	5	206
	EXTERNAL				
1441-7S	St. Nose	19 to 60	180mm	10	225
	Bent Nose				
1442-7S	Bent Nose	19 to 60	165mm	10	225
	EXTERNAL				
1443-7S	St. Nose	19 to 60	188mm	10	225
	Bent Nose				
1444-7S	Bent Nose	19 to 60	165mm	10	225
	EXTERNAL				
1441-9S	St. Nose	40 to 100	230mm	2	395
	Bent Nose				
1442-9S	Bent Nose	40 to 100	220mm	2	395
	EXTERNAL				
1443-9S	St. Nose	40 to 100	230mm	2	395
	Bent Nose				
1444-9S	Bent Nose	40 to 100	220mm	2	395
	EXTERNAL				
1441-13	St. Nose	85 to 165	320mm	1	650
	Bent Nose				
1442-13	Bent Nose	85 to 165	300mm	1	650
	EXTERNAL				
1443-13	St. Nose	85 to 165	320mm	1	650
	Bent Nose				
1444-13	Bent Nose	85 to 165	300mm	1	650
	EXTERNAL				

[F] CIRCLE NOSE PLIERS (Long Reach)

Product No.	Description	Length mm	Std. Pkg.	Price Each ₹
LC 13 N 11	Circle Nose	275	2	236

[G] MINI PLIERS


o colour dip coated sleeve



Product No.	Description	Length mm.	Std. Pkg.	Price Each ₹
1401	Flat Nose	125	10	143
1402	Round Nose	125	10	143
1403	Long Nose	125	10	143
1404	Bent Nose	125	10	143
1405	Side Cutting	125	10	143
1406	End Cutting	100	10	143
1407	Combination	125	10	143
1408	Long needle nose	150	10	143
1409	Long needle Bent Nose	125	10	143

[H] PINCERSGenerally conforming to IS 4095-1991
Design No. 185531

Product No.	Length mm	Standard Pkg.	Price Each ₹
1541-8	200	5	279
ECN 06	160	5	269

[I] TOWER Pincer

Product No.	Length mm	Standard Pkg.	Price Each ₹
TP-9	225	1	306

[J] WATER PUMP PLIERSGenerally conforming to IS 6118-1991
Design No. 182896

Product No.	Length mm	Standard Pkg.	Price Each ₹
223	200	2	269
225/1225 N	250	5	310
226	300	2	498

[K] LOCKING PLIERS

Generally conforming to IS 10372-1982



Product No.	Length mm	Std. Pkg.	Price Each ₹
1-5	125	5	253
1-7	175	5	354
1-10/1641N-10 (Curved Jaw)	250	5	430
2/1642N (Straight Jaw)	250	5	430
3 (Nose)	250	5	430
4-9 (Long Jaw)	215	1	408
5-11 (Clamp Type With Swivel Pads)	280	1	798

[L] SLIP JOINT PLIERS

Generally conforming to IS 13323 - 1992



Product No.	Length mm	Standard Pkg.	Price Each ₹
1221	150	10	97

[M] DRAIN TRAP PLIERS 9"


Generally conforming to IS 5995 - 1971



Product No.	Length mm	Standard Packing	Price Each ₹
FP 10	235	2	349

2. [N] WIRE STRIPPING PLIERS 6":

Generally conforming to IS 5087 - 1969



Product No.	Length mm	Standard Pkg.	Price Each
EWS 06	160	5	241
WS 06	150	10	54

2. [O] FENCING PLIERS 10.5"


Generally conforming to IS 5067 - 1969



Product No.	Length mm	Standard Packing	Price Each
FP 10	270	2	313

3. SCREW DRIVERSC.A. Transparent GREEN HANDLE
Generally conforming to IS 844 - 1979
Design No. 177211**[A] FLAT SCREW DRIVERS**

Product No.	Blade Length mm.	Blade Dia mm.	Tip Dimensions mm.	Std. Pkg.	Price Each
932	50	3	1.6 x 0.4	10	25
933	75	3	1.6 x 0.4	10	26
911	50	3	3.0 x 0.4	10	27
901	75	3	3.0 x 0.5	10	33
902	100	3	3.0 x 0.4	10	34
912	75	3.5	3.5 x 0.5	10	32
842	150	3.5	3.5 x 0.5	10	34
913	100	4	4.0 x 0.6	10	39
712	125	4	4.0 x 0.6	10	35
833	200	4	4.0 x 0.6	10	42
713	75	5	5.0 x 0.6	10	42
936	150	5	5.0 x 0.8	10	49
921	75	6	6.0 x 0.6	10	44
922	100	6	6.0 x 0.6	10	45
923	125	6	6.0 x 0.8	10	47
824	150	6	6.0 x 0.8	10	55
825	200	6	6.0 x 0.8	10	59
826	250	6	6.0 x 0.8	10	63
924	125	8	8.0 x 1.0	10	77
925	150	8	8.0 x 1.2	10	79
926	175	8	8.0 x 1.2	10	84
827	200	8	8.0 x 1.2	10	85
828	250	8	8.0 x 1.2	10	92
829	300	8	8.0 x 1.2	10	96
725	150	8	8.0 x 1.2	10	74
927	200	10	10.0 x 1.2	10	143
928	250	10	10.0 x 1.2	10	149
929	300	10	10.0 x 1.5	10	160
930	400	10	10.0 x 1.5	5	177
931	450	10	13.0 x 1.9	5	188

3. [B] INSULATED SCREW DRIVERS

Product No.	Blade Length mm	Blade Diameter mm	Tip Dimen. mm	Std. Pkg.	Price Each
822 I	125	3.5	3.5 x 0.5	10	35
842 I	150	3.5	3.5 x 0.5	10	36
832 I	200	3.5	3.5 x 0.5	10	40
823 I	150	4.0	4.0 x 0.6	10	43
833 I	200	4.0	4.0 x 0.6	10	45
934 I	100	5.0	5.0 x 0.6	10	47
935 I	125	5.0	5.0 x 0.6	10	48
936 I	150	5.0	5.0 x 0.8	10	52
937 I	200	5.0	5.0 x 0.8	10	59
938 I	250	5.0	5.0 x 0.8	10	60
939 I	300	5.0	5.0 x 0.8	10	61
824 I	150	6.0	6.0 x 0.8	10	60
825 I	200	6.0	6.0 x 0.8	10	63
826 I	250	6.0	6.0 x 0.8	10	70
827 I	200	8.0	8.0 x 1.2	10	94
829 I	300	8.0	8.0 x 1.2	10	107
928 I	250	10.0	10.0 x 1.2	10	165

FLAT CHISELS

No.	Length mm	Cutting Edge mm	Std Packing	Price Each ₹
	150	20	10	113
	200	25	10	144
	235	25	10	145

CHISELS with Rubber Grip

ct No.	Length mm	Cutting Edge mm	Std Packing	Price Each ₹
9 R	235	25	5	215
R	250	30	2	317

PNEUMATIC CHISELS

V/F Octagonal Body x Hexagonal
4.8 A/F x 65 mm
ly Conforming to IS 7446-1987

ct No.	Length mm	Cutting Edge mm	Std Packing	Price Each ₹
06	150	22	3	220
07	175	22	3	242
08	200	22	3	265
09	225	22	3	284

CENTRE PUNCHES & DRIFT PUNCHES

ly Conforming to IS 7177-1999

ct No.	Description	Length mm.	Std. Packing	Price Each ₹
4	Centre Punch	100	10	38
4	Centre Punch	100	10	39
5	Centre Punch	125	10	51
6	Centre Punch	150	10	66
4	Drift Punch	100	10	39

LEATHER PUNCHES

ct No.	Length mm	Hole Size mm	Std. Packing	Price Each ₹
36	100	6	10	46
37	100	8	10	47
38	100	10	10	48

DRIFT, CENTRE & LEATHER PUNCH SET

ct No.	Contents	Std Packing	Price Each ₹
P 7	1004, 1884, 1984, 1985, 1786, 1787, 1788	5	335

PIN PUNCHES

ly confirming to IS 6860 - 1973

ct No.	Length MM	Std. Pkg.	Price Each ₹
55	100	10	35
55 L	150	10	50
30 L	150	10	66
100 L	150	10	66


21. MAGNETIC PRODUCTS



Product No.	Description	Length mm	Std. Pkg.	Price Each
MB 6201	Magnetic Bar	620	5	545
1341	Round Magnetic Tray	-	1	236
1343	Rectangular Magnetic Tray with Two Magnets	-	1	446
1345	Magnetic Tray with Three Magnets	-	1	667
139101	Magnetic Quick Clamp	-	2	191
139201	Magnetic Charger	-	2	157
139202	Magnetic Wrist Collector	-	2	240

22. (A) BOLT CUTTERS :

Generally conforming to IS 5200 - 1998



Product No.	Length in mm	Cutting capacity Dia Maximum	Standard Packing	Price Each
BC - 8	200	4	5	374
BC - 12	300	5	5	703
BC - 14	350	6	2	768
BC - 18	450	7	2	935
BC - 24	600	9	1	1232
BC - 30	750	12	1	1645
BC - 36	900	15	1	2150
BC - 42	1050	18	1	4160
BC - 48	1200	21	1	5397

22. (B) SPARE BLADES SET FOR BOLT CUTTERS:

Product No.	Standard Packing	Price Each
BCB - 12	1	390
BCB - 14	1	423
BCB - 18	1	528
BCB - 24	1	700
BCB - 30	1	980
BCB - 36	1	1132
BCB - 42	1	2323

23. CABLE CUTTERS :



Prod. No.	Size	Standard Packing	Price Each
CC 06	06	5	251
CC 08	08	5	335
CC 10	10	5	460
CCS 10	10	5	460
CC 18	18	2	1255
CC 24	24	1	1735
CC 32	32	1	3050

24. (A) TIN CUTTERS WITH SPRING :

Generally conforming to IS 6087 - 1971



Prod. No.	Size	Standard Packing	Price Each ₹
TCS 08	08	5	269
TCS 10	10	5	352
TCS 12	12	5	457
TCS 14	14	2	522

24. (B) AVIATION TIN CUTTER WITH SPRING

Generally conforming to IS 6087 - 1971



Prod. No.	Size	Standard Packing	Price Each ₹
ATS10	10	2	497

24. (C) SNAP OFF CUTTER :



Prod.No.	Blade Width mm	Std. Pkg.	Price Each ₹
SK-1	19	10 Pcs.	89

24. (D) UTILITY KNIFE :



Prod.No.	Blade Width mm	Std. Pkg.	Price Each ₹
UK-3	19	6 Pcs.	198

24. (E) SPARE BLADE FOR (UK-3) :



Prod.No.	Blade Width mm	Std. Pkg.	Price Each ₹
UB-10	19	10 Pcs.	104

25. HACKSAW BLADES :-

Carbon Steel All Hard

Generally conforming to IS 2594 - 2003

Prod. No.	Product Description	Std Pack	Price Each ₹
HBHC 1218	CARBON STEEL ALL HARD (18 TPI)	100	7
HBHC 1224	CARBON STEEL ALL HARD (24 TPI)	100	7

26. GEAR PULLERS :

Generally conforming to IS 9193 - 1988

Prod. No.	Description	Size	Price Each ₹
BP 303	3 Legs	3"	319
BP 304	3 Legs	4"	406
BP 306	3 Legs	6"	600
BP 308	3 Legs	8"	879

27. (A). ALLEN KEYS (mm.sizes)

BROWN FINISH

Generally conforming to IS 3082 - 1988

Product No.	Sizes	Std. Packing	Price Each ₹
AK - 1.5	1.5 mm	50	7.50
AK - 2	2 mm	50	7.50
AK - 2.5	2.5 mm	50	7.50
AK - 3	3 mm	50	9.00
AK - 4	4 mm	50	14.00
AK - 5	5 mm	50	21.00
AK - 6	6 mm	20	27.00
AK - 8	8 mm	20	42.00
AK - 10	10 mm	10	64.00

27. (B). ALLEN KEYS (Inch sizes) BROWN FINISH

Generally conforming to IS 3082 - 1988



Product No.	Sizes	Std. Packing	Price Each ₹
AK - 1/16	1/16"	50	7.5
AK - 5/64	5/64"	50	7.5
AK - 3/32	3/32"	50	7.5
AK - 1/8	1/8"	50	9.0
AK - 5/32	5/32"	50	13.0
AK - 3/16	3/16"	50	21.0
AK - 7/32	7/32"	20	22.0
AK - 1/4	1/4"	20	28.0
AK - 5/16	5/16"	10	43.0
AK - 3/8	3/8"	10	61.0

27. (C). ALLEN KEY SET (mm. sizes) BROWN FINISH



Prod.No.	Sizes	Price Each ₹
AKM - 9 (Box Packing)	9 Pcs. Set (1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm)	213
AKHM - 9 (Hanger Packing)		209

27. (D) ALLEN KEY SET (Inch sizes) BROWN FINISH



Prod. No.	Sizes	Price Each ₹
AKI - 10 (Box Packing)	10 Pcs. Set (1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8")	228
AKHI - 10 (Hanger packing)		224

27. (E) ALLEN KEYS (mm.sizes): BLACK FINISH

Generally Conforming to IS 3082 - 1988




Product No.	Sizes	Standard Packing	Price Each ₹
K 1.5V	1.5 mm	50	6.50
K 2V	2 mm	50	6.50
K 2.5V	2.5 mm	50	6.50
K 3V	3 mm	50	7.50
K 4V	4 mm	50	11.00
K 5V	5 mm	50	15.00
K 6V	6 mm	20	20.00
K 8V	8 mm	20	33.00
K 10V	10 mm	10	54.00
AK-12	12 mm	10	110.00
AK-14	14 mm	10	145.00
AK-17	17 mm	5	242.00
AK-19	19 mm	5	332.00
AK-22	22 mm	2	644.00
AK-24	24 mm	2	756.00
AK-27	27 mm	2	1246.00
AK-30	30 mm	2	1897.00
AK-32	32 mm	2	2199.00
AK-36	36 mm	2	3155.00


TS mod-99/2014


Specification- Fume Hood

- 1- Internal Dimension- 150 c.m. X 70 cmX70c.m. (LXDXH)
- 2- The fume Hood chamber will be kept upon the base cabinet at the height of 90 c.m. from the floor.
- 3- The fume hood chamber will have a sash door with both facilities
 - (a) Sliding heat resistant safety glass panel
 - (b) Facility for moving sash up and down.
- 4- The interior and exterior area of the fume hood chamber will be the combination of polyglass/FRP rein-forced with BISPHENOL / ESTERVINYL to with stand Acid and Toxic fumes. There will be no exposed screw fixing in inner part of fume hood chamber.
- 5- Sash door will be made up of heat resistant 6mm safety glass. fitted with effectively controlled counter balanced system having FRP sliding channel.
- 6- Fume hood chamber will have pilot indicators internal lighting electric control panel having flush mounted switches for providing electric current for the appliances kept in fume chamber. The control panel should be fitted with on/off switches for mains, moter-blower and light.(CFL) Metal clad socket and gas cock should also provided in the chamber.
- 7- Fume hood chamber should fitted with ceramic Sink acid resistant fittings with high quality three way water taps and water outlet facility.
- 8- The surface (base) of the chamber will be of acid resistant ceramic tiles.
- 9- The suction impeller of the exhaust system will be dynamically balanced for continous soundless and vibration free running and will be made high grade fully molded poly propylene.

Mod-2013


29/4/14
30


29.04.2014
उप निदेशक
विधि विभाग प्रयोगशाला
उ० प्र०, लखनऊ


29/4/14
JD. F.S.L VNS
(Dr. Ram Janam)

TS-MD-103/2014



Specification For High Precision Electronic Balance

1. Weighing Capacity: 80/220 gm or more
2. Readability: 0.01mg/0.1 mg or better
3. Repeatability: $\pm 0.05/0.1$ mg
4. Operating temp 10 to 45°C
5. Linearity: ± 0.2 mg
6. Response Time: $\leq 6/3$ sec
7. Adjustment with two internal weights: fully automatic time- and temperature-controlled Internal adjustment and linearization.
8. Weighing Pan: size 80mm diameter or more.
9. Weighing Cell: HRT Weighing Cell or Monolithic/Monoblock/ Uniblock.
10. RS-232C interface & USB Port must be available
11. Balance must have built in date & time facility
12. Balance must have the features like Piece Counting, Percent weighing, Formulation, Statics, Totaling Free Factor, recall
13. Balance should have high contrast display (HCD).
14. Built in motorized calibration with iso CAL-self calibrating and fully automatic adjustment function
15. Complete with AC adapter & operating manual
16. Facility for Quick and error free data transfer to PC.
17. Body of the balance should be chemical resistance.
18. Overload protection.
19. The above balance should be offered with a suitable density kit.
20. Bidding firm should be registered with the respective state Govt. Weight & Measurement Dept.


Specification For High Precision Electronic Balance


16/10/14


16/10/14

16/10/14
उप निदेशक
रासायनिक
विज्ञान प्रयोगशाला

- 10- Electric motor will be of single phase 2 HP 220 Volt crompton make with 1400 rpm complete with brackets for mounting the motor fan duct etc with suport structure, and the impeller mounting on motor shaft.
- 11- The fume duct will be made of high grade PVC/FRP of atleast 6" diameter.
- 12- The base cabinet of the fume hood chamber will be made up of CRCA, Heavy guage metallic sheets with two pair of epoxy coated double cup- boards and single drawer unit along with locking system in each cupboard and drawer.
- 13- Fume hood chamber should be fitted with water scrubber unit and water tank.
- 14- Fume hood chamber should be complete in all respect and laboratory will not provide any accessories like extra PVC water storage tanks wire & cables etc.
- 15- Five years CMC of moter & scrubber unit after warranty.


24/9/17
(A.K. SINHA)
SO


(ASAY KUMAR)
DY, Director (Gen)
उप निदेशक
विधि विज्ञान प्रयोगशाला
छो प्र०, लखनऊ


(Dr. Ram Janam)
J.D.E.S.L.V.N.S.

U.P.POLICE TECHNICAL SERVICES, HEAD QUARTERS,

IVth FLOOR, JAWAHAR BHAWAN, ASHOK MARG, LUCKNOW-226001

GENERAL TERMS AND CONDITIONS FOR TENDERS

The details of specifications & instructions are to be followed strictly in accordance with the tender notice.

1 - The tendering firms are requested to submit the offer in TWO PARTS. The First Part will be named as Technical Offer & the Second Part will be called as Financial Offer. **The technical offer as well as financial offer are to be prepared separately for each tender.** BOTH TECHNICAL OFFER AND FINANCIAL OFFER PROPERLY SEALED IN SEPERATE COVERS, MUST BE KEPT IN ONE BIG ENVELOPE AND SEALED. ON EACH COVER INDICATE CLEARLY THE TENDER NO. _____ ITEM AND DATE _____ OPENING DUE ON _____. DO NOT QUOTE RATES IN THE TECHNICAL OFFER, OTHERWISE THE TENDER WILL BE REJECTED.

2- check list duly filled and signed with stamp must be submitted by the bidder.

2 - After submission of tender any addition, alteration or change in any offer shall not be acceptable.

3 - All the enclosures should be valid on the date of opening of the tender.

4 - If any cutting/ corrections, it should be properly attested by the tenderer.

5 - Earnest money (as mentioned in tender advertisement in news papers) has to be deposited **FOR EACH ITEM SEPARATELY** along with the Technical Offer in the form of **Fixed Deposit of Scheduled Bank** in the name of **Superintendent of Police/ Asstt. Director, Uttar Pradesh Police Computer Center, payable at Lucknow.** Offers without earnest money will be ignored. If any firm is exempted from furnishing earnest money, enclose government orders. If government order is not submitted by the tenderer his tender will not be considered.

6 - It shall be the responsibility of the tendering firms to present themselves on the dates of opening of Technical & Financial offers and acquaint themselves with the short comings in the tender if any. No separate intimation will be sent to them in this regard.

7- Authorized Agent/ Dealer / Supplier/ Distributor should submit a self attested valid certificate of authority of their Principal/ Manufacturer. Manufacturer should attach a proof of which being so. Authorization is not necessary for Kits, Chemicals, Glassware, General Apparatus, Lab work station, furniture .

8 -Tenderer / Authorized person who shall sign the offer and all the enclosures submitted by them should have signature with their designation, seal and date.

9 - Quoted equipments should be complete working system with all necessary accessories including stabilizer / UPS, cables, wires etc. to run the system properly at the time of installation.

10 - Clearly mention installation requirements in the technical offer. Only space and electrical points will be provided at the time of installation. Installation of the supplied equipments shall be completed within 30 days from the date of receipt of equipment in this laboratory, failing which equipments costing up to Rs.5 lacks, penalty of Rs.100-00 per day and for every additional 5 lacks Rs.100-00 per day may be charged.

11- On Site Comprehensive Warranty of the equipments will be TWO YEARS on parts and labour or as specified below the specifications in the tender form from the date of supply and successful installation. Warranty of consumables and glass wares will be one year or as per their shelf life. Maintenance work of the supplied equipments shall be done by the supplier firm during warranty period.

12 - During warranty period, in case of local service centers complaints should be attended Next Business Day and in case of out station service centers complaints should be attended with in 7 days, failing which equipments costing up to Rs.5 lacks penalty of Rs.100-00 per day and for every additional 5 lacks Rs.100-00 per day may be charged.

13 - Supply is to be executed as mentioned in the purchase order. Officer who is issuing purchase order can permit extra time on his discretion. If after making purchase agreement, any tenderer fails to supply goods of desired quality and quantity within 30 days in case of indigenous supply and 60 days in case of foreign supply, supply order may be cancelled and Security Money/Earnst money deposited by tenderer may be forfeited.

14 - Attach list of organizations to which the equipments have already been supplied and performance reports obtained from them with the technical offer.

15 -The items quoted should be of repute / standard brand. The tenderer should mention full particulars about the brand name, make, model, manufacturer and detailed specifications of the material offered by them with printed literature.

16 -Technical details as per tender specifications or their compatibility with the tender specifications shall be clearly mentioned in the technical offer.

17 - Firms shall quote in Indian Rupees and they must enclose (i) Self attested photocopy of valid U.P. Trade Tax Registration / Central Sales Tax / VAT Registration / latest Clearance Certificate (ii) photo copy of PAN / TAN no. (iii) Bank account no., name of bank and branch.

18 - The tenderer is required to submit an affidavit on 10 rupees stamp paper stating that :

- (1) there is no dispute between the tenderer and state Govt./UP Police.
- (2) the tenderer has no link with Mafia or some unsocial elements or organized crime.

19 - Quote rates including packing, forwarding, insurance, installation FOR destination any where in U.P. excluding all taxes and duties. However VAT, Entry Tax, other taxes and levies etc., should be mentioned separately. Rates should be quoted in two parts: 1- Cost of equipment with Two years on site comprehensive warranty, 2- Year wise charges for on site comprehensive annual maintenance contract from 3rd year to 5th year.

20 - After the receipt of goods in Forensic Science Laboratory, U.P., as specified in the purchase order(any district of U.P.), installation where needed shall have to be carried out by the firms at the required places within Uttar Pradesh.

21 - Any conditional discount on quantity basis (different discounts for different quantities) shall not be acceptable and such offers shall be rejected out rightly. However, unconditional discount given on quoted price on whole quantity, mentioned in financial offer only be acceptable.

22 - THE Technical Headquater RESERVES THE RIGHT TO ACCEPT OR REJECT ANY TENDER, EITHER IN PART OR FULL, WITHOUT ASSIGNING ANY REASON THERE OF.

23 - Firms must come prepared to demonstrate their goods in Forensic Science Laboratory, U.P., Mahanagar, Lucknow - 226006, on the next date of opening of technical bid. Demonstration will be asked if required, failing which tender will be rejected.

24 - The Technical Headquater has right to accept any lower or higher rates of the tenders without assigning any reason.

25- The validity of the rates should be at least for six months from the date of opening of the tender.

26 - In case of imported goods, foreign manufacturers can directly quote their rates but after sales service will be provided by their Indian Branch/ Agent. Name of trained engineers and details of service facilities available should be mentioned in technical offer.

27 - If Indian agents are quoting on behalf of foreign manufacturers/ Principals then self attested valid authority letter from them should be submitted along with the technical offer. Rates should be quoted in FOB as well as CIF Value at New Delhi air port.

28 - Tenderer have to accept one of the following payment terms:

OPTION-A: ON CAD TERMS i.e. 100% payment by Swift/ Wire Transfer to tenderer's Bank Account upon submission of required documents together with certificate of acceptance of equipment by the end-user's Department/Consignee to release 100% payment to the supplier.

OPTION-B: On LC Terms i.e. Letter of Credit for 100% value of the purchase order shall be established. Payment shall be released to the supplier by the Bank upon submission of documents to the bank by the beneficiary together with certificate of acceptance of equipment by the end-user's Department/Consignee after its installation. Bank charges in India shall be born by us whereas all bank charges in the foreign country, including confirmation charges of Letter of Credit, shall be to the account of the supplier.

29 - It will be the responsibility of the Indian agent of foreign principal to clear the consignment from customs and deliver it to Forensic Science laboratory, Lucknow/Agra/Varanasi as specified in the purchase order. The Indian Agent would bear the custom clearance charges (except custom duty), transportation charges, octroi etc. for supply of the goods to F.S.L. Lucknow/Agra/Varanasi.

30 - Forensic Science Laboratory, U.P., has to pay concessional customs duty. Custom duty at concessional rate certificate will be provided by FSL.

31 - Successful Tenderer will deposit 10% of the cost of equipment in India as security money and sign a purchase agreement within 7 days after receipt of purchase order on Rs. one hundred non judicial stamp paper at their own cost. Draft of purchase agreement shall be enclosed with the purchase order. Purchase order to the firms, who fail to execute the agreement shall be cancelled and EMD deposited by them shall be forfeited. **Owner/partners of the firm /authorized person** will sign purchase agreement. All signatures should be attested by notary. (authorized person will attach authority letter of owner / partners of the firm.)

32- Security Money will be in the form of Fixed Deposit of Scheduled Bank in the name of Superintendent of Police / Asstt. Director, Uttar Pradesh Police Computer Center, payable at Lucknow, or in the name of tenderer and pledged to Superintendent of Police / Asstt. Director, Uttar Pradesh Police Computer Center, Lucknow, which will be returned after expiry of warranty period.

33 - After thorough examination if the equipment delivered is found defective and unserviceable, it is to be replaced with new one within 30 days in case of indigenous items and 90 days in case of imported items. The expenditure incurred on this account will be borne by the "Supplier Firm". In case of inability to do so, the total cost of the equipment shall have to be refunded by the firm to the government of U.P.

34 - Bill to be submitted in triplicate by the firm in the name of Dy. Inspector General of Police, U.P. Police Technical Services, Head Quarters, Lucknow. Normally payment of bill will be made within 30 days but in case of delay no interest will be paid.

35 - Special Terms and conditions if any for any particular equipment has been mentioned below the specifications of the equipment in the tender form.

36 - If any item is on D.G.S & D/ D:I. rate contract enclose copy of rate contract along in the technical offer.

37 -Tendering firms will also impart hands on training for the supplied equipments wherever necessary free of cost.

38- Due to continuous research and developments and introduction of new models tendered can supply upgraded model at the same quoted price with permission of the department.

39 - Tendering firms should ensure that they will make available consumables, spares and services for equipments at least for ten years from the date of supply and installation.

40 - If supplier is unable to supply consumables, spares and services for ten years, he has to take back the supplied equipment and replace it by upgraded version free of cost.

- 41 - Supplier firm will provide driver software for new operating systems free of cost for ten years.
- 42 - Tenders received after the due date and time or incomplete tenders will not be accepted. This office will not be responsible for postal delay.
- 43 - Conditional tenders will not be accepted.
- 44 - If any firm will be defaulter of any terms and conditions given above the undersigned has right to deduct the part or full amount of the Earnest money/ Security money deposited by the firm, firm may be black listed and legal action may be taken.
- 45 - All disputes will be subject to jurisdiction of court at Lucknow only.

Following declaration form duly filled in and signed should be submitted along with the technical offer failing which tender will be rejected.

(D.K. Chaudhary)
Dy. Insp. Genl. OF POLICE, TECHNICAL SERVICES,
U.P. Police Technical Services, Lucknow

DECLARATION

I, (name of authorized representative) _____ Son of- _____
_____ of M/S (Name of firm) _____
_____ have read all the rules of tender (1 to 45) given above. These are acceptable to our firm.
Earnest Money in the form of Fixed Deposit of scheduled bank Rs. _____ (in words) _____
_____ in favors of "Superintendent of Police / Asstt. Director, Uttar Pradesh Police
Computer Centre, payable at Lucknow is enclosed herewith.

PLACE: _____

DATE: _____

(Signature and seal)