

उत्तर प्रदेश पुलिस तकनीकी सेवायें मुख्यालय,

चतुर्थ तल, जवाहर भवन, अशोक मार्ग, लखनऊ

संख्या-टीएस-एमओडी-120/2015-16(एफएसएल)

दिनांक -फरवरी, 2016

निविदा सूचना


- 1- उत्तर प्रदेश पुलिस हेतु निम्न उपकरणों की सील बन्द निविदा भारतीय मैनुफैक्चरर/डीलर/रजिस्टर्ड फर्म /विदेशी मैनुफैक्चरर के अधिकृत विक्रेता से आमंत्रित की जाती है।
- 2- निविदा प्रपत्र व उपकरण से सम्बन्धित तकनीकी स्पेशीफिकेशन उत्तर प्रदेश पुलिस की वेबसाइट <http://uppolice.gov.in> से डाउनलोड किया जा सकता है। निविदा शुल्क के रूप में ₹0 300.00 का बैंक ड्राफ्ट/बैंकर चेक/एफडीआर पुलिस अधीक्षक/सहायक निदेशक, उ0प्र0पुलिस कम्प्यूटर केन्द्र लखनऊ के नाम देय होगा, जमा की जायेगी।
- 3- निविदा शुल्क किसी भी दशा में वापस नहीं किया जायेगा तथा निविदा स्वीकृत न होने की दशा में ईएमडी वापस कर दी जायेगी।
- 4- तकनीकी सेवायें मुख्यालय से नगद भुगतान पर टेण्डर डाकुमेंट्स विक्रय नहीं किये जायेंगे।
- 5- प्रत्येक टेण्डरकर्ता द्वारा टेण्डर की ईएमडी डीडी/ एफडीआर / बैंक गारन्टी के रूप में, जो पुलिस अधीक्षक/सहायक निदेशक, उ0प्र0पुलिस कम्प्यूटर केन्द्र लखनऊ के नाम देय होगा, जमा की जायेगी।
- 6- सफल टेण्डरकर्ता द्वारा कयादेश मूल्य का 10 प्रतिशत धनराशि सिक्योरिटी मनी के रूप में जमा किया जायेगा, जो उपकरण के सन्तोषजनक ढंग से कार्य करने के उपरान्त उनके वारन्टी अवधि के उपरान्त वापस कर दी जायेगी।
- 7- तकनीकी स्पेशीफिकेशन के अनुसार प्रोप्राइटरी आइटम या उनके समतुल्य उत्पाद/सेवा अन्तराष्ट्रीय स्तर के स्वीकार होंगे। प्रोप्राइटरी उत्पाद या इसके समतुल्य उत्पाद/सेवा सम्बन्धित तकनीकी समिति का निर्णय अन्तिम निर्णय होगा।
- 8- उपकरणों की संख्या विभाग की आवश्यकतानुसार बढ़ायी या घटाई जा सकती है तथा विभाग द्वारा बढ़ायी गयी संख्या को फर्म को निर्धारित अवधि में आपूर्ति करना होगा।
- 9- निम्न किसी उपकरण के तकनीकी स्पेशीफिकेशन में यदि कोई संशोधन किया जाता है तो निविदा जमा करने की अन्तिम तिथि के 07 दिवस पूर्व ही संशोधित तकनीकी स्पेशीफिकेशन अपलोड कर दिया जायेगा।
- 10- समस्त टैक्स सहित न्यूनतम निविदा एल-1 पर विचारा किया जायेगा।
- 11- तकनीकी मुख्यालय द्वारा जनहित में किसी भी समय बिना कारण दर्शाये टेण्डर को निरस्त किया जा सकता है।

टेण्डर संख्या	आइटम	सं०	ईएमडी (₹0 में)	टेण्डर डाकुमेंट का मूल्य (₹0 में)
1-टीएस-मोड-133/15(एफएसएल लखनऊ)	फयूमिंग चैम्बर	02	16,000-00	300.00
2-टीएस-मोड-141/15(एफएसएल)	इलाक्ट्रानिक बैलेन्स	02	10,000-00	300.00
3-टीएस-मोड-162/15(एफएसएल केएनजे व जीजेडबी)	मफल फर्नेश विद हाइ टेम्परेचर विद प्लेटिनम कूसिबल	02	24,000-00	300-00
4- टीएस-मोड-163/15(एफएसएल जीजेडबी)	डीप फ्रीजर -20 डिग्री	02	5000-00	300.00
5- टीएस-मोड-164/15(एफएसएल जीजेडबी)	सेन्टी फ्यूज रेफ्रिजरेटेड	01	10,000-00	300-00
6- टीएस-मोड-165/15(एफएसएल जीजेडबी)	टाइनाकुलर माइक्रोस्कोप	01	8,000-00	300.00
7- टीएस-मोड-166/15(एफएसएल जीजेडबी)	स्टीरियो जूम माइक्रोस्कोप विद एंटी फंगल	01	13,000-00	300-00

8-टीएस-मोड-167 / 15(एफएसएल जीजेडबी)	स्टीरियो माइक्रोस्कोप	01	6000-00	300.00
9-टीएस-मोड-168 / 15(एफएसएल) (एफएसएल केएनजे व जीजेडबी)	स्टैण्डर्ड टेस्ट सीव विद शिव शेकर	02	20,000-00	300-00
10- टीएस-मोड-169 / 1(एफएसएल जीजेडबी)	फयुमिंग हुड	01	8000-00	300.00

निविदा जमा करने की अन्तिम तिथि
तकनीकी भाव पत्र खोले जाने की तिथि
तकनीकी भाव पत्र पर कय समिति की बैठक
वित्तीय भाव पत्र खोले जाने की तिथि
वित्तीय भाव पत्र पर कय समिति की बैठक

29.02.2016 समय 02.00 बजे अपरान्ह
29.02.2016 समय 04.00 बजे अपरान्ह
1.3..2016 समय 11.30 बजे पूर्वान्ह
1.3.16 समय 11.30 बजे पूर्वान्ह
02.03.16 समय 04.00 बजे अपरान्ह


15/2/16
(संजय कुमार)

अपर पुलिस अधीक्षक, तकनीकी सेवायें,
निमित्त- पुलिस महानिरीक्षाक, तकनीकी सेवायें,
लखनऊ।

U. P. POLICE TECHNICAL SERVICES HEADQUARTERS

IVth FLOOR JAWAHAR BHAWAN, ASHOK MARG, LUCKNOW-226 001

TENDER NO.: TS-MOD-120//2015-16(FSL)

DATED FEB. , 2016

NOTICE INVITING RE-TENDER


- 1- Sealed Tenders are invited from the Indian Manufacturers/registered firms/ Authorised agent of foreign manufacturer for purchase of the following equipment for the use of U.P. Police.
- 2- The tender form and tender document for item mentioned below along with Technical specification for Item given may be downloaded from U.P. Police website <http://uppolice.gov.in> on payment of Rs. 300-00 as fee of Tender cost documents in the form of DD/Banker Cheque/FDR/ in favour of S.P.AD. Uttar Pradesh Police Computer Centre, payable at Lucknow.
- 3- Cost of tender document is not refundable, while earnest money(EMD) is refundable after tender process.
- 4- Tender documents will not be given on cash through Technical Head Quarter.
- 5- Each Tenderer will have to deposit an E.M.D. as mentioned against tender in the form of DD/ Banker's Cheque/FDR. in favour of **S.P./AD. Uttar Pradesh Police Computer Centre, payable at Lucknow.**
- 6- Successful tenderers will have to deposit a security money @ 10% of the order value, which will be returnable after expiry of warranty period.
- 7- For any specification which amounts to proprietary items its equivalent Product / Services of international quality will also be acceptable. However the decision of Technical Committee regarding Product / Services of International Quality will be final.
- 8 The Number of equipments may be increased /decreased as per need and the increased quantity will also have to be supplied within time stipulated by the Department.
- 9- The lowest bid will be decided on the basis of total cost (inclusive of all taxes.)
- 10- In condition of amendment in any following item's specification. It will be uploaded before 7 days from submitting tender date'
- 11- The Technical Head Quarters may cancel the tender at anytime without assigning any reason for the same in the public interest.

Tender No.	Item	Qty	EMD (in Rs.)	Cost of Tender Document (in Rs.)
1.TS-MOD-133/15 (FSL)	Fuming Chnamber	02	16,000-00	300-00
2.TS-MOD-141/15 (FSL)	Electronic Balance	02	10,000.00	300-00
3.TS-MOD-162/15 (FSL-GZB and KNJ)	Muffle Furnesh high temparature	02	24,000.00	300-00
4.TS-MOD-163/15 (FSL-GZB)	Deep Frizer -20 degree Centi.	02	5,000.00	300-00
5.TS-MOD-164/15 (FSL-GZB)	Centifuse Refigerated	01	10,000.00	300-00
6.TS-MOD-165/15 (FSL-GZB)	Trinaculor Microscope)	01	8,000-00	300-00
7.TS-MOD-166/15 (FSL-GZB)	Sterio Zoom Microscope with antifungal	01	13,000-00	300-00

8- TS-MOD-167/15 (FSL-GZB)	Steario Microscope	1	6,000.00	300-00
9.TS-MOD-168/15 (FSL GZB-KNJ)	Standard test Sieve with aiev shaker	02	20,000.00	300-00
10. TS-MOD-169/15 (FSL TS-MOD-166/15 (FSL-GZB)	Fuming Hood	01	8,000.00	300-00

last date of deposit of tenders
Date of opening of Technical Bid
Date of Purchase committee meeting for technical evaluation
Date of opening of financial offer
Date of purchase committee meeting for financial evaluation

29-02-2016 upto 02-00pm
29-02-2016 at 04-00pm
01-03--2016 at 11-30am
01-03--2016 at 11-30am
02-03-2016 at 04-00 pm


15/2/16

(SANJAY KUMAR)

Add. Supdt. Of Police, Technical Services,
For- Inspector Genl. Of Police, Technical Services,
Lucknow.

34

Electronic Balance

Specifications:

- Branded and Standard.
- Weighing capacity above 200gm or more with accuracy 0.01mg.
- Pan size 80-90mm.
- Fully automatic, calibration and adjustment function and weights for calibration.
- Motorized draft shield system.
- Back LIT graphic display.
- Built-in application programmes.
- System should be complete with all accessories to run properly in the laboratory.
- Density calibration Kit.
- With certification of accuracy.

W

R

Supers

44

(11)

(2) Name of Instrument: DEEP FREEZER -20° C

QTY (02)

SPECIFICATIONS:-

- 1) -
- Type vertical Branded and frost free
 - Capacity: Should be 350-550 L
 - Door: single door
 - Number of Selves: 2 + 5 Drawer
 - Sealed drawer to prevent frost loss from open door.
 - Should be micro-processor controlled with digital display of temperature.
 - Temperature range: From -15 °C to -4°C
 - Should have quick freezing function
 - Body insulation should be more than 75 mm thick. Poly acrylamide with metal.
 - Energy consumption should not be more than 1 unit / 24 Hrs.
 - Should be supplied with suitable voltage stabilizer
 - Movement: Must have movement on durable wheels.
 - Power supply: 230V AC, 50 -60 Hz
 - 5 years comprehensive warranty.
 - Instrument should be ~~coated~~ with make model No. along with working manual with original brochure .
 - The system should be ~~coated~~ as a complete device at the time of installation.
- leg
- R
- 5/10/18

• Temp Probe (101 E)
• Dust Cover
• Electrode Stand

43

List of basic instruments for starting of new Biology Lab

(1) Name of Instrument: - CENTRIFUGE REFRIGERATED QTY (01)

SPECIFICATIONS

- Max. Speed 25,000 rpm
- Max. RCF 16873 g
- Max. Capacity 400 ml at one Time
- Temp. range should be -8°C to ambient Temp.
- Pre Cooling facility should be there.
- Fast Spin
- LCD Display
- Self-Diagnostics of errors
- Brushless motor with frequency drive provided
- Choice of rpm / rcf setting
- Digital countdown timer 0-99 min & Continuous run
- Parameter should be set through bi directional encoder.
- Automatic door opening
- Gas Hinge to prevent door falling
- Automatic Rotor Identification provision of rotor three-four type of tubes 20, 10, 5 & 1.5 ml
- Imbalance detection with centrifugation cut off
- Heavy Duty compressor with 05 years warranty fitted with rear side of the unit to minimum noise.
- Low noise less than 56 dB. With low vibration.
- Dimension- approx.. 30X46X25 cm
- Supplied with Suitable Voltage Stabilizer.
- Instrument should be ~~q~~oated with make model No. along with working manual with original brochure.
- The system should be ~~q~~oated as a complete device at the time of installation.



62

(13)

(17) Name of Instrument: TRINOCULAR MICROSCOPE (ANTI FUNGAL TYPE) OF
STANDARD MAKE QTY (01)

1/
SPECIFICATIONS:-

- Optical System - Infinity corrected (CFI) optical system
- Magnification - 40 x- 1000x for observation with 100 x oil immersion observation.
- Eyepiece Tube - Trinocular Tube (Inclination: 30°. Interpupillary Distance: 47-75mm, 360 Deg Rotatable .
- Eyepiece - 10x (paired) with F.O.V. 20mm or with diopter adjustment facility on both eyes and micrometer in one eyepiece. Anti fungus type.
- Nosepiece - Quadruple Nosepiece Reversed Type.
- Stage - Should be refocusing type the stage can be instantly dropped by pushing it down to exchange specimens or oil the slide, then returns to the original position as soon as the hand is removed .
- Stage size - Stage should be rectangular 216 x 150mm surface stage mounted on the main body. Stage should accomodate 2 slides at a time. Stage should be provided with upper limit stopper.
- Objectives - Plan achromat 4x N.A. 0.10 W.D. 30.0mm, plan achromat 10x N.A. 0.25 W.D. 7.0mm, plan achromat 40x N.A. 0.65 W.D. 0.65mm, plan achromat 100x oil 1.25 W.D. 0.23mm
- Condenser - ABBE condenser N.A. 1.25.
- Illumination system - High intensity led with fly eye lens for eco Illumination and 60,000 hrs lifetimes
- Course/ fine focusing - Fine: 0.2mm per rotation, course: 37.7mm
Per rotation, minimum reading: 2 microns on left- side fine control knob.
- Microscope should be upgradable with one camera, simple polarising, & epifluorescence attachment. In future.
- Installation table along with operating adjustable comfortable chair
- Five year comprehensive warranty and AMC.
- Instrument should be quoted with make model No. Along with working manual with original brochure .
- The system should be

by

R

S. S. S.

41

(09) Name of Instrument: Stereo zoom Microscope (Anti fungal type) of
dard make QTY (01)

(11)
SPECIFICATIONS:-

- Optics : Infinity corrected optics system
- Total Magnification : 3X-300X(with various combinations)
(6.7X to 50X with 1X objective & 10X Eyepieces).
- Eyepiece tube : Trinocular tube inclination at 45°
- Inter pupillary distance : 52-75 mm
Adjustment
- Eyepieces : 10X (F.N.22) with Diopter adjustment on
both the eyes and micrometer scale in one
eyepiece.
- Zoom Range : 0.67X-5X
- Zooming Ratio : 7.5:1 or more
- Objective : 1X, 2X, 10 X
- Working distance : 115mm or Higher
- Illumination system : Diascopic LED stand illumination and
episcopic LED Ring Illumination.
- Digital Camera- Digital scientific Cmos camera with 5 MP resolutions, live image
processing to the laptop/ computer and image analysis software, with laser color printer.
- Latest Laptop compatible to system.
- Installation table along with operating adjustable comfortable chair.
- Five years comprehensive warranty with AMC.
- Instrument should be branded.
- Instrument should be coated with make model No. along with working manual with
original brochure .
- The system should be coated as a complete device at the time of installation.

W

R

Singh

40

STEREO MICROSCOPE

Specifications:

- Compound trinocular microscope.
- Inbuilt halogen illumination source preferably LED achromatic objectives 4x, 10x, 40x and 100x 1mm (Anti Fungal treated full plan achromatic).
- Eye pieces 5x, 10x (Two each), One separate eye piece of 10x with colour meter.
- Complete photography assembly with digital camera scaled, two dimensional movable stage.
- Spare sets of eye pieces, objectives (10x and 100x) and 02 sets of bulbs.
- System should be quoted as complete working system with all accessories.
- To run the system properly at the time of installation.

u

R

S. Singh

39

16

Standard Test Sieve with Sieve Shaker

Specifications:-

- Standard Mettalic Frame
- Sieve with Packing plastic box
- Having following no of sieve
- 20,30,40,50,60,70,80,90,100,150,200,250 and 300 micron
- Branded (Standard) Sieve Shaker having following properties-
 - a) Mechanical operated
 - b) Vertical shaking
 - c) Vertical sieves adopter
 - d) Sieve lid
 - e) Digital Display
 - f) Power 220-250W

us

R

Singh

45

(10)

Muffle Furnace (High Temp)

Specifications

- Inside Chamber Size 6" x 6" x 6", 3.6L approx with swing aside door at the front
- Furnace construction (i) Double shell steel case with cooling fan to keep outside case cool
- (ii) High purity alumina fiber insulation for max. energy saving
- Heating element The chamber section should be heated by six to eight Super Kanthal Molybdenum
- disilicide heating elements (Super 1800 grade MoSi₂) suspended in a chamber made
- of high temperature refractory fiber lined with a combination of ceramic fibre blankets.
- Standard Working
- Temperature 1600° C (continuous)
- Maximum Working Temperature 1700° C (< 3 hours)
- Temperature Control The temperature controller should be a PID automatic control power control and programmable with necessary safety features.
- Heating Rate The furnace should be of fast heating type with the maximum attainable temperature should reach as a ramp function in less than one hour.
- Temperature Accuracy +/- 1.0 °C
- Thermocouple Pt. Pt. Rh. Thyristor controller will be provided along with the furnace to measure the temperature with Recrystallized alumina sheath & connecting holder complete set.
- Cooling Fan Air Circulation Attached with Furnace, Provided inside the control unit to protect Costly component
- Max. Power Upto 8 KW Certificate CE certified
- Along with the furnace one set of the following accessories should be provided
- Description Quantity
- Al₂O₃ Sample Plate 1 pcs
- Al₂O₃ Furnace Door Block 1 pcs
- Protection Glove 2 pairs
- Crucible Clip 1 pair
- Crucibles 6 pcs
- Platinum crucible 50 ml ----02 pc


us

R

S. J. J.


TS-MOD-133/2015


Specification- Fume Hood


- 1- Internal Dimension- 180 c.m. X 94 cmX120c.m. (LXDXH) or more comply to ASHRAE-110 standard or ISO certified.
- 2- The fume Hood chamber will be kept upon the base cabinet at the height of 90 c.m. from the floor.
- 3- The fume hood chamber will have a sash door with facilities  For moving sash up and down freely and it should be acid resistant & corrosion resistant
- 4- The interior and exterior area of the fume hood chamber will be the combination of polyglass/FRP rein forced with BISPHENOL / ESTERVINYL to with stand Acid and Toxic fumes. There will be no exposed screw fixing in inner part of fume hood chamber.
- 5- Sash door will be made up of heat resistant 6mm safety glass. Fitted with effectively controlled counter balanced system having FRP sliding channel.
- 6- Fume hood chamber will have pilot indicators internal lighting electric control panel having flush mounted switches for providing electric current for the appliances kept in fume chamber. The control panel should be fitted with on/off switches for mains, moter-blower and light (CFL) Metal clad socket and gas cock should also provided in the chamber from both side.
- 7- Fume hood chamber should fitted with ceramic Sink size 30cm X45cm (app.) acid resistant fittings with high quality three way water taps and water outlet facility.
- 8- The surface (base) of the chamber will be of acid resistant ceramic tiles.
- 9- The suction impeller of the exhaust system will be dynamically balanced for continous soundless and vibration free running and will be made high grade fully molded poly propylene.

Mod-2013

Vipin
03-11-15
VIPIN ASHOK
SA



03.11.15
MODHD ASHAD
S.S.A


(P. Venishine)
S.O
P.S.L. U.C.


03-11-15
D.D. (TDA)
P.T.O

- 10- Electric motor will be of single phase 2 HP 220 Volt crompton make with 1440 rpm complete with brackets for mounting the motor fan duct etc with suport structure, and the impeller mounting on motor shaft.
- 11- The fume duct will be made of high grade PVC/FRP of atleast 6" diameter.
- 12- The base cabinet of the fume hood chamber will be made up of CRCA, Heavy guage metallic sheets with two pair of epoxy coated double cupboard and single drawer unit along with locking system in each cupboard and drawer.
- 13- Fume hood chamber should be fitted with water scrubber unit and water tank.
- 14- Fume hood chamber should be complete in all respect and laboratory will not provide any acessories like extra PVC water storage tanks wire & cables etc.
- 15- Five years CMC of moter & scrubber unit after two years standard warranty ie total seven years of complete warrenty..

Vipin
03-11-15
VIPIN ASHOK
SA


03-19-15
MOHD. ARSHAD
S.S.A.
P. Krishna
03-17-15
(Scientific Officer)
Toxicology Div
FSL UCO

Pub.
03-11-15
DD (FOM)

U.P. POLICE TECHNICAL SERVICES, HEAD QUARTERS,

IVth FLOOR, JAWAHAR BHAWAN, ASHOK MARG, LUCKNOW-226001

GENERAL TERMS AND CONDITIONS FOR TENDERS

The details of specifications & instructions are to be followed strictly in accordance with the tender notice.

1 - The tendering firms are requested to submit the offer in TWO PARTS. The First Part will be named as Technical Offer & the Second Part will be called as Financial Offer. The technical offer as well as financial offer are to be prepared separately for each tender. BOTH TECHNICAL OFFER AND FINANCIAL OFFER PROPERLY SEALED IN SEPERATE COVERS, MUST BE KEPT IN ONE BIG ENVELOPE AND SEALED. ON EACH COVER INDICATE CLEARLY THE TENDER NO. _____ ITEM AND DATE _____ OPENING DUE ON _____. DO NOT QUOTE RATES IN THE TECHNICAL OFFER, OTHERWISE THE TENDER WILL BE REJECTED.

2 - check list duly filled and signed with stamp must be submitted by the bidder.

2 - After submission of tender any addition, alteration or change in any offer shall not be acceptable.

3 - All the enclosures should be valid on the date of opening of the tender.

4 - If any cutting/ corrections, it should be properly attested by the tenderer.

5 - Earnest money (as mentioned in tender advertisement in news papers) has to be deposited FOR EACH ITEM SEPARATELY along with the Technical Offer in the form of Fixed Deposit of Scheduled Bank in the name of Superintendent of Police/ Asstt. Director, Uttar Pradesh Police Computer Center, payable at Lucknow,. Offers without earnest money will be ignored. If any firm is exempted from furnishing earnest money, enclose government orders. If government order is not submitted by the tenderer his tender will not be considered.

6 - It shall be the responsibility of the tendering firms to present themselves on the dates of opening of Technical & Financial offers and acquaint themselves with the short comings in the tender if any. No separate intimation will be sent to them in this regard.

7 - Authorized Agent/ Dealer / Supplier/ Distributor should submit a self attested valid certificate of authority of their Principal/ Manufacturer. Manufacturer should attach a proof of which being so. Authorization is not necessary for Kits, Chemicals, Glassware, General Apparatus, Lab work station, furniture .

8 -Tenderer / Authorized person who shall sign the offer and all the enclosures submitted by them should have signature with their designation, seal and date.

9 - Quoted equipments should be complete working system with all necessary accessories including stabilizer / UPS, cables, wires etc. to run the system properly at the time of installation.

10 - Clearly mention installation requirements in the technical offer. Only space and electrical points will be provided at the time of installation. Installation of the supplied equipments shall be completed within 30 days from the date of receipt of equipment in this laboratory, failing which equipments costing up to Rs.5 lacks, penalty of Rs.100-00 per day and for every additional 5 lacks Rs.100-00 per day may be charged.

11- On Site Comprehensive Warranty of the equipments will be TWO YEARS on parts and labour or as specified below the specifications in the tender form from the date of supply and successful installation. Warranty of consumables and glass wares will be one year or as per their shelf life. Maintenance work of the supplied equipments shall be done by the supplier firm during warranty period.

12 - During warranty period, in case of local service centers complaints should be attended Next Business Day and in case of out station service centers complaints should be attended with in 7 days, failing which equipments costing up to Rs.5 lacks penalty of Rs.100-00 per day and for every additional 5 lacks Rs.100-00 per day may be charged.

13 - Supply is to be executed as mentioned in the purchase order. Officer who is issuing purchase order can permit extra time on his discretion. If after making purchase agreement, any tenderer fails to supply goods of desired quality and quantity within 30 days in case of indigenous supply and 60 days in case of foreign supply, supply order may be cancelled and Security Money/Earnst money deposited by tenderer may be forfeited.

14 - Attach list of organizations to which the equipments have already been supplied and performance reports obtained from them with the technical offer.

15 - The items quoted should be of repute / standard brand. The tenderer should mention full particulars about the brand name, make, model, manufacturer and detailed specifications of the material offered by them with printed literature.

16 - Technical details as per tender specifications or their compatibility with the tender specifications shall be clearly mentioned in the technical offer.

17 - Firms shall quote in Indian Rupees and they must enclose (i) Self attested photocopy of valid U.P. Trade Tax Registration / Central Sales Tax / VAT Registration / latest Clearance Certificate (ii) photo copy of PAN / TAN no. (iii) Bank account no., name of bank and branch.

18 - The tenderer is required to submit an affidavit on 10 rupees stamp paper stating that :
(1) there is no dispute between the tenderer and state Govt./UP Police.
(2) the tenderer has no link with Mafia or some unsocial elements or organized crime.

19 - Quote rates including packing, forwarding, insurance, installation FOR destination any where in U.P. excluding all taxes and duties. However VAT, Entry Tax, other taxes and levies etc., should be mentioned separately. Rates should be quoted in two parts: 1- Cost of equipment with Two years on site comprehensive warranty, 2- Year wise charges for on site comprehensive annual maintenance contract from 3rd year to 5th year.

20 - After the receipt of goods in Forensic Science Laboratory, U.P., as specified in the purchase order (any district of U.P.), installation where needed shall have to be carried out by the firms at the required places within Uttar Pradesh.

21 - Any conditional discount on quantity basis (different discounts for different quantities) shall not be acceptable and such offers shall be rejected out rightly. However, unconditional discount given on quoted price on whole quantity, mentioned in financial offer only be acceptable.

22 - THE Technical Headquater RESERVES THE RIGHT TO ACCEPT OR REJECT ANY TENDER, EITHER IN PART OR FULL, WITHOUT ASSIGNING ANY REASON THERE OF.

23 - Firms must come prepared to demonstrate their goods in Forensic Science Laboratory, U.P., Mahanagar, Lucknow - 226006, on the next date of opening of technical bid. Demonstration will be asked if required, failing which tender will be rejected.

24 - The Technical Headquater has right to accept any lower or higher rates of the tenders without assigning any reason.

25 - The validity of the rates should be at least for six months from the date of opening of the tender.

26 - In case of imported goods, foreign manufacturers can directly quote their rates but after sales service will be provided by their Indian Branch/ Agent. Name of trained engineers and details of service facilities available should be mentioned in technical offer.

27 - If Indian agents are quoting on behalf of foreign manufacturers/ Principals then self attested valid authority letter from them should be submitted along with the technical offer. Rates should be quoted in FOB as well as CIF. Value at New Delhi air port.

28 - Tenderer have to accept one of the following payment terms:

OPTION-A: ON CAD TERMS i.e. 100% payment by Swift/ Wire Transfer to tenderer's Bank Account upon submission of required documents together with certificate of acceptance of equipment by the end-user's Department/Consignee to release 100% payment to the supplier.

OPTION-B: On LC Terms i.e. Letter of Credit for 100% value of the purchase order shall be established. Payment shall be released to the supplier by the Bank upon submission of documents to the bank by the beneficiary together with certificate of acceptance of equipment by the end-user's Department/Consignee after its installation. Bank charges in India shall be born by us whereas all bank charges in the foreign country, including confirmation charges of Letter of Credit, shall be to the account of the supplier.

29 - It will be the responsibility of the Indian agent of foreign principal to clear the consignment from customs and deliver it to Forensic Science laboratory, Lucknow/Agra/Varanasi as specified in the purchase order. The Indian Agent would bear the custom clearance charges (except custom duty), transportation charges, octroi etc. for supply of the goods to F.S.L. Lucknow/Agra/Varanasi.

30 - Forensic Science Laboratory, U.P., has to pay concessional customs duty. Custom duty at concessional rate certificate will be provided by FSL.

31 - Successful Tenderer will deposit 10% of the cost of equipment in India as security money and sign a purchase agreement within 7 days after receipt of purchase order on Rs. one hundred non judicial stamp paper at their own cost. Draft of purchase agreement shall be enclosed with the purchase order. Purchase order to the firms, who fail to execute the agreement shall be cancelled and EMD deposited by them shall be forfeited. Owner/partners of the firm /authorized person will sign purchase agreement. All signatures should be attested by notary: (authorized person will attach authority letter of owner / partners of the firm.)

32- Security Money will be in the form of Fixed Deposit of Scheduled Bank in the name of Superintendent of Police / Asstt. Director, Uttar Pradesh Police Computer Center, payable at Lucknow, or in the name of tenderer and pledged to Superintendent of Police / Asstt. Director, Uttar Pradesh Police Computer Center, Lucknow, which will be returned after expiry of warranty period.

33 - After thorough examination if the equipment delivered is found defective and unserviceable, it is to be replaced with new one within 30 days in case of indigenous items and 90 days in case of imported items. The expenditure incurred on this account will be borne by the "Supplier Firm". In case of inability to do so, the total cost of the equipment shall have to be refunded by the firm to the government of U.P.

34 - Bill to be submitted in triplicate by the firm in the name of Dy. Inspector General of Police, U.P. Police Technical Services, Head Quarters, Lucknow. Normally payment of bill will be made within 30 days but in case of delay no interest will be paid.

35 - Special Terms and conditions if any for any particular equipment has been mentioned below the specifications of the equipment in the tender form.

36 - If any item is on D.G.S & D/ D.I. rate contract enclose copy of rate contract along in the technical offer.

37 -Tendering firms will also impart hands on training for the supplied equipments wherever necessary free of cost.

38- Due to continuous research and developments and introduction of new models tendered can supply upgraded model at the same quoted price with permission of the department.

39 - Tendering firms should ensure that they will make available consumables, spares and services for equipments at least for ten years from the date of supply and installation.

40 - If supplier is unable to supply consumables, spares and services for ten years, he has to take back the supplied equipment and replace it by upgraded version free of cost.

41 - Supplier firm will provide driver software for new operating systems free of cost for ten years.


42 - Tenders received after the due date and time or incomplete tenders will not be accepted. This office will not be responsible for postal delay.

43 - Conditional tenders will not be accepted.

44 - If any firm will be defaulter of any terms and conditions given above the undersigned has right to deduct the part or full amount of the Earnest money/ Security money deposited by the firm, firm may be black listed and legal action may be taken.

45 - All disputes will be subject to jurisdiction of court at Lucknow only.

Following declaration form duly filled in and signed should be submitted along with the technical offer failing which tender will be rejected.


(Amitabh yash)
Insp. Genl. Of Police, Technical Services,
U.P. Police Technical Services, Lucknow

DECLARATION

I, (name of authorized representative) _____ Son of-
_____ of M/S (Name of firm) _____
_____ have read all the rules of tender (1 to 45) given above. These are acceptable to
our firm. Earnest Money in the form of Fixed Deposit of scheduled bank Rs. _____ (in words) _____
_____ in favors of "Superintendent of Police / Asstt. Director, Uttar
Pradesh Police Computer Centre, payable at Lucknow is enclosed herewith.

PLACE: _____

DATE: _____

(Signature and seal)