द्वितीय निविदा सूचना

उत्तर प्रदेश पुलिस रेडियो मुख्यालय, महानगर, लखनऊ – 226006 निविदा संख्याः ई–269 / 2016 (पार्ट–iii) दिनांकः अक्टूबर–ध्रेऽ, 2016

निम्नलिखित उपकरणों के क्रय हेतु दो प्रतियों में टेक्निकल एवं वित्तीय भाव पत्र अलग–अलग मुहरबन्द आमन्त्रित किये जाते हैं:–

		उपकरण/उपकर्मिका का नाम			कल	प्रतिभूति राशि	टेण्डर प	गैस (रू0)		
Ĩ	0क	उपकरण	/ उपकामको क	ग नाम	कुल मात्रा	राशि (रू0 में)	नकद	बैंक ड्राफ्ट द्वारा	सम्पूर्ति का स्थान	
	1	रेडियो सेट	कम्यूनिकेशन	टेस्ट	01	25,500 / -	3,800 /	3,900 / -	उ0प्र0 पुलिस रेडियो मुख्यालय,	
ø	2		वं मापक उपकर	ण	01	3,500 / -	600/-	700/-	महानगर, लखनऊ	

उक्त तालिका के क्रमांक–1 एवं 2 में अंकित प्रत्येक आइटम हेतु अलग–अलग निविदा डाली जायेगी। एक निविदादाता एक से अधिक आइटमों हेतु निविदा में प्रतिभाग कर सकता है परन्तु उसे प्रत्येक आइटम हेतु अलग–अलग निविदा में प्रतिभाग करना होगा।

2. उपरोक्त उपकरणों की आपूर्ति हेतु इच्छुक फर्में किसी भी कार्य दिवस में रेडियो मुख्यालय से टेण्डर फीस नकद जमा कर अथवा निर्धारित धनराशि का डिमाण्ड ड्राफ्ट डाक से भेजकर निविदा फार्म प्राप्त कर सकती हैं। विभाग के कार्यालय का फैक्स नं. 0522–2335346 है।

3. इच्छुक फर्में निविदा फार्म उ0 प्र0 पुलिस की वेबसाइट www.uppolice.gov.in के Police Units > Telecom > Tender से डाउनलोड करके भी निविदा में प्रतिभाग कर सकती हैं, जिसके लिये निर्धारित निविदा फार्म का शुल्क केवल डिमाण्ड ड्राफ्ट के रूप में **पुलिस महानिरीक्षक/निदेशक, दूरसंचार उ0प्र0 लखनऊ (IGP/Director, Telecom, UP, Lucknow)** के पक्ष में निविदा लिफाफे में उपलब्ध कराया जाना आवश्यक होगा। उपकरणों की तकनीकी विशिष्टियॉ (स्पेशिफिकेशन), बीओक्यू एवं निविदा की अन्य शर्तें निविदा फार्म में उल्लिखित हैं।

4. निविदा के साथ दर्शायी गयी प्रतिभूति राशि/अर्नेस्ट मनी(EMD) डिमाण्ड ड्राफ्ट, बैंक गारण्टी एवं एफ.डी.आर. के रूप में पुलिस महानिरीक्षक/निदेशक, दूरसंचार उ0प्र0 लखनऊ (IGP/Director, Telecom, UP, Lucknow) के पक्ष में बनवाकर प्रस्तुत की जायेगी। ईएमडी जमा करने से छूट के लिए दावा करने वाली फर्मों को उन उपकरणों जिनकी निविदाएं उनके द्वारा डाली जा रही हैं, के सम्बन्ध में सक्षम प्राधिकारी द्वारा निर्गत ईएमडी से छूट प्रदान किये जाने सम्बन्धी प्रपत्र तकनीकी बिड के साथ ' उपलब्ध कराया जाना अनिवार्य है।

5. जिन फर्मों द्वारा उपरोक्त उपकरणों हेतु पूर्व में आमंत्रित निविदा जिसके तकनीकी बिड दिनांकः 07.10..2016 को खोले गये हैं, में प्रतिभाग किया है एवं प्रतिभूति राशि/अर्नेस्ट मनी (EMD) वापस नहीं ली गयी है यदि वह वैध है तो उन्हें पुनः प्रतिभूति राशि/अर्नेस्ट मनी (EMD) सम्बन्धी बैंक ड्राफ्ट लगाने की आवश्यकता नहीं है। इस सम्बन्ध में सम्बन्धित बिडर को इस आशय का एक अण्डरटेकिंग पुलिस महानिरीक्षक/निदेशक, दूरसंचार, उ0प्र0, लखनऊ के नाम देना होगा ताकि पूर्व में जमा प्रतिभूति राशि/अर्नेस्ट मनी (EMD) को प्रश्नगत टेण्डर हेतू स्वीकार कर लिया जाये।

6. विभाग को उपरोक्त सम्पूर्ण निविदा सूचना को निरस्त करने एवं क्रय किये जाने वाले उपकरणों की संख्या घटाने, बढ़ाने का अधिकार होगा।

7. यदि उक्त उपकरण डी.आई. / डी.जी.एस. एण्ड डी. दर अनुबन्ध अथवा शासन द्वारा जारी शासनादेशों के अन्तर्गत किसी संस्था / फर्म पर उपलब्ध हो जाते हैं तो निविदा स्वतः निरस्त समझी जाएगी।

option

- निविदा प्रक्रिया की समय सारणी निम्नवत होगी–
 - 1- निविदा विक्री की अवधि
 - 2- निविदा डालने की अन्तिम तिथि
 - 3- तकनीकी बिड खोले जाने की तिथि
 - 4- उपकरणों का प्रदर्शन
- दिनांकः 03.11..2016 से दिनांकः 17.11.2016
 को 1300 बजे तक।
- दिनांकः 17.11.2016 समय 1400 बजे तक।
- दिनांकः 17.11.2016 समय 1600 बजे।
- अभिलेखीय परीक्षण के पश्चात तिथि
 निर्धारित की जायेगी। ।

3.1 (0320 25[P/14

उपमहानिरीक्षक(पुलिस दूरसंचार)ऑपरेशन उ०प्र०पुलिस रेडियो मुख्यालय, <u>महानगर-लखनऊ</u> E-Mail : radiohq@nic.in Website: www.uppolice.gov.in

9.



SL NO.

UTTAR PRADESH POLICE RADIO HEADQUARTERS, MAHANAGAR LUCKNOW -226006

Price :Rs.

TENDER FORM

CONTENTS:-

- 1. TENDER NOTICE
- 2. GUIDELINES/INSTRUCTIONS FOR PREPARATION & SUBMISSION OF TENDER
- 3. CONDITIONS OF AGREEMENT
- 4. TECHNICAL OFFER
- 5. FINANCIAL OFFER
- 6. CHECK LIST FOR SUBMITTING OFFER
- 7. TENTATIVE BOQ
- 8. TECHNICAL SPECIFICATIONS
- 9. PROFORMA FOR AUTHORITY LETTER OF OEM
- 10. PROFORMA FOR DECLARATION OF BIDDER
- 11. PROFORMA FOR AUTHORITY FOR SIGNING TENDER DOCUMENT
- 12. MODEL BANK GUARANTEE FORMATE FOR FURNISHING EMD
- 13. PROFORMA FOR MODEL BANK GUARANTEE FOR PERFORMANCE SECURITY

1) TENDER NOTICE

द्वितीय निविदा सूचना

उत्तर प्रदेश पुलिस रेडियो मुख्यालय, महानगर, लखनऊ – 226006 निविदा संख्याः ई–269/2016 (पार्ट–iii) दिनांकः अक्टूबर– 2%, 2016

निम्नलिखित उपकरणों के क्रय हेतु दो प्रतियों में टेक्निकल एवं वित्तीय भाव पत्र अलग–अलग मुहरबन्द आमन्त्रित किये जाते हैं:--

		कल	प्रतिमूति	टेण्डर प	गैस (रू0)	
0	उपकरण/उपकर्मिका का नाग	कुल मात्रा	राशि (रू0 में)	नकद	बैंक ड्राफ्ट द्वारा	सम्पूर्ति का स्थान
1	रेडियो कम्यूनिकेशन टेस्ट सेट	01	25,500/-	3,800 /	3,900 /	उ०प्र० पुलिस रेडियो मुख्यालय,
2	टेस्ट एवं मापक उपकरण	01	3,500 /	600/-	700/-	महानगर, लखनऊ

उक्त तालिका के क्रमांक–1 एवं 2 में अंकित प्रत्येक आइटम हेतु अलग–अलग निविदा डाली जायेगी। एक निविदादाता एक से अधिक आइटमों हेतु निविदा में प्रतिभाग कर सकता है परन्तु उसे प्रत्येक आइटम हेतु अलग–अलग निविदा में प्रतिभाग करना होगा।

2. उपरोक्त उपकरणों की आपूर्ति हेतु इच्छुक फर्में किसी भी कार्य दिवस में रेडियो मुख्यालय से टेण्डर फीस नकद जमा कर अथवा निर्धारित धनराशि का डिमाण्ड ड्राफ्ट डाक से भेजकर निविदा फार्म प्राप्त कर सकती हैं। विभाग के कार्यालय का फैक्स नं. 0522–2335346 है।

3. इच्छुक फर्में निविदा फार्म उ0 प्र0 पुलिस की वेबसाइट www.uppolice.gov.in के Police Units > Telecom > Tender से डाउनलोड करके भी निविदा में प्रतिभाग कर सकती हैं, जिसके लिये निर्धारित निविदा फार्म का शुल्क केवल डिमाण्ड ड्राफ्ट के रूप में पुलिस महानिरीक्षक/निदेशक, दूरसंचार उ0प्र0 लखनऊ (IGP/Director, Telecom, UP, Lucknow) के पक्ष में निविदा लिफाफे में उपलब्ध कराया जाना आवश्यक होगा। उपकरणों की तकनीकी विशिष्टियाँ (स्पेशिफिकेशन), बीओक्यू एवं निविदा की अन्य शर्ते निविदा फार्म में उल्लिखित हैं।

4. निविदा के साथ दर्शायी गयी प्रतिभूति राशि/अर्नेस्ट मनी(EMD) डिमाण्ड ड्राफ्ट, बैंक गारण्टी एवं एफ.डी.आर. के रूप में पुलिस महानिशीक्षक/निदेशक, दूरसंचार उठप्रठ लखनऊ (iGP/Director, Telecom, UP, Lucknow) के पक्ष में बनवाकर प्रस्तुत की जायेगी। ईएमडी जमा करने से छूट के लिए दावा करने वाली फर्मों को उन उपकरणों जिनकी निविदाएं उनके द्वारा डाली जा रही हैं, के सम्बन्ध में सक्षम प्राधिकारी द्वारा निर्गत ईएमडी से छूट प्रदान किये जाने सम्बन्धी प्रपन्न तकनीकी बिड के साथ ' उपलब्ध कराया जाना अनिवार्थ है।

5. जिन फर्मो द्वारा उपरोक्त उपकरणों हेतु पूर्व में आमंत्रित निविदा जिसके तकनीकी बिड दिनांकः 07.10..2016 को खोले गये हैं, में प्रतिभाग किया है एवं प्रतिभूति राशि/अर्नेस्ट मनी (EMD) वापस नहीं ली गयी है यदि वह वैध है तो उन्हें पुनः प्रतिभूति राशि/अर्नेस्ट मनी (EMD) सम्बन्धी बैंक ड्राफ्ट लगाने की आवश्यकता नहीं है। इस सम्बन्ध में सम्बन्धित बिडर को इस आशय का एक अण्डरटेकिंग पुलिस महानिरीक्षक/निदेशक, दूरसंचार, उ0प्र0, लखनऊ के नाम देना होगा ताकि पूर्व में जमा प्रतिभूति राशि/अर्नेस्ट मनी (EMD) को प्रश्नगत टेण्डर हेतु स्वीकार कर लिया जाये।

6. विभाग को उपरोक्त सम्पूर्ण निविदा सूचना को निरस्त करने एवं क्रय किये जाने वाले उपकरणों की संख्या घटाने, बढ़ाने का अधिकार होगा।

7. यदि उक्त उपकरण डी.आई./डी.जी.एस. एण्ड डी. दर अनुबन्ध अथवा शासन द्वारा जारी शासनादेशों के अन्तर्गत किसी संस्था/फर्म पर उपलब्ध हो जाते हैं तो निविदा स्वतः निरस्त समझी जाएगी।

dyllen

- निविदा प्रक्रिया की समय सारणी निम्नवत होगी-
 - 1- निविदा विक्री की अवधि

9.

- 2- निविदा डालने की अन्तिम तिथि
- 3- तकनीकी बिड खोले जाने की तिथि
- 4- उपकरणों का प्रदर्शन
- दिनांकः 03.11..2016 से दिनांकः 17.11.2016 को 1300 बजे तक।
- दिनांकः 17.11.2016 समय 1400 बजे तक।
- दिनांकः 17.11.2016 समय 1600 बजे।
- अभिलेखीय परीक्षण के पश्चात तिथि निर्धारित की जायेगी। ।

سلمی अत्रात्री अपमहानिरीक्षक(पुलिस दूरसंचार)ऑपरेशन उ०प्र०पुलिस रेडियो मुख्यालय, महानगर–लखनऊ E-Mail: radiohq@nic.in Website: www.uppolice.gov.in

2) <u>GUIDELINES/INSTRUCTIONS FOR PREPARATION & SUBMISSION</u> <u>OF TENDERS</u>

(A) DOCUMENTS REQUIRED TO FILL TENDER FORM

- 1. All the certificates/documents mentioned in the tender notice/tender form or details of which are attached with the tender form must be submitted by the tenderers and should be valid and up-to-date.
- 2. If the tenderer is an Agent/Dealer/Supplier, they should submit the authority letter (in original) of their principal fulfilling under mentioned conditions Proforma enclosed as Annexure-A. (Photocopy will not be accepted):-
 - (a) The Tendering firms (if not manufacturer of the item) should submit along with their offer, an authority letter from their principals (who should be manufacturer) that they are their authorized agents / dealers.
 - (b) It should clearly bring out the relation of principal and agent/dealer as the case may be. It should speak of territory and acts assigned to the agent/dealer.
 - (c) The principal should commit themselves through this authority letter for short comings / defects / substandard supplies / supplies not according to norms or law of land etc. and shall be solely accountable for quality of product. Principal should also clearly mention that the rate quoted by agent/dealer is reasonable.
 - (d) It must be mentioned in the authority letter that quoted item and principals have not been black listed in the past.
- 3. The authority letter should be speaking and specific. Vague authority letter or any business letter shall not be considered as an authority letter and such offer may be ignored out rightly.
- 4. Tendering firm, if an agent or dealer of OEM, must submit valid agency/dealer agreement copy attested by public notary.
- 5. It shall be duty of the tenderer as well as principal to inform the U.P. Police Radio Hqrs regarding any material change that takes place in the above agreement during the finalization / pendency of the contract. Failure to do so, may entail civil as well as criminal liability and this, without prejudice, lies with the U.P. Police Radio Hqrs.,rights to cancel the order or take such necessary action as it may deem fit.
- The Bidder must provide a declaration certificate on stamp paper worth Rs. 100.00 duly notarized that they will support the quoted item for installation, testing, commissioning and maintenance for its prescribed life as detailed in technical offer (Profarma enclosed as Annexure-B)

- 7. In case of U.P. state firm, enclose valid trade tax/VAT, registration certificate. In case of outside U.P. firms enclose valid C.S.T./VAT registration certificate.
- 8. Firm must submit the copy of the tender fee deposited (Tender fee may be deposited either in cash or in the form of Demand Draft in favour of IGP/Dir.(Telecom) U.P. Police Radio Hqrs., Lucknow.)
- 9. Firms will have to provide an affidavit on non-judicial stamp paper worth Rs. 100/that their firm/Company has no criminal back ground and they are not involved in any criminal activity.
- 10. Firms will have to provide an affidavit on non-judicial stamp paper worth Rs. 100/that their firm and the equipment, which they are offering, are not black listed by any department/authority, as on the date of submission of tender.
- 11. Firm will have to provide a solvency certificate from any nationalized/ scheduled bank of the amount more than the estimated cost of project issued not earlier than 06 months from the date of issue of the tender notice.
- 12. Firm will provide signed Power of attorney authorizing to sign the tender document (Proforma enclosed, Annexure-C).
- 13. Firm may authorize his representative with Letter of authority signed by authorized signatory to take part in bid opening.

(B)- GUIDELINES TO FILL TENDER FORMS

 The essential details of specifications & instructions are to be followed strictly in accordance with the tender notice. The tendering firms are required to submit their offer in two PARTS. The first part will be named as TECHNICAL OFFER & the second part will be called as FINANCIAL OFFER. <u>THE TECHNICAL OFFER AS WELL AS FINANCIAL OFFER ARE TO BE PREPARED IN DUPLICATE SEPARATELY</u>. (i.e. in separate covers i.e. Total Four Envelopes clearly indicating ORIGINAL & DUPLICATE on envelops).

BOTH TECHNICAL OFFER & FINANCIAL OFFER, IN DUPLICATE, BE KEPT SEPARATELY IN FOUR SEALED AND SEPARATE COVERS. THESE FOUR COVERS, INDICATING ORIGINAL/DUPLICATE OFFER AND OTHER RELEVANT DETAILS ON FRONT, MUST BE KEPT IN ONE COVERING ENVELOPE (I.E. IN FIFTH ENVELOPE) & IT SHOULD BE DULY SEALED AND PROPERLY ADDRESSED. IN TECHNICAL OFFER & FINANCIAL OFFER/BID COVERS, FOLLOWING MUST BE SPECIFICALLY INDICATED ON THE COVERING ENVELOPE -THE TENDER NOTICE NO. ------- DATED ------NOT TO BE OPENEDBEFORE DUE/OPENING ON ------. PLEASE NOTE THAT SINGLE OFFER IN ANY OF THE COVERS I.E. TECHNICAL OR FINANCIAL OFFERS OR RATE QUOTED IN TECHNICAL OFFER WILL NOT BE ACCEPTED.

- 2. After opening of the tender any change in the rates shall not be acceptable and offer will summarily be rejected.
- In case, any required document(s)/paper(s) is short at the time of submission of tender, the tenderer, may give the reasons of non-submission of papers in their technical offer. Decision of PC (purchase committee) will be final in this regard.
- 4. Tenderer (Authorized person) shall sign the offer and all the enclosures being submitted by them with their designation, seal and date.
- 5. Mention full technical details of your items specifications-wise as desired in the tender notice.
- 6. Mention if there is any deviation in your offer in comparison to that of desired specifications.
- 7. Tenderers will quote their rates according to proforma mentioned in the financial offer i.e. rates, Trade tax, Excise duty extra etc. separately, failing which offer may be rejected/ignored. Any cutting/corrections, if any, shall be properly attested by the tenderer.
- 8. Quoting any conditional discount which affects the quoted rates shall not be acceptable and such offer shall be rejected out rightly. Any discount given on quoted price as a whole shall however be acceptable.
- 9. No representation shall be entertained after opening of financial cover of tender.
- 10. If the rates in financial bid are typed then it should be with the same typewriter by which other details are typed in Financial Bid.
- 11. If the rates in Financial Bid are typed with other typewriter then it should be signed by the same person who has signed Financial Bid.
- 12. If the rates are written by pen then it should be signed by the same person who has signed Financial Bid.
- 13. Any cutting or overwriting in financial bid should be signed by the same person who has signed Financial Bid.
- 14. Every page of the Tender document must be numbered.
- 15. In Technical offer, Index should be made with page number.
- 16. In case any bidder opts to offer more than one product for any item, he will have to purchase separate tender form & bid separately.
- 17. Period of validity of the bid should at least be 180 days from the date of opening the bid.
- 18. All the tenders so received will first be scrutinized to see whether the tenders meet the basic requirements as incorporated in the bidding documents. The

tenders, which do not meet the basic requirements, are to be treated as unresponsive and ignored.

The following are the important points, for which a tender maybe declared as unresponsive and may be ignored, during the initial scrutiny:

- (1) The tender is not in the prescribed form (where forms are prescribed)
- (2) The tender is unsigned.
- (3) The tenderer is not eligible, e.g. The tender enquiry condition says that the bidder has to be a registered SSI unit; but the tenderer is saying, a Large Scale Unit.
- (4) The tender validity period is shorter than the required period.
- (5) Required EMD has not been provided.
- (6) The tenderer has quoted for goods manufactured by a different firm/company without the required authority letter from the proposed manufacturer.
- (7) Tenderer has not agreed to give the required performance security.
- (8) The goods quoted are sub-standard, not meeting the required specification etc.
- (9) Against a schedule in the List of Requirement (incorporated in the tender enquiry), the tenderer has not quoted for the entire requirement as specified in that schedule, e.g. It has been stipulated in the schedule that the tenderer will supply the equipment, install and commission it and also train the purchaser's operators for operating the equipment. The tenderer has however, quoted only for supply of the equipment.
- (10) The tenderer has not agreed to some essential condition(s)incorporated in the tender enquiry, e.g. Some such important essential conditions are – terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism, applicable law and any other important condition having significant bearing on the cost/utility/performance of the required goods, etc.

19.Discrepancies between original and additional copies of a Tender

Some times discrepancies are also observed between the original copy and the other copies of the same tender set. In such a case, the text etc. of the original copy will prevail.

20.Correction of arithmetic errors in Financial Bids

If a bid is substantially responsive, the bid evaluation committee shall correct arithmetical errors on the following basis, namely:

(a) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the bid evaluation committee there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected accordingly;

(b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and

(c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above. If there is such discrepancy in an offer, the same is to be conveyed to the tenderer with target date on the above lines and if the tenderer does not agree to the observation of the purchaser, the tender is liable to be ignored.

(C) EARNEST MONEY, SECURITY AND WARRANTY CONDITIONS

 Wherever, Earnest money and Security is asked for, the same shall have to be given/submitted as desired along with the Technical offer. Offers without E.M.D./Security, if asked for, will be ignored. E.M.D./Security in the form of demand draft should be enclosed with technical offer.

2. Earnest Money(Bid Security)

Tender documents/ certificates and EMD must be attached with main copy of the technical bid. EMD may be accepted in the form of Account Payee Demand Draft or Fixed Deposit Receipt pledged in favour of IGP/Director Telecom, U.P., Lucknow or Banker's Cheque or a Bank Guarantee (Proforma enclosed Annexure-D) for any of the scheduled commercial Bank.

2.1 Validity of EMD

The EMD should remain valid for a period of 45 (forty five) days beyond the final tender validity period. This time period must be indicated in the bidding documents. Should it become necessary to extend the validity of the bids and the bid securities, the Procuring Entity should request in writing all those who submitted bids for such extension before the expiry date there-of. Bidders shall have the right to refuse to grant such extension without forfeiting their bid securities. The bidders who refuse to grant the procuring entity's request for an extension of the validity of their bids and bid securities, will have their bid securities returned to them. They shall be deemed to have waived their right to further participate in the bidding.

2.2 Forfeiture of EMD

EMD of a tenderer will be forfeited, if the tenderer withdraws or amends his tender or impairs or derogates from the tender in any respect after expiry of the deadline for the receipt of tender but within the period of validity of his tender. Further, if the successful tenderer fails to furnish the required performance security within the specified period, his EMD will be forfeited.

2.3 **Refund of EMD**

EMD furnished by all unsuccessful tenderers shall be returned to them without any interest what so ever, at the earliest after expiry of the final tender validity period but not later than 30 (thirty) days after conclusion of the contract. EMD of the successful tenderer shall be returned, without any interest whatsoever, after receipt of performance security from him as called for in the contract.

2.4 **EXEMPTION OF EMD**

Units having registration with NSIC/DI/State Public Sector (SPS) undertaking, registration for tendered items only, shall be eligible for consideration for exemption from EMD as per prevailing rules of U.P.Govt.

- 3. Security Money(Performance Security) :-Successful bidder/bidders will have to execute purchase agreement deed along with a deposition of security money/ Performance Security
- 3.1 Performance Security may be furnished in the form of Fixed Deposit Receipt or Bank Guarantee aspects. A sample format of Bank Guarantee for performance security is enclosed (Annexure-E).
- 3.2 In case, Performance Security is taken in the form of Fixed Deposit Receipt, it should be pledged in favour of of IGP/Director Telecom, U.P., Lucknow
- 3.3 The Performance Security should be equivalent to 5% (five percent) of the value of the contract, rounded to the nearest multiple of hundred.
- 3.4 Performance Security is to be furnished within 15 (fifteen) days from the date of notification of the award/letter of acceptance and it should remain valid for a period of 30 (thirty) days beyond the date of completion of all contractual obligations of the supplier, including warranty obligations..

3.5 **Forfeiture of Performance Security**

Performance security shall be forfeited and credited to Government Account in the event of a breach of contract by the supplier, in terms of the relevant contract.

3.6 **Refund of Performance Security**

Performance Security shall be refunded to the supplier without any interest, whatsoever, after it duly performs and completes the contract in all respects but not later than 30 (thirty) days of completion of all such obligations under the contract including warranty obligations.

4) <u>Warranty</u>

- 4.1
 - Warranty period of Radio communication test = minimum Two year
 - Warranty period for test measuring equipment =minimum one year
- 4.2 During warranty period the supplier will have to ensure that all the complaints relating to defects and non-functioning of equipment are addressed to and rectified within seven days of information given by the U.P. Police Radio Headquarters, Lucknow, failing which a proportionate amount, at the discretion of Director General Of Police/ Addl. Director General Of Police Telecom, will be deducted from the security deposit given by the supplier firm/company to the U.P. Police Radio Headquarters, Lucknow, and the company/firm may also be black listed for future.

(D) <u>Force Majeure</u>

- 1. Force Majeure means an event beyond the control of the supplier and not involving the supplier's fault or negligence and which is not foreseeable. Such events may include, but are not restricted to, acts of the purchaser either in its sovereign or contractual capacity, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage, earthquake, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts, and freight embargoes.
- 2. If there is delay in performance or other failures by the supplier to perform its obligation under its contract due to event of a Force Majeure, the supplier shall not be held responsible for such delays/failures.
- 3. If a Force Majeure situation arises, the supplier shall promptly notify the purchaser in writing of such conditions and the cause thereof within 21 (twenty one) days of occurrence of such event. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 4. There may be a Force Majeure situation affecting the purchase organisation only. In such a situation the purchase organisation is to take up with the supplier on similar lines as above for further necessary action.

(E) <u>SUPPLY OF MATERIAL</u>

- 1. Details of the delivery period must be mentioned. Unless, specially ordered, all goods must be delivered to Radio Headquarters within 30 days of the receipts of supply order by the suppliers.
- 2. Dealer/agent being tenderer shall have to ensure dispatch of item direct from factory premise to purchaser, if so desired.
- 3. Firms will have to deliver at Radio Headquarters, Lucknow, and all the items/material/equipment within a period of 30 days from the date of receipt of supply order.
- The supplier will supply items/materials/equipment strictly in numbers specified in BOQ for each items and strictly as per technical specification provided by U.P. Police Radio Headquarters, Lucknow.
- 5. When goods are ordered F.O.R., station of destination, the supplier shall be required to bear all risks of loss, leakage or damage and shall deliver the goods in good order to the consignee at the destination i.e. U.P. Police Radio Headquarters, Lucknow, where the testing/inspection of the items will be performed to check its workability.

- 6. Packing cases, containers, gunny packages, etc. which may be used for purposes of packing and which is delivered with stores will not be returned or paid for.
- 7. If all the ordered items/material/equipment are not supplied within the specified period then the supply order issued, may be cancelled besides taking recourse to other legal / contractual provisions.

(F) DEMONSTRATION, INSPECTION AND TEST REPORTS

- Those firm who qualify the process of evaluation of technical bid, will have to demonstrate the items/material/equipment before the technical committee of the Radio Headquarters as per procedure and schedule laid down by the Radio Headquarters, Lucknow at short notice. The concerned firms whose demonstration will be satisfactory as per the required specifications will be timely intimated about exact date & time of opening of financial bids.
- 2. Copy of the test reports, UNDER STANDARD TEST CONDITIONS about the items/material/equipment will have to be submitted to the department, when asked for.
- 3. It will be the responsibility of the firm to satisfy the department about proper functioning of items/material/equipment according to specifications provided with the tender form.
- 4. Details of quality control agreement with the manufacturing unit may also be given.
- 5. The tenderer firm will provide the items/material/equipment for demonstration/trial in as many numbers at the place as asked by the technical committee.
- 6. Demonstrated sample will be kept at u.p. police radio head quarter lucknow. After finalization of tender, sample of disqualified bidder will be returned. sample of qualified bidder will be return after ensuring that all the materials/items/ equipment supplied to this head quarter is same as the demonstrated one.

(G) <u>TERMS OF PAYMENT</u>

- 1. ½% rebate must be allowed by the firm on timely payment i.e. within 30 days from the supply of complete material at Radio Headquarters. This is to be pointed out in technical offer itself.
- 2. 100% payment shall be made only after satisfactory delivery and testing of equipments.
- 3. Final payment shall be made after satisfactory inspection and functioning of the items/material/equipment. TDS will be deducted as per prevailing rules.

(H) OTHER CONDITIONS

- 1. It shall be the responsibility of the tendering firms to present themselves on the date of Technical & Financial bid opening and meeting thereof and acquaint themselves with the shortcomings.
- 2. If any regulatory act is applicable to the items, copy of clearance by the competent authority should also be enclosed.
- If OEM doesn't have its service centre in India, then it's dealer/distributor must have service centre in India, which may be visited by a committee constituted by U.P. Police Radio Headquarter, Lucknow to ascertain it's capability in repairing/maintenance of supplied equipments.
- 4. Firms will have to provide documents such as operation Manuals, user manuals, software with CDs, circuit diagram and other relevant materials along with each equipment, free of cost.
- 5. Firms will have to train staff for handling/operation/servicing of the items/material/equipment without any charges.
- In the event of any dispute arising out of or concerning this supply, the decision of Director General of Police, Telecom, UP/Addl. Director General of Police, Telecom, UP will be final.
- 7. Without prejudice to any other remedy provided by the law, any amount due from the supplier to the Government of UP, may be recovered by deduction from the bill raised or from the security money deposited.
- 8. At any stage, even after delivery if it is found that the make/model/specifications of the goods or materials supplied are different from the offered ones, order may be cancelled and penalty may be imposed accordingly, including black listing the supplier company/firm.
- 9. Any effort by a bidder to influence the purchaser in its decision on bid evaluation, bid compression or contract award may result in rejection of the bidder's bid.
- 10. The supplier firm will ensure and provide Compliance Certificate for the Technical Specification of Items quoted.
- 11. U.P. Police Radio Hqrs reserves the right to accept or reject any tender either in part or in full without assigning any reason thereof.
- 12. The supplier firm must have completed minimum one supply order of similar items to govt., semi Govt. offices in last 02 financial years.

3) <u>CONDITIONS OF AGREEMENT</u>

- 1. The agreement is to last till ------ but in the event of any breach of the terms of agreement at any time on the part of the supplier the agreement shall be terminated summarily by the U.P. Police Radio Hqrs Mahanagar, Lucknow without any compensation to the supplier.
- 2. The goods or materials to be supplied under the agreements are to be of the same quality in every respect, equal and answerable to the patterns of sample demonstrated and approved by the U. P. Police Radio HQRS.
- 2.A The goods to be supplied as per technical specification as ordered by IGP/Director Telecom and will be received at Radio Headquarters by authorized officer. Receipt will be provide to the supplier for the same.
- 3. U.P. Police Radio HQRS may, by notice in writing, call upon the supplier to supply additional goods or materials to serve as samples, and on such notice in writing the supplier shall be bound to supply additional samples of goods or materials, such additional samples should be in all respects of the same quality of sort as the first sample supplied.
- 4. (a) All rates are to be based on delivery, securely packed, and F.O.R. station nearest to suppliers or indenting Officer or destination as asked for in the tender notice i.e. U.P. Police Telecom. Hqrs, Mahanagar, Lucknow.
 - (b) Railway freights, if pre-paid, shall be added to the original quotations.
 - (c) When goods are ordered F.O.R. the station nearest to supplier, the Indenting Officer may at his option direct that this shall be booked either by goods train or by passenger train and either at owner's risk or at railway risk. The supplier shall carry out his direction and shall, in any case, be responsible for the safe delivery of the goods soundly and securely packed to the Railway administration and shall obtain a clear receipts from such Railway administration, for the goods in evidence thereof. In the absence of a clear receipt, the suppliers will be held responsible for all damages or loss caused by breakage or leakage, which may occur to the goods while in transit and until they have been delivered to the consignee at railway station of destination.
 - (d) When goods are ordered F.O.R. station on destination, the supplier shall be required to bear all risks of loss, leakage or damage and shall deliver the goods in good order to the consignee at railway station of destination, mentioned in the indent in such quantities of number and within such times and in such manner as the Indenting Officer shall, from time to time, directed.

- 5. Unless, Specially ordered, all goods must be delivered to Radio Headquarters within 30 days of the receipts of supply order by the suppliers.
- 6. U.P. Police Radio HQRS or any of the experts attached to the Industries Department of the Indenting Officer or any other Officer or person duly authorized in writing by the U.P. Police Radio HQRS shall have power to inspect the stores before, during and after manufacture, collection, dispatch, transit of arrival and to reject the same or any part or portion, if he or they be not satisfied that the same is equal according to the sample of specifications in weights, quantity and number etc.
- 7. Goods, materials rejected or refused on the ground of inferior quality or any other ground shall be removed by the supplier at his own risk and expense within ten days after notice has been received by him of such rejection.
- 8. After satisfactory and timely supply of the goods, the supplier will send bill in four copies to the IGP/Director, Telecom. The payment will be made after the satisfactory PDI of the goods.

Payment shall ordinarily be made within one month of delivery. However no additional amount be paid for delay in payments. All payments shall be subjected to the deduction of any amount to which the supplier may be or render himself liable under the terms of this agreement.

- 9. Packing cases, containers, gunny packages, etc. which may be used for purposes of packing and which are delivered with stores will not be returned or paid for, unless specially stipulated.
- 10. The supplier firm shall not sub-let or assign this contract without the written permission of the U.P. Police Radio HQRS. In the event of the contractor sub-letting or assigning this contract without such permission, he shall be considered as having thereby committed breach of this contract.
- 11. In the event of the suppliers not being in strict accordance with these conditions or Supplies not being delivered within the time allowed, the U.P. Police Radio HQRS may recover from the contractor as liquidated damages and not by way of penalty the sum of 0.5 percent of the value of the said goods or materials per week subject to the maximum of 10 percent of the value of the said goods or materials. Further, it shall be lawful for the U.P. Police Radio HQRS or the Indenting Officer to purchase the required articles or any suitable quality obtainable in the open market at the risk and cost of the contractor, who in addition to the liquidated damages aforesaid shall be liable for any loss or damages caused by the said purchase. The U.P. Police Radio HQRS shall alone be entitled to adjudge upon the penalty or compensation or damages due for delay in performance, as also to adjudge upon the advisability of taking other suitable action. If the delay shall have arisen from any cause which the U.P. Police Radio HQRS may declare in writing to be a reasonable, such

additional time may be allowed as may be considered necessary in the circumstances of the case. In such a case he may also forego the whole or any part of the aforesaid liquidated damages but not the other loss or losses.

- 12. In case of non-performance in any form or shape of the conditions of this agreement the U.P. Police Radio HQRS shall have power to annul, rescind or cancel the agreement and upon his notifying in writing to the supplier that he has so done, this agreement shall absolutely determine. He may also debar the firm for the Uttar Pradesh Police Radio Hqrs. contracts for such periods as he thinks fit.
- 13. In the event of any dispute arising out of or concerning this Agreement (except as to any matters the decision of which is specially provided for this Agreement), the same shall be referred to the arbitration of an arbitrator nominated by the U.P. Police Radio HQRS, Lucknow and an arbitrator nominated by the contractor, or in the case of the contractor or the said U.P. Police Radio Headquarters failing to nominate an arbitrator within the time fixed in the notice to be served on him by the said U.P. Police Radio Headquarters or the Contractor, as the case may be, by the arbitrator, nominated by the said U.P. Police Radio Headquarters and the contractor or in case of disagreement between the said arbitrators to an umpire appointed by them and the decision of such arbitrators or umpire, as the case may be, shall be final and binding on the parties. The arbitrators/arbitrator/umpire may from time to time with the consent of the parties enlarge the time for making and publishing the award.
- 14. In the event of any legal dispute arising out of the tenderer the jurisdiction will be that of Lucknow court only.
- 15. Without prejudice to any other remedy provided by the law any amount due from the supplier to the Governor will be recoverable as arrears of land revenue and may also be recovered by deduction from any amount due from the supplier to the Governor on any account under any other transaction.
- 16. During warranty period the supplier will have to ensure that all the complaints relating to defects and non-functioning of equipment are addressed to and rectified within seven days of information given by the U.P. Police Radio Headquarters, Lucknow, failing which a proportionate amount, at the discretion of Director General Of Police/ Addl. Director General Of Police Telecom, will be deducted from the security deposit given by the supplier firm/company to the U.P. Police Radio Headquarters, Lucknow, and the company/firm may also be black listed for future.
- 17. Warranty period of the items/material/equipment will be counted from the date of satisfactory PDI of the equipment.
- 18. The supplier will replace/repair the defective items/material/equipment during warranty period at his own risk and expense.

4) <u>TECHNICAL OFFER</u>

TENDER No.....

The tenderer should furnish the following details to be pre-qualified for the price bid opening. (Note- Please strike off whichever is not applicable)

SI		Description	To be filled by Tenderer	Reference Page No. of
				Tech. bid
1	Nan	ne of the organization		
2	Yea	r of Incorporation		
3	Ado	dress of the Registered office of tenderer with		
	pho	ne number and fax No. & email		
4	Reg	istration No.		
		VAT:		
		CST:		
	•	f-attested copy of the document to be		
-		ched)		
5		dited balance sheet and income tax return rements of the just concluded year and the		
		vious two years (documents to be attached)		
6	-	ure of organization: -		
Ŭ	, nac	 OEM or 		
		 Authorized dealer/distributer 		
7.A	If te	nderer is manufacturer then enclose-		
	i)	Details of store manufactured, specifying each		
		item separately.		
	ii)	Full address of factory or workshop owned by		
		tenderer(documentary proof be attached)		
7.B	If te	nderer is manufacturer's Dealer then enclose-		
	i)	Name and Address of each manufacturer		
	ii)	Letter of authority		
		In the case of sole distributor (or) dealer the		
		tenderer must enclose a letter of Authority		
		(proforma enclosed as annexure-A)from the		
		Principals as per condition No. 2 of DOCUMENTS REQUIRED TO FILL TENDER		
		FORM.		
	iii)	Agreement copy between OEM and		
	/	authorized dealer (tenderer) attested by		
		public notary.		
8	i	Details of OEM/Dealer/Distributor Service		
		Centre, to provide services for the supplied		
		items/material/equipment in India(Address		
		with phone number and fax number & e-mail)		
	ii	Service Tax registration number details (copy		
	<u> </u>	be attached)		
9	i	Please mention make and model of the		
		items/material/equipment being offered.		

	ii	Technical Specification - Enclose pamphlets	
		with specification datasheet and mention the	
	Website. Enclose required certifications and		
		test reports as asked in the Technical	
		Specifications.	
-	iii	Mention 'Yes' or 'No' in front of required	
	111		
		Technical Specification given along with the	
		tender form by the Police Radio Hqrs.	
	iv	Minimum 10 persons of the organisation	
		should be trained for operation/servicing of	
		offered items/material/equipment free of	
		cost.	
-			
	v	The firm must provide warranty period of	
		Minimum Two years for Radio communication	
		test set & one year for test measuring	
		equipments	
	vi	Supply documents such as operation Manuals,	
		user manuals, software with CDs, circuit	
		diagram and other relevant materials along	
		with each equipment, free of cost.	
-	:		
	vii	Supply trouble shooting and service manuals	
		free of cost.	
	viii	In case any fault occurs in any of the	
		equipments during warranty period, the	
		supplier firm shall make arrangement to	
		repair or replace within 07 days after	
		intimation received or shall make stand-by	
		arrangement to provide new equipments.	
	ix	All the trainings/after-sales/warranty services	
		shall be provided at the consignee's address	
	х	The Tenderer is required to support the spare	
		parts and accessories of the quoted item after	
		warranty period for the next eight year.	
	xi	The Bidder must provide a declaration	
	~	certificate on stamp paper of worth Rs. 100.00	
		duly notarized that they will support the	
		quoted item for installation, testing,	
		commissioning and maintenance for its	
		prescribed life (Profarma enclosed as	
		annexure-B)	
	Nam	ne of the Government agencies and other	
		nizations, to whom the supply of similar Items	
	•	e made in the preceding two years (enclose	
10		of major purchase orders and other	
	uoci	uments)	
11		/ENCY certificate from a nationalized/	
		eduled bank issued not before six month from	
	the	issuing tender notice, of amount not less than	
		estimated cost for this bid.	
12		est Money Deposited	
		D.D. No:	
		DATE :	
		Name of the Bank:	
		Amount (in Rs.):	

13	Detail of Tender form fee deposited	
	a) If form purchased through Cash (proof be	
	attached)	
	b) If tender form downloaded then DD details	
	(proof be attached)	
	D.D. No:	
	DATE :	
	Name of the Bank:	
	Amount (in Rs.):	
14	Indicate your delivery schedule (against the various	
	activities listed)	
	Letter of award :D	
	Signing of Agreement :D+ days	
	Supply of equipments :D+days	
15	½% rebate will be allowed on timely payment i.e.	
	within 30 days from the complete supply of material	
	at Radio Headquarters .	

I/we hereby declare that I/We have read all the terms and condition of the tender documents and agree, abide by the same and by the decision of the purchaser as per these terms and conditions.

Company Seal

Signature (Authorized Signatory) Name:

Date:

5) <u>FINANCIAL OFFER</u>

TENDER No.-----

1. I/We hereby quote to supply the goods and materials in the under writing Schedule in the manner in which and within the time specified, as set forth in the conditions of agreement stated above at the rates given in the Schedule below. I/We hereby agree that in the event of tender being accepted, the condition of Para SI. 1 to 17 and those contained in the acceptance letter will be binding upon me/us and will, along with the quotation, be converted into and shall be deemed to be a completed agreement between me/us and the Governor of Uttar Pradesh from date of acceptance letter. I/We hereby further agree that if so required by the U.P.Police Radio HQ, I/We shall execute formal Agreement Deed.

2. I/We herewith deposit a sum of Rs.....as earnest money and should I/We fail to execute a fresh Deed of agreement if so required by the U.P.Police Radio HQ on behalf of the Governor of Uttar Pradesh and deposit the security as laid down in the tender notice within 10 days of the acceptance of my/our tender, I/We hereby agree that my/our liabilities under the agreement, the above sum of the earnest money will be forfeited for the Governor.

SCHEDULE OF RATES

Taxes Make Qty. SI. Description of Basic Sales **Discount if** Total Excise and / No. equipments Tax/ price any Unit Duty Brand VAT 1 Grand total in figure Grand total in words All rates are F.O.R. Dated the day of 2016

Signature

3.

For and on behalf of the Governor of Uttar Pradesh.

4. VALIDITY :

5. DELIVERY PERIOD :

6. TRAINING :

7. WARRANTY :

6) <u>CHECK LIST FOR SUBMITTING OFFERS</u>

निविदा डालने के बारे में चेकलिस्ट (मुख्य बिन्दु)

क्र0			विवरण					
1	दो अ	लग–अ	लग बन्द लिफाफों में टेक्नीकल बिड (ओरिजिनल एवं डुप्लीकेट), जिसमें Original					
	Techn	ical Bio	1 के लिफाफे में ई0एम0डी0 लगी हो तथा दो अलग–अलग बन्द लिफाफों में फाइनेन्सियल					
	बिड (ओरिजिन	नल एवं डुप्लीकेट)/उक्त चारों लिफाफे एक सील बन्द बड़े लिफाफे में जिस पर निविदा					
	संख्या, दिनांक व उपकरण का नाम एवं चेक लिस्ट के अनुरूप अभिलेखों की उपलब्धता अंकित हो ।							
2	Authority Letter, if authorized signatory of the tender is not participating, the representative should							
	come with authority letter							
3	Power of attorney for authorized signatory as per Annexure-C							
4	Documents of year of incorporation							
5			3 के महत्वपूर्ण बिन्दु—					
	(i)	_	r technical offer 7A-ii Documentary proof of manufacturing factory/workshop address					
			निविदा दाता फर्म डीलर/डिस्ट्रीब्यूटर हो तो Principals से टेक्नीकल ऑफर प्रपत्र के					
			सं0–7B-ii एवं Documents required to fill tender form की शर्त संख्या–2 को पूरा करते					
		~	ार्धारित प्रारूप पर Authority Letter संलग्न करें। (As Annexure-A)					
	(••)	-	ement copy of dealership					
	(ii)		& CST (attach self attested documents.)					
	(iii)		ed Balance Sheet & income tax return statements of the just concluded year and the bus two years. (attach documents)					
	(iv)	-	ls of service centres (Address/Phone/Fax/ e-mail)registrtion no. details copy attached					
	(v)	(a)	Mention Make & model of the items/equipment being offered					
		(b)	Enclose pamphlets with specifications data sheet.					
		(c)	Declaration certificate on stamp paper of Rs. 100.00 duly notarized that they will					
			support the quoted item for installation, testing and maintenance for its prescribed life (Proforma enclosed) (As Annexure-B)					
		(d)	Enclose required certification/test reports. Mention "Yes" or "No" in front of departmental Technical Specifications provided by the deptt. reg compliance by the offered equipment.					
	(vi)	Valid	EMD, as desired in Tender Notice and tender form					
	(vii)		er form fee deposition proof.					
6			of Agreement का प्रत्येक पृष्ठ Authorised signatory द्वारा नाम सहित हस्ताक्षरित न्टैम्प लगाना।					
7	Guide	lines/In	structions for preparation & submission of correct tenders में अंकित प्रत्येक बिन्दु के					
	अनुपाल	नन हेतु	Tender form के प्रत्येक पृष्ठ Authorised signatory द्वारा नाम सहित हस्ताक्षरित करना					
	तथा र	टैम्प ल	गाना ।					
8			ा की शर्त के अनुसार रू० 100.00 के स्टाम्प पेपर पर फर्म एवं ऑफर किये जा रहे					
	उपकर	णों को	काली सूची में न डालने विषयक शपथ-पत्र।					
9	निविदा	दाता द्व	तरा रु० 100.00 के स्टाम्प पेपर पर उनकी आपराधिक पृष्ठभूमि न होने तथा न ही किसी					
	आपरार्	धेक गर्र	तेविधि में सम्मिलित होने विषयक शपथ पत्र।					
10			द्वारा सम्पूर्ण टेण्डर डाक्युमेंट पर पृष्ठ संख्या अंकित करना तथा प्रत्येक पृष्ठ समुहर					
		रित क						
11			द्वारा सम्पूर्ण टेक्निकल बिड के सम्बन्ध में (Index)इण्डेक्स बनाकर संलग्न करना।					
12			t. agencies with copy of supply order, to whom supplies of similar items has been made					
	in prec	ceding t	two years.					

7) <u>TENTATIVE BOQ</u>

SL	Name of the	Item		Qty	Offered (To Tend	v
SL	Equipment		nem		Make	Model
1	DIGITAL/ANALOG RADIO COMMUNICATION TEST SET	Equipments used for measurement of different parameters of Digital/Analog HF/VHF Sets with all essential accessories and equipment		01		
		1	Power Supply 12 V for HF Transceiver Static 100 Watt Adjustable to 15 Watt	02		
	TEST MEASURING EQUIPMENTS	2	Power Supply 12 V for VHF Transceiver Static /Mobile 25 Watt Synthesized	02		
2		3	Power Supply 12 V for VHF Repeater sets	02		
		4	Soldering De-soldering Station	02		
		5	Digital Multi-meter	03		
		6	Analog Multi-meter	03		
		7	SWR meter	03		
		8	Tool kit of Good Quality	03		
		9	Magnifying glass with lamp	03		

8)

(A) TECHNICAL SPECIFICATION OF DIGITAL/ANALOG RADIO COMMUNICATION TEST SET Technical Specifications of Digital/Analog Radio Test Set

Technical Specifications of Digital/Analog Radio Tes	st S

SI No.	Technical Spe Parameter	Specifications		
51110.	THE EQUIPMENT MUST	Specifications		
	CONSISTS OF:-			
	1. RF SIGNAL GENERATOR	2. RF POWER METER		
	3. AUDIO FREQUENCY	4. SINAD METER		
	COUNTER			
	5. DISTORTION METER	6. AUDIO FUNCTION GENERATOR		
	7. TRACKING GENERATOR	8. OSCILLOSCOPE		
	9. RF SPECTRUM ANALYZER	10. Digital Volt Meter (DVM)		
	11. Frequency Error Meter	12. Signal Strength Meter		
	13. Antenna and Cable Fault	14. Frequency Counter		
	Locator			
	15. DMR TEST Facility	16. OTHER DIGITAL TEST READY such as P25 Phase 1 and 2, TETRA		
1	GENERAL	Mobile Station, NXDN & dPMR		
1		100 240 MAC @ 50Hz, DC: 24/12 M. Internal / Enternal Easility should be		
a)	Operating Voltage :	100-240 VAC, @ 50Hz, DC: 24/12 V Internal / External, Facility shoul be Available.		
b)	Display size	8" Full Color LCD or better		
c)	USB and Ethernet port	should be available		
2	SIGNAL GENERATOR FOR REC			
a)	Frequency Range	250 kHz - 2.5 GHz or better		
b)	Frequency Resolution	1 Hz or better		
c)	Output level range	TR Port: -30 to 130 dBm or better		
-)		Gen Port: +5 dBm to -95 dBm or better		
d)	Resolution	0.1 dB or better		
e)	Port Protection limit	Max Power TR Port: 50 W for 5 Minutes and 150 W for 30 Seconds		
f)	Harmonics	-20 dBc max or better		
g)	Non-Harmonics	-35 dBc max or better		
2.1	Modulation			
a)	Selection Mode	AM, FM ,AMUSB ,AMLSB		
2.2	FM Modulation			
a)	Deviation Range	0 to 75 kHz		
b)	Deviation Accuracy and Resolution	5% of setting, 10Hz or better		
c)	Modulation bandwidth	20 Hz to 20 kHz or better		
2.3	AM Modulation			
a)	AM depth range	0 to 90% or better		
b)	Accuracy	upto 5%		
c)	Modulation Bandwidth	100 Hz to 10 kHz or better		
d)	Resolution	1%		
3	Receiver(Transmitter test)	·		
a)	Frequency Range	250 kHz – 2.5 GHz or better		
b)	Demodulation selection	AM, FM		
c)	Signal Code	1 kHz Tone, Private Line, Digital Private Line (w/ DPL Invert), Single Tone, DTMF, Two-Tone Paging, POCSAG and other signalling codes used as per the latest technology. External Inputs from both a supplied microphone and BNC input		
d)	Sensitivity	Narrowband FM: Less than -25dbm for 10 dB SINAD		
3.1	Demodulation Measurements'	1		
a)	FM Deviation	Up to ±75 kHz		
b)	Accuracy	±5% plus peak residual FM		
c)	Range	20 Hz to 20 kHz		

f)	AM rate	20 Hz to 20 kHz			
4	RF Power Meter	Dread Dends 0.4 Miles 405 Miles halfer			
a)	Power Range	Broad Band; 0.1 W to 125 W or better			
b)	VSWR	<1.2:1 @ f < 2GHz			
5	Audio Frequency counter				
a)	Range	20 Hz to 20 kHz,or better			
b)	Wave shape	sine or square			
6	SINAD Meter	1			
a)	Frequency Range	300 Hz to 3 KHz or better			
b)	Accuracy	±1 dB @ 12 dB SINAD			
7	Distortion Meter				
a)	Distortion Range	1% to 20% or better			
b)	Frequency Range	300 Hz to 3 KHz			
8	AUDIO FUNCTION GENERATO	· ·			
a)	Modulation Type	1 kHz Tone, Private Line, Digital Private Line (w/ DPL Invert), Single			
		Tone, DTMF, Two-Tone Paging, POCSAG and other signalling codes used as per the latest technology. External Inputs from both a			
		supplied microphone and BNC input.			
b)	Frequency Range Sine:	300 Hz to 3 KHz or better			
C)	Level range	±8 V peak or better			
9	OSCILLOSCOPE				
a)	Frequency range (vertical)	0 to 50 kHz or better			
b)	Input range (vertical)	±100 VDC, ±70 Vrms AC			
c)	Accuracy(vertical)	5% of full scale			
d)	Marker functions	Delta Voltage, Delta Frequency, Delta Period			
10	RF Spectrum Analyzer				
a) b)	Frequency Range Freq Resolution	250 kHz –2.5GHz or better 1 Hz			
,	Span Accuracy	±5%			
c) d)	Resolution bandwidth (RBW)	Auto Selected			
u)	filter				
e)	Video Bandwidth (VBW)	Auto Selected			
f)	Dynamic Range	80 dB or better			
	Tracking Generator				
11	•				
a)	Tracking generator output	Frequency Range: 250 kHz –2.5 GHz or better			
a) 12	Tracking generator output Digital Voltmeter (DVM)				
a) 12 a)	Tracking generator output Digital Voltmeter (DVM) Voltage Range	1 V, 10 V, 70 V			
a) 12 a) b)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range	1 V, 10 V, 70 V 50 Hz to 20 kHz			
a) 12 a)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR			
a) 12 a) b)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio			
a) 12 a) b) 13	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio lard 0° to 50° C			
a) 12 a) b) 13 14 a) b)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio ard 0° to 50° C -30° to +80° C			
a) 12 a) b) 13 14 a) b) c)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio lard 0° to 50° C			
a) 12 a) b) 13 14 a) b) c) 15	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity DMR Radio Technology	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio lard 0° to 50° C -30° to +80° C 80% maximum relative humidity			
a) 12 a) b) 13 14 a) b) c) 15 a)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity DMR Radio Technology RF signal genrator	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio lard 0° to 50° C -30° to +80° C 80% maximum relative humidity			
a) 12 a) b) 13 14 a) b) c) 15 a) b)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity DMR Radio Technology RF signal genrator Output level	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio lard 0° to 50° C -30° to +80° C 80% maximum relative humidity 250 kHz –2.5GHz or better same as in case of signal genrator			
a) 12 a) b) 13 14 a) b) c) 15 a) b) c)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity DMR Radio Technology RF signal genrator Output level Modulation	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio lard 0° to 50° C -30° to +80° C 80% maximum relative humidity 250 kHz –2.5GHz or better same as in case of signal genrator 4-FSK			
a) 12 a) b) 13 14 a) b) c) 15 a) b) c) d)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity DMR Radio Technology RF signal genrator Output level Modulation Test pattern	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio ard 0° to 50° C -30° to +80° C 80% maximum relative humidity 250 kHz –2.5GHz or better same as in case of signal genrator 4-FSK STD IB 1031, STD IB CAL , STD IB 511 (.153)			
a) 12 a) b) 13 14 a) b) c) 15 a) b) c) d) e)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity DMR Radio Technology RF signal genrator Output level Modulation Test pattern Duplex radio /Repeater	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio ard 0° to 50° C -30° to +80° C 80% maximum relative humidity 250 kHz –2.5GHz or better same as in case of signal genrator 4-FSK STD IB 1031, STD IB CAL , STD IB 511 (.153) Testing facility should be available			
a) 12 a) b) 13 14 a) b) c) 15 a) b) c) d)	Tracking generator output Digital Voltmeter (DVM) Voltage Range Frequency Range Auto Tune & Alignment Facility Environment and Safety Stand Operating temperature Storage Temperature Relative humidity DMR Radio Technology RF signal genrator Output level Modulation Test pattern	1 V, 10 V, 70 V 50 Hz to 20 kHz Instrument should have Auto Tune & alignment facilities for DMR Radio ard 0° to 50° C -30° to +80° C 80% maximum relative humidity 250 kHz –2.5GHz or better same as in case of signal genrator 4-FSK STD IB 1031, STD IB CAL , STD IB 511 (.153)			

b)	Range	0.01%
15.2	Protocol	
a)	Decode	Color code, call id, unit id
b)	Simulation	Color code , call ID
ii)	Magnitude Error	facility to test Magnitude Error should be available
iii)	UUT/TX/RX bit Error rate	Facilities to test BER of Transmitter and Receiver of DMR Radios
16 Accessories		All required accessories for testing all parameters of Equipment and User / Maintenance Manual must be provided BNC Male to TNC Male cable
		N Male to BNC Female Adapter
		TNC Male BNC Female Adapter
		Operational manual Hard/Soft copy
		Power cord
		Technical Manual Hard/Soft copy
		Antenna
		Microphone
		Oscilloscope Probe
		24 V to 12 V converter
		Soft carry case
		Remote front panel
	OTHERS	
a)	Calibration support	Service and NABL accredited Calibration facilities should be available in India free of cost during the guarantee/warrantee period.
b)	Field up gradation	 a) The product should be field up-gradable to other Digital Technologies such as P-25 Phase-I & II testing, NXDN, dPMR and Tetra Mobile station. b) The equipment should be capable of performing tests of digital/analog radio set and contain all functionalities in one standalone unit.

(B) <u>Testing and Measuring Equipments for Workshop</u>

SI.	Equipments	Technical Specification					
1	Power Supply 12	1-	Input AC	230V at 50 Hz			
	V for HF	2-	Output DC	07V to 15V variable			
	Transceiver Static	3-	Current	Upto 30 Amp			
	100 Watt	4-	Volt & Current meter	Required			
	Adjustable to 15	5-	Input AC indicator	Required			
	Watt	6-	Protection	Short circuit protection			
			Offered item should be of	reputed brand & make /model, Logo/Trade			
			mark of the OEM to be embossed/heat stamped/water-marked.				
2	Power Supply 12	1-	Input AC	230V at 50 Hz			
	V for VHF	2-	Output DC	07V to 15V variable			
	Transceiver Static	3-	Current	Up-to 10 Amp			
	/Mobile 25 Watt	4-	Volt & Current meter	Required			
	Synthesized	5-	Input AC indicator	Required			
		6-	Protection	Short circuit protection			
		7-		reputed brand & make /model, Logo/Trade			
			-	nbossed/heat stamped/water-marked.			
3	Power Supply 12	1-	Input AC	230V at 50 Hz			
	V for VHF	2-	Output DC	07V to 15V variable			
	Repeater sets	3-	Current	Upto 15 Amp			
		4-	Volt & Current meter	Required			
		5-	Input AC indicator	Required			
		6-	Protection	Short circuit protection			
		7-	Offered item should be of reputed brand & make /model, Logo/Tra				
	a.11		mark of the OEM to be embossed/heat stamped/water-marked.				
4	Soldering De-	1-	Input Line Voltage	230V at 50 Hz			
	soldering Station	2-	Temperature control	a) Soldering Iron continuously: 150°C to 450°C or better			
				b) De-soldering Hot air pencil			
				continuously:			
				50° C to 450° C			
		3-	Glass Tube Fuse	Required			
		4-		reputed brand & make /model, Logo/Trade nbossed/heat stamped/water-marked.			
5	Digital Multi-	1-	AC Voltage range	\leq 200 mVolt to \geq 700 Volt or better			
	meter	2-	DC Voltage Range	\leq 200 mVolt to \geq 1000 Volt or better			
		3-	AC/DC current Range	≤ 20 micro Amp to ≥ 10 Amp or better			
		4-	Resistance Range	≤ 200 Ohm to ≥200Mega Ohm or better			
		5-	Diode Testing	Required			
		6-	Continuity Testing	Required			
		7-	Transistor Testing	Required			
		8-	Digital display	Required			
		9-	Polarity Protection	Required			
		10-	High Voltage Protection	Required			
		11-	High Current Protection	Required			
		12-		reputed brand & make /model, Logo/Trade nbossed/heat stamped/water-marked.			

6	Analog Multi-	1-	AC Voltage range	03 Volt to 100 Volt or better	
0	meter	2-	DC Voltage Range	03 Volt to 100 Volt or better	
	meter	3-	AC/DC current Range	25 micro-amp to 500 m amp & 10 amp	
		5-	AC/DC current Range	or better	
		4-	Resistance Range	RX1, RX10, RX100, RX1000 or better	
		5-	ě	reputed brand & make /model, Logo/Trade	
		Ũ	mark of the OEM to be embossed/heat stamped/water-marked.		
7	SWR meter	1-	Power	1W to 100 W or better	
,		2-	Frequency range	1.8 MHz to 200 MHz	
		3-	Power Range	5/20/200 watt	
		4-	Measurable	Forward, Reflected & VSWR	
		5-		reputed brand & make /model, Logo/Trade	
			mark of the OEM to be embossed/heat stamped/water-marked.		
8	Tool kit of Good Quality	1-	Set of Screw driver		
		2-	Heavy Duty Pliers		
		3-	Nose Pliers Small		
		4-	Nose Pliers Large		
		5-	Crow Pliers		
		6-	Twizer plain head & Angular head		
		7-	Cutter heavy duty		
		8-	Soldering Iron 100 W, 65 W, 35 W, 15 W		
		9-	Wire striper cum cutter		
		10-			
		11-	Allen key set of 8 pcs		
		12-			
		13-			
		14-	Sharp blade cutter		
		15-	100 mm magnified set of 6 pcs		
		16-	Mains tester		
		17-	Magnifying glass 4"dia		
		18-	Hammer		
		19-	Cleaning brush		
		20-	Anti rusting spray small		
		21-	De-soldering Pump		
		22-	Wrench sets		
		23-	Drill machine electric with bit set		
		24-	Solder Paste		
		25-	Soldering Resin Core 100	gm	
		26-	Insulation Tape		
		27-		reputed brand & make /model, Logo/Trade	
			mark of the OEM to be embossed/heat stamped/water-marked.		
9	Magnifying glass	1-	Magnifying glass ≥ 4"dia		
	with lamp	2-	Magnifying glass holding frame of min. one feet diameter fitted with		
			round white florescence tube light to 230 V AC, 50 Hz		
		3-	Adjustable frame holding		
		4-		reputed brand & make /model, Logo/Trade	
			mark of the OEM to be en	nbossed/heat stamped/water-marked.	

9) **PROFORMA FOR AUTHORITY/UNDERTAKING LETTER OF OEM**

We......(Name of OEM) hereby declare that in respect of items/equipment tendered against tender notice no.-----dt.----------- by............(Name of tenderer firm) is our authorized....... (Relationship between the bidder firm and OEM).We undertake to ensure that -

- 1. We will support the quoted equipment for installation, testing, commissioning & maintenance including supply of spare parts for its prescribed life.
- 2. We will be accountable for any shortcomings/defects/substandard supplies/supplies not according to norms & will be accountable for quality of products. It is also mentioned that prices/rates quoted are reasonable.
- 3. Quoted items and we..... (Name of OEM) have not been blacklisted by any Government department/authority as on the date of submission of tender.
- 4. We undertake to inform to U.P. Police Radio Headquarters in case any material change that take place in the above item/equipments/ agreement between OEM and dealer/distributer during the finalization/pendency of the contract.

Signature (For and on behalf of OEM) Seal

10) **PROFORMA FOR DECLARATION OF BIDDER**

We......(Bidder Firm) hereby declare that in respect of items/equipment tendered, we against tender notice no.-----dt.-----, We are the authorized------(Relationship between the bidder firm and OEM) vide OEM's authority letter No.-----Dtd-------------. We undertake ensure that -

- 1. We will support the quoted Equipment for installation, testing, commissioning & maintenance including supply of spare parts for its prescribed life.
- 2. We will be accountable for any shortcomings/defects/substandard supplies/supplies not according to norms & will be accountable for quality of products. It is also mentioned that prices/rates quoted are reasonable.
- Quoted items and we...... (Name of bidder) have not been blacklisted by any Government department/authority as on the date of submission of tender.
- 4. We undertake to inform to U.P. Police Radio Headquarters in case any material change that take place in the above item/equipments/agreement between OEM and dealer/distributer during the finalization/pendency of the contract.

Signature (For and on behalf of Bidder) Seal

11) PROFORMA FOR AUTHORITY FOR SIGNING TENDER DOCUMENTS

We, M/s______ (Name of the firm/company with address of the registered office) hereby constitute, appoint and authorise Mr./Ms______ (Name and residential address) who is presently employed with us and holding the position of ______ as our attorney to do in our name and our behalf all or any of the acts, deeds or things necessary or incidental to our tender for the supply of ______ (Name of the equipment /items), including signing and submission of the tender response, participating in the meetings, responding to queries, submission of information/documents and generally to represent us in all the dealings with client or any other Government Agency or any person, in connection with the works until culmination of the process of bidding till the tender agreement is entered into with______ (client) and thereafter till the expiry of the tender agreement.

We hereby agree to ratify all acts, deeds and things lawfully done by our said Attorney pursuant to this Authority Letter and that all acts, deeds and things done by our aforesaid Attorney shall and shall always be deemed to have been done by us.

Dated this the _____ day of _____ 2016

(Signature and Name of authorized signatory)

Seal of the firm Company

12) <u>Model Bank Guarantee Format for Furnishing EMD</u>

THE CONDITIONS OF THIS OBLIGATION ARE:

(1) If the tenderer with draws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.

(2) If the tenderer having been notified of the acceptance of his tender by the Purchaser during the period of its validity

(a) Fails to furnish the Performance Security for the due performance of the contract.

(b) Fails or refuses to accept/execute the contract.

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including 45(forty five) days after the period of tender validity and any demand in respect there-of should reach the Bank not later than the above date.

(Signature of the authorised officer of the Bank) Name and designation of the officer Seal, name and address of the Bank / Branch

13) Model Bank Guarantee Format for Performance Security

To,

The Governor of Uttar Pradesh

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognised by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of...... (amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

(Signature of the authorised officer of the Bank) Name and designation of the officer Seal, name and address of the Bank / Branch